فصل ششم

منابع

باقری، ع.، مشتاقی، ن و شریفی .ا .۱۳۸٦. بیوتکنولوژی گیاهی. انتشارات جهاد دانشگاهی مشهد. مشهد.

حسنلو، ط.، **رضازاده**، ش. و ح. راهنما. ۱۳۸۷. ریشه‌های مویین منبعی برای تولید ترکیبات با ارزش دارویی.فصلنامه گیاهان دارویی. سال هشتم، دوره اول، ۲۹.

سجادی، ا. و ورپورت، ر. ۱۳۷۷. مقایسه چهل و سه کولتیوار گیاه پروانش از نظر مقدار آلکالوئید ضد سرطان وینبلاستین . مجله پژوهش در علوم پزشکی.

فارسی، م.، ذوالعلی، ج .۱۳۸۷. اصول بیوتکنولوژی گیاهی (ترجمه). مشهد. انتشارات دانشگاه فردوسی مشهد. چاپ سوم.

شرفی، ع. ۱۳۸۵. مطالعه کشت بافت، باززایی و انتقال ژن گاس به گیاه دارویی آرتمیزیا، پایان نامه کارشناسی ارشد. دانشکده کشاورزی، دانشگاه مازندران.

مشتاقی، ن. ۱۳۸۲. تولید ریشه‌های مویین با استفاده از *Agrobacterium rizogenes* درگیاه *Datura stramonium* ومقایسه میزان و ثبات رشد با ریشه های نرمال. پایان نامه کارشناسی ارشد بیوتکنولوژی، دانشکده کشاورزی، دانشگاه فردوسی مشهد.

Bajaj, Y.P.S. 2000. Biotechnology in Agriculture and Foresty, Transgenic ،rees. Spinger-Verlag, *Berlin Hediberg*. 44: 15-37.

Barney, C.S. Morgan, J.A., Penn, A.H. and J.V. Shanks. 2000. Effects of buffered media upon growth and alkaloid production of *Catharanthus roseus* hairy root. *Appl. Microbiol Biotechnol*.53:262-265.

Balandrin, M.F., Klocker, J.A., Wurtele, E.S. and W.H. Bollinger. 1985. Natural plant chemicals: sources of industrial and medicinal materials. *Science* 228:1154-1160.

Banthorope, D.V., and B.V. Charlwodd. 1980. The Terpenoids. In: Encyclopedia of Plant Physiology New Series, Vol. 8, *Secondary Plant Products*. Bell, E.A., and Charlwood, B.V. (eds), Springer-verlag, London. pp 185-220.

Bennett, J.W. and R. Bentley. 1989. What's in a name? Microbial secondary metabolism. *Adv. Appl. Microbiol*. 34:1-28.

Bhadra R, Vani S and J.V. Shanks. 1993. Production of indole alkaloids by selected hairy root lines of *Catharanthus roseus*. *Biotech. Bioengin*. 41: 581-592.

Bourgaud, F., Gravot, A., Milesi, S. and E. Gontier. 2001. Production of plant secondary metabolites: a historical perspective. *Plant Sci*. 161:839−851.

Brielmann, H.L. 1999. Phytochemicals: The Chemical Components of Plants. "In *Natural Products of Plants*" . Kaufman, P.B., Cseke, L.J., Warber, S., Duke, J.A., Brielmann, H.L. els. CRS press, Floria, USA. pp 1250-1318.

Carderlli, M., Mariotti, D., Pomponi, M., Spano, L., Capone, I. and P. Castantino. 1987. *Agrobacterium rhizogenes* T-DNA genes capable of inducing hairy root phenotype. *Mol. Genet*. 209:475-480.

Cheng, S.S., Park, S.K., Kim, B.C., Kang, B.J., Kim, D.U., and , H.G. Nam. 1994. Stable genetic transformation of *Arabidobsis thaliana* by *Agrobacterium* inoculation in plant. *Plant Sic*. 5:551-558.

Chilton, M.D., Drummond, M.H., Merlo, D.J., Sciaky, D. Montoya, A.L., Gordon, M.P. and E.W., Nester. 1977. Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorogenesis. Cell 11:263–271.

Chilton. M.D., Saiki R.K., Yadav N., Gordon M.P. and F. Quetier. 1980. T-DNA from *Agrobacterium* Ti plasmid is in the nuclear DNA of crown gall tumour cells. *Proc. Natl. Acad. Sci.* USA 77:4060−4064.

Choi, Y.H., Yoo, K.P., and J. Kim. 2002. Supercritical fluid extraction and liquid chromatography–electrospray mass analysis of vinblastine from *Catharanthus roseus*. *Chem. Pharm*. Bulletin 50:1294–1296.

Chu, I.H., Bodnar, J.A., Bowman, R.N., and E.L. White. 1997. Determination of vincristine and vinblastine in *Catharanthus roseus* plants by high performance liquid chromatography electrospray ionization mass spectrometry. J. *Chromatogr. Relat. Technol.* 20:1159–1174.

Ciau-Uitz R., Miranda-Ham M.L., Coello-Coello J., Chi B., Pacheco L.M. and V.M. Loyola-Vargas. 1994. Indole alkaloid production by transformed and nontransformed root cultures of *Catharanthus roseus*. *In vitro Cell Dev. Biol*. 30P:84–88

Croteau, R., Kutchan, T., and N. Lewis. 2000. Natural Products (Secondary Metabolites). In: *Biochem. and Molec. Biol. of Plants*. Buchanan, ab., aaguissem, W., and Jones, R. eds. American Society of Plant Physiologists, Rockville, MD. pp 1250-1318.

Das, S., Sopory, S.K., Srivastava, P.S.and T. Srivastava. 2009. A reliable protocol for transformation of *Catharanthus roseus* through *Agrobacterium tumefaciens. Physiol. Mol. Biol. Plants.* 15:93-98.

De La Riva, G.A., Gozales-Cabrera, J., Vazquez-Pardon, R., and Ayra-Pardo, C. 1998. The *Agrobacterium thumefacians* gene transfer to plant cell. *Electronic Journal of Biotechnology*. 118:133.

De Luca, V., Balsevich, J., Tyler, R.T., Eilert, U., Panchuk, B.D. and W.G.W. Kurz. 1986. Biosynthesis of indole alkaloids: developmental regulation of the biosynthetic pathway from tabersonine to vindoline in *Catharanthus roseus*. *J. Plant. Physiol*. 125:147–156.

Dellapenna, D**.** 2001. Plant metabolic engineering . *Plant Physiol.* 125:160-163**.**

Dollery**,** C**.** 1999**.**Therapeutic Drugs. Churchill Livingstone Co, London.Vol 2 **(34).**

Dobelis, Inge N**.** 1989. Magic and Medicine of Plants. Pleasantville, NY, Reader's Digest Books.

Drager. B. 2002. Analysis of tropane and related alkaloids. J. Chromatogr. A. 978:1–35

Fowler, M.W. 2006. Plants, medicines and man. *J. Sci. Food Agric*. 86 (12):1797−1804.

Fachini, P.J. 1999.Plant secondary metabolism: out of the evolutionary abyss. *Atrends plant Sci*. 4:382-384.

Gershenzo, J., and W. Kreis. 1999. Biochemistry of terpenoids: monoterpenes, sesquiterpenes, diterpenes, sterols, cardiac glycosides and steroid saponins. In: *Biochemistry of plant secondary metabolism*. Wink, M. (ed). Sheffield Academic Press Ltd., England. pp 222-299.

Giri, A. and M.L. Narasu. 2000 . Transgenic hairy roots: recent trends and applications. *Biotechnology Advances* 18: 1-22.

Guillon, S., Tremouillaux-Guiller, J., Pati, P.K., Rideau, M., and P. Gantet. 2006. Hairy root research: recent scenario and exciting prospects. *Curr. Opin. Plant. Biol.* 9:341−346.

Hamill, J. and A. Lidget. 1997. Hairy root cultures opportunities and key protocols for studies in metabolic engineering. In: Hairy Roots: Cultivation and Applications. Doran. P. (editor). Hardwood Academy Publishers, Amsterdam, Netherlands. pp 1-30.

Heble, M.R**.** 1985. Multiple shoot chultures: aviable alternative in vitro system for the productionof known and biologicallyactive plant constituents. In: Neumann, K.H., Barz, W. and E. Reinhard. (eds). Primary and Secondary Metabolism of Plant Cell Cultures. Springer-Verlang, Berlin. pp:281-289.

Hilton, M.G. and M.J. Rhodes. 1990. Growth and hyoscyamine production of hairy root cultures of *Datura stramonium* in a modified stirred tank reactor. *Appl Microbiol Biotechnol*. 33:132-138.

Hisiger, S. and M. Jolicoeur. 2007. Analysis of *Catharanthus roseus* alkaloids by HPLC. *Phytochem*. Rev. 6:207-234.

Ho, C.H. and J. Shanks. 1992. Effects of initial medium pH on growth and metabolism of *Catharanthus roseus* hairy roots cultures – a study with ^{13}P and ^{13}C NMR spectroscopy. *Biotecnol letters*. 14 :959-964.

Kauppinen, V. Nuutila, A.M. and L. Toivonen. 1994. Bioreactor studies on hairy root culture of *Catharanthus roseus*: Comparision of three bioreactor types. *Biotechnology techniques.* 8 : 61-66.

Kieran, P. 2001. Bioreactor design for plant cell suspension cultures. In: Cabral J.M.S. (ed) Principles of Multiphase Reactor Design. Harwood Academic Publishers, pp 391−426.

Lea, P.J. and R.C. Leegoog. 1999. Plant Biochemistry and Molecular Biology. John Wiley and Sons, London, 358pp.

Mano, Y., Nabeshima, S., Matsui, C. and H. Ohkawa. 1986. Production of tropane alkaloids by hairy root cultures of *Scopolia japonica*. *Agric. Biol. Chem*. 50:2715−2722.

McCalley, D.V. 2002. Analysis of the Cinchona alkaloids by high-performance liquid chromatography and other separation techniques. J. Chromatogr. A. 967:1–19.

Misawa, M., Hayashi, M., Takayama, S. 1985. accumulation of antineoplastic agents by plant tissue cultures. In: Neumann K.H., Primary and Secondary Metabolism of Plant Cell Cultures, *Springer-Verlag*, Berlin Heidelberg. pp: 235-246.

Pal Bais, H., Loyola-Vargas, V.M., Flores, H.E., Vivanco, J.m. 2001. Root-specific metabolism: the biology and biochemistry of underground organs. *In Vitro CellDev Biol.-Plant*.37:730-741.

Palazon, J., Altabella, T., Cusido, R.M., Ribo, M. and M.T. Pinol. 1995. Growth and tropane alkaloid production in *Agrobacterium* transformed root and derived callus of *Datura*. *Biologia Plantarum*. 37:161-168.

Payne J., Hamill J.D., Robins R.J., Rhodes M.J.C. 1987. Production of hyoscyamine by hairy root cultures of *Datura stramonium*. *Planta. Med*. 53:474−478.

Pietrosiuk, A. and M. Furmanowa. 2001. Preliminary results of indole alkaloids production in different roots of *Catharanthus roseus* cultured in vitro. *Acta. Soc. Bot. Pol*. 70:261–265.

Premjet, D., Itoh, K., Tachibana, S. 2002. Stimulation of the production of Podophyllotoxin by biogenetic precursors and elicitor in *Juniperus chinensis* stem derived callus cultures, Pakistan Journal of Biological Science. 5: 131-316.

Ramavat, K.G and J.M.Merillon. 1999. Biotechnology: Secondary Metabolites. Science Publishers, Enfield, USA, 372 pp.

Ramachandra-Rao. S. and G.A. Ravishankar. 2002. Plant cell cultures: chemical factories of secondary metabolites. *Biotechnol.* Adv.20: 101-153.

Rao, S.R. and G.A. Ravishankar. 2002. Plant cell cultures: chemical factories of secondary metabolites. *Biotechnol. Adv*. 20:101−153.

Raskin, I., Ribnicky, D.M., Komarnytsky, S., Ilic N., Poulev, A., Borisjuk, N., Brinker, A., Morena, D.A., Ripoll, C., Yakoby, N., O' Neal. J., Cornwell, T., Pastor, I. and B.

Fridlender .2002. Plants and human health in the twenty-first century. *Trends Biotechnol*. 20:522−531.

Shanks J.V., Morgan J. 1999. Plant "hairy root" culture. *Curr. Opin. Biotechnol*. 10:151−155.

Sevon N., and K.M. Oksman-Caldentey. 2002. *Agrobacterium rhizogenes* mediated transformation: root cultures as a source of alkaloids. *Planta Med*. 68:859−868

Smith, M., 2002. An in vitro approach to investigate medicinal chemical synthesis by three herbal plants. *Plant Cell Tissue Organ Culture*. 70: 105-111.

Spena, A., Estruch, J.J., Prinsen, E., Nacken, W., Van Onkelen, H. and H. Sommer. Anther specific expression of the *rol*B gene of *Agrobacterium rhizogenes* increases IAA content in anthers and alters anther development and whole flower growth. *Theor Apple. Genet*. 84:520-527.

Stockigt J., Sheludko Y., Unger M., Gerasimenko I., Warzecha H. and D. Stockigt. 2002. High-performance liquid chromatographic, capillary electrophoretic and capillary electrophoretic–electrospray ionisation mass spectrometric analysis of selected alkaloid groups. *J. Chromatogr. A*. 967:85–113.

Toivonen, L., Balsevich, J. and W.G.W. Kurz . 1989. Indole alkaloid production by hairy root cultures of *Catharanthus roseus*. *Plant Cell Tissue Organ Cult*. 18:79–93.

Uniyal, G.C., Bala, S., Mathur, A.K., and R.N. Kulkarni. 2001. Symmetry C18 column: a better choice for the analysis of indole alkaloids of *Catharanthus roseus*. *Phytochem. Anal*. 12:206–210.

Verpoorte, R. 1999. Secondary metabolism. In: Verpoorte, R., and Alfermann, A.W. (eds.). Metabolic engineering of plant secondary metabolism. Klumer Academic Publishers, the Netherlands. pp 1-29.

Verporte, R. and J. Zhao. 2007. Manipulating indole alkaloid productionby C*atharanthus roseus* cell cultures in bioreactors: from biochemical processing to metabolic engineering.Springer Science, Business Media B.V. 6:435-457.

Wink, M. 1999a. Intoduction: Biochemistry, role and biotechnology of secondary metabolites. In: Wink, M. (ed.) Biochemistry of plant secondary metabolism. Sheffield Academic Press Ltd. England. pp 1-16.

Wink, M. 1999b. Introduction: functions of Plant secondary metabolites. In: Functions of Plant Secondary Metabolites and their Exploitation in Biotechnology. Wink, M. ed Sheffield Academic press Ltd., England. pp 1-16.

Wink, M. 1997. Compartmentation of secondary metabolites and xenobiotics in plant vacuoles. *Adv. Bot. Res*. 25:141-169.

Zhao, J., Zhu,W. and Q. Hu. 2001. Enhanced catharanthine productionin *Catharanthus roseus* cell cultures by combined elicitor treatment in shake flasks and bioreactors. Enz. *Microb.Technol.* 28,673–681.

Zhou, H., Tai, Y.P., Sun, C.R. and Y.J. Pan. 2005. Rapid identification of Vinca alkaloids by direct injection electrospray ionisation tandem mass spectrometry and confirmation by high performance liquid chromatography mass spectrometry. *Phytochem. Anal.* 16:328–333.