

ایزدی، الف.، راشد محصل، م. ح.، زند، الف.، نصیری محلاتی، م. و لکزیان، الف. ۲۰۰۸. بررسی نقش کود آلی و تاثیر مقدار کاربرد آترازین در تجزیه آن. مجله حفاظت گیاهان. شماره ۱: ۵۷-۵۰.

ایزدی، الف.، راشد محصل، م. ح.، زند، الف.، نصیری محلاتی، م. و لکزیان، الف. ۲۰۰۸. تاثیر بافت و درجه حرارت خاک بر تجزیه و نیمه عمر علف کش آترازین. مجله حفاظت گیاهان. شماره ۱: ۸۸-۸۱.

ایزدی، الف.، راشد محصل، م. ح. و زند، الف. ۲۰۱۱. ارزیابی حساسیت گیاهان زراعی مختلف به بقایای آترازین در خاک. پژوهش های زراعی ایران. شماره ۶: ۹۹۵-۱۰۰۱.

فخر راد، ف. ۱۳۹۰. بررسی تجزیه و نیمه عمر متری بیوزین در شرایط آزمایشگاهی. پایان نامه دوره کارشناسی ارشد، دانشگاه فردوسی مشهد

Adinda, D. S. and Rene, D. M. 1999. Degradation of pesticides by actinomycetes. *Crit. Rev. Microbiol.* 25: 85-119.

Ahrens, W. H. 1994. Herbicide handbook, 7th Edition. *Weed Science Society of America*, Illinois, USA.

Aislabie, J. and Lloyd-Jones, G. 1995. A review of bacterial degradation of pesticides. *Australian Journal of Soil Research.* 33: 925-942.

Alvey, S. and Crowley, D. E. 1995. Influence of organic amendments on biodegradation of atrazine as a nitrogen source. *Environmental Quality.* 24: 1156-1162.

Anderew, H. C. and Rend, P. H. 2010. Herbicide and plant physiology. second edition . *Willey Blakwell publication.* 289. p.

Ashton, F.M. and Monaco, T. J. 1991. Principles and practices, 3rd Edition. *John Wiley and Sons*, Inc. Toronto, Ontario, Canada. 272-290.

Baham, J. and Sposito, G. 1994. Adsorption of dissolved organic carbon extracted from sewage sludge on montmorillonite and kaolinite in the presence of metal ions. *Environmental Quality.* 23: 147-153.

Barriuso, E., Baer, U. and Calvet, R. 1992. Dissolved organic matter and adsorption-desorption of dimefuron, atrazine and carbetamide by soils. *Environmental Quality.* 21: 359-367.

- Barriuso, E. and Hourot. 1996. Rapid mineralization of s-triazine ring of atrazine in soils in relation to soil management. *Soil biology and biochemistry*. 28: 1341-1348.
- Beck, M. A., Robarge, W. P. and Buol, S. W. 1999. Phosphorus retention and release of anions and organic carbon by two Andisols. *European Journal of Soil Science*. 50: 157-164.
- Bedmar, F., Costa, J. L., Suero, E. and Gimenez, D. 2004. Transport of atrazine and metribuzin in tree soils of the humid pampas of argentina. *Weed Technology*. 18: 1-8.
- Benoit, P., Perceval, J., Stenrod, M., Moni, C., Eklo, O., Barriuso, E., Sveistrup, T. and Kvaerner, J. 2007. Availability and biodegradation of metribuzin in alluvial soils as affected by temperature and soil properties. *Weed Research*. 47: 517-526.
- Berger, B. M., Bernd, T., Menne, J., Hackfeld, U. and Siebert, C. F. 1996. Effects of crop management on the fate of three herbicides in soil. *Agriculture and Food Chemistry*. 44: 1900-1905.
- Blasioli, S., Braschi, I., Pinna, M. V., Pusino, A. and Gessa, C. E. 2008. Effect of undesalted dissolved organic matter from composts on persistence, adsorption and mobility of cyhalofop herbicide in soils. *Agrochemical and Food Chemistry*. 56: 4102-4111.
- Bloomfeild, J. P., Williams, R. G., Goody, D., Cape, j. N. and Guha, P. 2006. Impact of climate change on the fate and behavior of pesticides in surface and groundwater UK perspective. *Science of Total Environment*. 369: 163-177.
- Boettcher, G. and Nyer, E. K. 2001. In situ bioremediation. In *Situ Treatment Technology*, CRC Press, Boca Raton.
- Bohme, L., Langer, U. and Bohme, F. 2005. Microbial biomass, enzyme activities and microbial community structure on two European long-term field experiments. *Agriculture, Ecosystems and Environment*. 109: 141-152.
- Bowman, B. T. 1991. Mobility and Dissipation studies of metribuzin, atrazine and their metabolites in Plainfield sand using field lysimeters. *Environmental Toxicology and Chemistry*. 10: 573-579.
- Briceno, G., and Palma, G. 2007. Influence of organic amendment of the biodegradation and movement of pesticides. Critic. Review. *Environmental Science and Techtology*. 37: 233-271.
- Buelk, S., Vendy, W., Colin, D., Mattew, M. and Allan, W. 2005. Evaluation of simplifying assumption on pesticide degradation in soil. *Environmental Quality*. 34: 1933-1943.
- Castro, B. B., Guilhermino, L. and Ribeiro, R. 2003. *Environmental Pollutant*. 125: 325-335.

- Chen, W., Mulchandani, A. and Deshusses, M. A. 2005. Environmental biotechnology: challenges and opportunities for chemical engineers. *AIChE Journal*. 51: 690–695.
- Chiou, C. T., Malcolm, R. L., Brinton, T. I. and Kile, D. E. 1986. Water solubility enhancement of some organic pollutants and pesticides by dissolved humic and fulvic acids. *Environmental Science and Technology*. 20:502-508.
- Clay, D. V. 1995. Herbicide residue in soils and plants and their bioassay. In herbicide bioassay J. C Streibig and P. Kudsk. Eds, Boca Rton publications. pp: 153-171.
- Cohen, S. Z., Wauchope, R. D., Klein, A.W., Eadsforth, C. V. and Graney, R. 1995. Offsite transport of pesticides in water: mathematical models of pesticides leaching and runoff. *Pure Applied Chemistry*. 67:2109–2148.
- Conn, J. C., Koshinen, W. and Graham, N. R. 1996. *Environmental Quality*. 25: 1048-1053.
- Corria, F. V., Macrae, A., Guilherme, L. R. and Langenbach, T. 2007. Atrazine sorption and fate in a ultisoil from humid tropical Brazil. *Chemosphere*. 67: 847-854.
- Cupples, A. M., Sims, G., Hultgrea, P. and Hart, S. E. 2000. Effect of soil conditions on the degradation of chlorosulam-methyl. *Environmental Quality*. 29:786-794
- Devine, M., Duke, S.O. and Fedtke, C. 1993. *Physiology of herbicide action*. Prentice Hall, Inc. New Jersey. USA.
- Diaz, E. 2004. Bacterial degradation of aromatic pollutants: a paradigm of metabolic versatility. *International Microbiol*. 7: 173-180.
- Dinelli, G., Accienelli, C., Vicari, A. and Catizone, P. 2000. Comarison of the persistence of atrazine and metolachlor under field and laboratory conditions. *Agricultural and Food Chemistry*. 48: 3037-3043.
- Dubey, H. D. and Freeman, J. F.. 1963. Bioassay of diphenamid and linuron in soil. *Gaz*. 124: 388–392.
- Dungan, R., Ibekwe, A., and Yates, S. 2003. Effects of propargyl bromide and 1.3-dichloropropene on microbial communities in an organycally amended soil, *Microbiol and Ecology*. 43: 75–87.
- Dungan, R., Gan, J. and Yates, S. 2003. Accelerated degradation of methyl isothiocyanate in soil, *Water and Air. Soil Pollutant*. 142: 299–310.
- Eagle, D. J. 1990. Agrochemical damage to UK crops. *Pesticide Outlook*. 1: 14-17.
- Eberle, D. O. and Gerber, H. R. 1976. Comparative studies of instrumental and bioassay methods for the analysis of herbicide residue. *Environ. Contam. Toxicol*. 4: 101–118.

- Ebeto, M. and Koyo, Y. 2005. Methods for estimating competitive adsorption of herbicides on soils. *Pesticide Science*. 30: 220-224.
- Evangelou, V. P. 1998. Environmental Soil and Water Chemistry: Principles and Applications. *John Wiley and Sons*, New York.
- Fedtke, C. 1982. Biochemistry and physiology of herbicide action. *Springer-Verlag*, New York, USA, 19-113.
- Ferris, I. G. and Haigh, B. M. 1992. Prediction of herbicide persistence and phytotoxicity of residue. Proceedings First International Weed Control Congress, Melbourne 1: 193–207.
- Finlayson, D. G. and MacCarthy, H. R. 1973. Pesticide residue in plants. In Environmental Pollution by Pesticide, *Plenum Press*, New York.
- Fountoulakis, M. S., Makridis, K., Chroni, C., Kyriacocu, A., Lasaridi, K. and Manios, T. 2010. Fate and effect of linuron and metribuzin on the co-composting of green waste and sewage sludge. *Waste Management*. 30: 41–49.
- Frazer, C. 2000. The bioremediation and phytoremediation of pesticide-contaminated sites. National Network of Environmental Studies Fellow, Washington DC.
- Frear, D. S., Mansager, E. R., Swanson, H. R. and Tanaka, F. 1983. Metribuzin Metabolism in Tomato: Isolation and Identification of N-Glucoside conjugates. *Pesticide Biochemistry and Physiology*. 19: 270-281.
- Fuscaldo, F., Bedmr, F. and Monterubbianesi, G. 1999. Persistence of atrazine, metribuzin and simazine herbicides in two soils. *Pesquisa Agropecuaria Brasileira*. 34: 2037-2044.
- Gavrilescu, M., Ungureanu, F., Cojocaru, C. and Macoveanu, M. 2005. Modelling and Simulation in Environmental Engineering. Ecozone Press, Iasi, Romania.
- Getenga, Z. M., Madadi, V. and Wandiga, S. O. 2004. Studies on biodegradation of 2,4-D and metribuzin in soil under controlled condition. *Environmental Contaminant Toxicology*. 72: 504-513.
- Getenga, Z. 2003. Enhanced mineralization of atrazine in compost-amended soil in laboratory studies. *Environmental Contaminant Toxicology*. 71: 933–941.
- Gonzalez de la Huebra, M. J., Hernandez, P., Ballesteros, Y. and Hernandez, L. 2001. Determination of linuron in soil by stripping voltammetry with a carbon fiber microelectrode. *Talanta*. 54: 1077–1085.

- Gu, B., Schmitt, J., Chen, Z., Liang, L. and McCarthy, J. F. 1995. Adsorption and desorption of different organic matter fractions on iron oxide. *Geochimica and Cosmochimica Acta*. 59: 219-229.
- Guerrero, C., Gomez, I., Solera, J., Moral, R., Beneyto, J., and Hernandez, M. 2000. Effect of solid waste compost on microbiological and physical properties of a burnt forest soil in field experiments, *Biologiy and Fertility Soils*. 32: 410–414.
- Gupta, S. and Gajbhiye, V. T. 2002. Effect of concentration, moisture and soil type on the dissipation of flufenacet from soil. *Chemospher*. 47: 901-906.
- Hadizadeh, M. 2010. Bioassay study of sulfosulfuron herbicide, the proceedings of Iranian third weed science congress. 2: 523-526.(In Persian With English Summary).
- Halloway, K. L., Kookana, R. S., Noy, D. M., Smith, J. G., and Wilhelm, N. 2006. Persistence and leaching of imazethapyr and flumetsulam herbicides over a 4-year period in the highly alkaline soils of south-eastern Australia. *Australian. Journal of Experimental Agriculture*. 46: 669-674.
- Hance, R. J. 1974. Soil organic matter and the adsorption and decomposition of herbicides atrazine and linuron. *Soil Biology and Biochemistry*. 6: 39-42.
- Hance, R.J. and Holly, K. 1990. Weed control handbook: Principles, 8" Edition. Blackwell Scientific Publications, Boston, USA. pp 243-259.
- Hatzios, K. K. and Penner, D. 1988. In Herbicides: chemistry, degradation and mode of action, 2nd edition, eds. Kearney, P. C. and Kaulman, D. D. 3: 191–243.
- Helling, C. S. 1997. Environmental fate of herbicides in Hawaii, Peru and Panama. *Environmental behavior of crop protection chemicals*. 389-406
- Helling, C. S. 2005. The Science of soil residual herbicides. Science and management. 3-22.
- Henriksen, T., Svensmark, B. and Juhler, R. K. 2002. Analysis of metribuzin and transformation products in soil by pressurized liquid extraction and liquid chromatographic-tandem mass spectrometry. *Chromatography*. 957: 79-87.
- Henriksen, T., Svensmark, B. and Juhler, R. K. 2004. Degredation and Sorption of Metribuzin and Primary Metabolites in a Sandy soil. *Environmental Quality*. 33: 619-627.
- Hogg, S. 2005. Essential microbiology. Jon Wiely and Sons. Ltd. West Sussex. England. P: 468.
- Izadi darbandy, E. 2009. Evalution of atrazine persistence in laboratory and field conditions and its effect on soil microbial activity , Ph.D. Thesis, Ferdowsy University of Mashhad. .(In Persian With English Summary).

- James, T. K., Holland, P., Rahman, A. and Lu, Y. 1999. Degradation of the sulfonylurea herbicides chlorsulfuron and triasulfuron in a high-organic-matter volcanic soil. *Weed Research*. 39: 137-147.
- Jensen, K. N. 1982. The roles of uptake, translocation and metabolism in the differential intraspecific response to herbicides. Pages 133-162 in LeBaron, H.M. and Gressel, J. 1982. Herbicide resistance in plants. *John Wiley and Sons*, New York.
- Jettner, R. J., Walker, S.R., Churchett, J .D., Blamey, F. P .C., Adkins, S.W., and Bell, K. 1999. Plant sensitivity to atrazine and chlorsulfuron residue in a soil free system. *Weed Research*. 39:287-295.
- Johnson, E. 2003. Herbicide soil residue. *Pest Management Science*. 59: 1125-1133.
- Kaake, R. H., Roberts, D. J., Stevenson, T. O., Crawford, R. L. and Crawford, D. L. 1992. Bioremediation of soils contaminated with the herbicide 2-sec-butyl-4, 6- dinitrophenol (dinozeb). *Applied Environmental Microbiol*. 50: 1683-1689.
- Kabrera, A., Cox, L., Koskinen, W. and Sadowsky, M. 2008. Availability of Triazine Herbicides in Aged Soils Amended with Olive Oil Mill Waste. *Agricultural Food Chemistry*. 56: 4112–4119.
- Kadian, N., Gupta, A., Satya, S., Kumari, R. and Malik, A. 2007. Biodegradation of herbicide atrazine in contaminated soil using various bioprocessed materials. *Bioresour Technology*. 99: 4642-4647.
- Kaiser, K. and Zech, W. 1998. Competitive sorption of dissolved organic matter fractions to soils and related mineral phases. *Soil Science Society of America Journal*. 61: 64-69.
- Kalbitz, K., Solinger, S., Park, J. H., Michalzik, B. and Matzner, E. 2000. Controls on the dynamics of dissolved organic matter in soils. *Soil Science*. 165: 277-304.
- Kan, A. T., Fu, G. M., Hunter, M. A. and Thomson, M. B. 1994. Sorption/desorption hysteresis in organic pollutant and soil-sediment interaction. *Environmental Science and Technology*. 28: 859– 867.
- Kaufman, D. D. 1983. Fate of toxic organic compounds in land-applied wastes. In *Land Treatment of Hazardous Wastes*, Noyes Data Corp., Park Ridge, New York.
- Khoury, R., Geahchan, A., Coste, C. M. and Antoun, M. A. 2001. The behavior of pesticide in soils: The influence of various environmental factors on the degradation of metribuzin. *Environment and Solar. Mediterranean Conference for Volume, Issue*: 34-39.

- Khoury, R., Geahchan, A., Coste, C. M., Cooper, J. F. and Bobe, A. 2003. Retention and degradation of metribuzin in sandy loam and clay soils of Lebanon. *Weed Research*. 43: 252-259.
- Kjaer, J., Olsen, P., Sjelborg, P., Fomsgaard, I., Mogensen, B. and Plauborg, F. 2001. The Danish Pesticide Leaching Assessment Programme. GEUS Report, Geological Survey of Denmark and Greenland, Copenhagen.
- Kjeaar, J., Olsen, P., Henriksen, T. and Ullum, M. 2005. Leaching of Metribuzin Metabolites and the Associated Contamination of a Sandy Danish Aquifer. *Environmental Science Technology*. 39: 8374-8381.
- Klecka, G. M. 1985. Biodegradation in Environmental Exposure from Chemicals (Eds: Neely, W. B. and Blau, G. E). *CRC Press*, Boca Raton.
- Kleineidam, S., Rugner, H. and Grathwohl, P. 2004. Desorption kinetics of phenanthrene in aquifer material lacks hysteresis. *Environmental Science Technology*. 38: 4169–4175.
- Klingman, G. C., Ashton, F .M., and Noordhoff, L.J. 1982. Weed Science: Principles and practices, 2nd Edition. *John Wiley and Sons Inc.*, Toronto, Ontario, Canada. pp 146- 158.
- Kodesova. R., Kocarek, M., Kodes, V., Drabek, O., Kozak, J. and Hejtmankova, K. 2010. Pesticide adsorption in relation to soil properties and soil type distribution in regional scale. *Hazardous Materials*. 186: 540-550.
- Kondra, L. N. and Pasztor, Z. 2001. Environmental distribution of acetochlor, atrazine, chlopyrifos and propischlor under field conditions. *Agriculture and Food Chemistry*. 49: 3859-3863.
- Koshinen, W., Conn, J. S., Sorenson, B. A. and Thorman, E. M.,In Meyer, M. T. (Ed.), *ACC Symp. Series*, 1991. P 630.
- Kuhard, R. C., Johri, A. K., Singh, A. and Ward, O. P. 2004. Bioremediation of pesticide-contaminated soils. In *Soil Biology, Applied Bioremediation and Phytoremediation*. *Springer Verlag*. 1: 35–54.
- Larson, S. J., Capel, P. D. and Majewski, M. S. 1997. Pesticides in surface waters distribution, trends, and governing factors. Series of Pesticides in Hydrologic System, Vol. 3, *Ann Arbor Press*, Chelsea, Michigan.
- Lechon, Y., Varcарcel, A. I., Matienzo, T., Sanchez, C. and Tadeo, J. L. 1997. Laboratory and Field studies on metribuzin persistence in soil and its prediction by simulation models. *Toxicological and Environmental Chemistry*. 63: 47-61.

- Lin, C. H., Lerch, R. N., Garret, H. E., Johnson, W. G., Jordann, D., and Georg, M. F. 2003. the effect of five forage species on transport and transformation of atrazine and isoxaflutole (Balance) in lysimetre Leachate. *Jornal of agricultural and food chemistry*. 49:3859-3863.
- Lin, C. H., Lereh, R., Garrett, E. and George, F. 2008. Bioremediation of atrazin- contaminated soil by forage grasses: transformation, uptake and detoxification. *Environmental Quality*. 37: 169-206.
- Lindy, C.D. 1994. Physio-chemical properties and environment fate of pesticides. In environmental hazards assessment program. California.
- Logan, B. E. Environmental Transport Processes. *John Wiley & Sons*, New York, 1999.
- Loux, M.M. and Reese, K. D. 1992. Effect of soil pH on adsorption and persistence of imazaquin. *Weed Science*. 40: 490- 496.
- Lundquist, E. J., Jackson, L. E. and Scow, K. M. 1999. Wet-dry cycles affect dissolved organic carbon in two California agricultural soils. *Soil Biology Biochemistry*. 31: 1031-1038.
- Majumdar, K. and Singh, N. 2007. Effect of soil amendments on sorption and mobility of metribuzin in soils. *Chemosphere*. 66: 630–637.
- Mandelbaum, R. T., Wackett, L. P. and Allan, D. L. 1993. Mineralisation of the s-triazine ring of atrazine by stable bacterial mixed cultures. *Applied Environmental Microbiol*. 59: 1695-1701.
- Mandelbaum, R. T., Allan, D. L. and Wackett, L. P. 1995. Isolation and characterization of a *Pseudomonas* sp. that mineralizes the s-triazine herbicide atrazine. *Applied and Environmental Microbiology*. 61: 1451-7.
- Mansoori, S., Zand, E., Baghestani-Meybodi, M. A. and Tavakoli, M. 2008. Effect of sulfonylurea herbicides on yield and component of yield of canola. *Weed Science*. 4: 83-85.
- Maqueda, C., Villaverde, J., Sopena, F., Undabeytia, S. and Morillo, S. 2009. Effects of Soil Characteristics on Metribuzin Dissipation Using Clay-Gel-Based Formulations. *Agricultural Food Chemistry*. 2009. 57: 3273–3278.
- Maxwell, B.D. and Mortimer, A.M. 1994. Selection for herbicide resistance. Pages 1-25 in Powles, S. B. and Holtum, J.A. 1994. Herbicide resistance in plants. *Biology and biochemistry*, Florida, CRC Press.
- McDowell, W. H. 2003. Dissolved organic matter in soils-future directions and unanswered questions. *Geoderma*. 113: 179-186.
- McKnight, D. M., Bencala, K. E., Zellweger, G. W., Aiken, G. R., Feder, G. L. and Thorn, K. A. 1992. Sorption of dissolved organic carbon by hydrous aluminium and iron oxides occurring

- at the confluence of Deer Creek with the Snake river, Summit country, Colorado.
Environmental Science and Technology. 26: 1388-1396.
- Michalzik, B., Kalbitz, K., Park, J. H., Solinger, S. and Matzner. 2001. Fluxes and concentration of dissolved organic matter-a synthesis for temperate forests. *Biogeochemistry*. 52: 173-205.
- Mill, T. and Mabey, W. 1985. Photochemical transformations. Environmental exposure from chemicals. Neely, W. and Glau, G. E. eds., Vol. 1, Boca Raton, FL: *CRC Press Inc.* p. 207, 1985.
- Mitchell, J. W. and Marth, P. C. 1946. Germination of seeds in soil containing dichlorophenoxyacetic acid. *Gaz.* 107: 408-416.
- Mojasevic, M., Helling, C., Gish, T. and Doherty, M. A. 1996. Persistence of seven pesticides as influence by soil moisture. *Environmental Science and Health*. 31: 469-476.
- Moorman, T. B., Cowan, J. K., Arthur, E. L. and Coats, J. R. 2001. Organic amendments to enhance herbicide biodegradation in contaminated soils. *Biology and Fertility Soils*. 33: 541-545.
- Moreno, J. L., Aliaga, A., Navarro, S., Hernandez, T. and Garcia, C. 2007. Effects of atrazine on microbial activity in semiarid soil. *Applied soil Ecology*. 35: 120-127.
- Mueller. K., Smith, R. E., James, T. K., Holland, P. T., and Rahman, A. 2003. Spatial variability of atrazine dissipation in an allophonic soil. *Pest Management Science*. 59: 893-903.
- Mueller, J., Magesan, N. and Bolan, S. 2007. A critical review of the enfluence irrigation on the fate of pesticides in soil. *Agriculture, Ecosystems and Environment*. 120: 93-116.
- Mueller, T. C., Lawrence, E. and Radosovich, M. 2010. Effect of soil pH and previous atrazine use history on atrazine degradation in a Tennessee field soil. *Weed Science*. 58: 478-483.
- Mulholland, P. J., Dahm, C. N., David, M. B., Di Toro, D. M., Fisher, T. R., Kogel-Knabner, I., Meybeck, M. H., Meyer, J. L. and Sedell, J. R. 1990. What are the temporal and spatial variations of organic acids at the ecosystem level?. In: *Organic Acids in Aquatic Ecosystems*. Perdue, E. M. and Gjessing, E. T. (Eds.). *Life Sciences Research Report*. 48: 315-329.
- Neely, W. B. 1985. Hydrolysis. In *Environmental Exposure from Chemicals*, *CRC Press*, Boca Raton.
- Nicholls, P. H. 1988. Factors influencing entry of pesticides into soil water. *Pesticide. Science*. 22: 123-137.
- Omafra, A. 1998. Guide to weed control. Ministry of Agriculture, Food and Rural Affairs. Toronto. Canada.

- Pal, R., Chkrabarti, A. and Chowdhury, A. 2005. Pencycuron dissipation in soil: Effect of application rate and soil condition. *Pest Management Science*. 61: 1220- 1223.
- Parham, J., Deng, S. P., Da, H. N., Sun, H. and Raun, W. R. 2003. Long term cattle manure application in soil: Effect on soil microbial populations and community structure. *Biology and Fertility of Soils*. 38: 209-215.
- Perceval, J., Benoit, P., Stenrod, M., Eklo, O., Charnay, P. and Barriuso, E. 2004. Availability and biodegradation of metribuzin in sandy soils as affected by temperature and soil characteristics. *Environmental Quality*. 25: 1048-1053.
- Perruci, P., Dumontet, S., Bufo, S. A. and Mazatura, A. 2000. Effects of organic amendment and herbicide treatment on soil microbial biomass. *Biology and Fertility Soils*. 32: 17-23.
- Peyvastegan, A. and Farahbakhsh, A. 2011. The residual effects of different doses of atrazine, alachlor and foramsulfuron on the growth and physiology of rape seed. *Engineering and Technology*. 74: 322-328.
- Pofu, B. and Zimbabwe, J. 1991. *Agricultural Research*. 29: 47-52.
- Popov, V. H., Cornish, P. S., Sultan, K. and Morris, E. C. 2005. Atrazine degradation in soils: the role of microbial communities, atrazine application history and soil carbon. *Australian Journal of Experimental Agriculture*. 43: 861-871.
- Pothuluri, J. V., Moorman, T. B., Obenhuber, D. C. and Wauchope, R. D. 1990. Aerobic and anaerobic degradation of alachlor in samples from surface to ground water profile. *Environmental Quality*. 19: 525-530.
- Racke, K. D., Skidmore, M. W., Hamilton, D. J., Unsworth, J. B., Miyamoto, J. and Cohen, S. Z. 1997. Pesticide fate in tropical soils. *Pure Applied Chemistry*. 69: 1349–1371.
- Ranft, R. D., Seefeldt, S. S., Zhang, M. and Barnes, D. L. 2010. Development of a soil bioassay for triclopyr residue and comparison with a laboratory extraction. *Weed Technology*. 24: 538-543.
- Raschke, U., Werner, G., Wilde, H. and Stottmeister, U. 1998. Photolysis of metribuzin in oxygenated aqueous solutions. *Chemosphere*. 36: 1745-1758.
- Reynolds, W. D., Jong, R., Patni, N. K., Masse, L. and Clemente, R. S. 1998. Soil Persistence of Atrazine, Metolachlor, and Metribuzin as Influenced by Temperature, Soil Moisture, and Soil Characteristics. Centre for Land and Biological Resources Research, Research Branch, *Agriculture and Agricultural Food*. Canada.
- Robert, M. Z., Weaver, M. A. and Martin, L. 2006. Microbial adaptation for accelerated atrazine mineralization-degradation in Mississippi Delta soils. *Weed Science*. 54: 538-547.

- Robertson, B. K. and Alexander, M. 1994. Growth-linked and cometabolic biodegradation: Possible reason for occurrence or absence of accelerated pesticide biodegradation. *Pesticide Science*. 41: 311-318.
- Rouchaud, J., Gustin, F. and Bulcke, R. 1995. Atrazine soil metabolism in maize field treated with organic fertilizer. *Weed Research*. 36: 101-112.
- Rouchad, F., Neus, O. and Hermann, G. 1997. Influence of application rate and manure amendment on chloridazon dissipation in the soil. *Weed Research*. 37: 121-127.
- Sanchez, M. E., Estrada, L.B., Martinez, O., Villacorta, J., Aller, A. and Moran, A. 2004. Influence of the application of sewage sludge on the degradation of pesticides in soil. *Chemosphere*. 57: 673-679.
- Santin-Montanya, I., Alonso-Prados, J. L., Villarroja, M., and Garcia-Baudin, J. M . 2006. bioassay for determining sensitivity to sulfosulfuron on Seven Plant Species. *Environmental Science and Health*. 41: 781- 793.
- Savage, K. E. 1977. Metribuzin persistence in soil. *Weed Science*. 22: 55–59.
- Sekutowski, T. And Sadowski, J. 2006. Use of Bioassays for assessment of residual level of herbicides active ingredients in soil. *Pesticides Pestycydy*. 2: 59-64.
- Selim , H.M., Bengtson, R.L., Zhu, H. and Ricaud, R. 2000. Runoff losses of atrazine, metribuzin, and nutrients as affected by management practices for sugarcane. Usa center Research and Extension. Bulletin Number 875.
- Semple, K. T., Reid, B. J. and Fermor, T. R. 2001. Impact of composting strategies on the treatment of soils contaminated with organic pollutants. *Environment and Pollutants*. 112: 269-283.
- Seol, Y. and Lee, L. S. 2000. Effect of dissolved organic matter in treated effluents on sorption of atrazine and prometryn by soils. *Soil Science Society of America Journal*. 64: 1976-1983.
- Shelton, D. R. and Karns, J. S. 1998. Pesticide bioremediation:Genetic and ecological considerations. pp. 181-216. In: Kearney, P. C. and Roberts, T. (Eds.), *Pesticide Remediation in Soils and Water*. John Wiley and sons Pub., NY.
- Shin, S. L., Thill, D. C., Price, W. J. And Ball, D. A. 1998. Response downy brome and rotational crops to MON-37500. *Weed Technology*. 12: 690-698.
- Singh, N. 2008. Biocompost from sugar distillery effluent: effect on metribuzin degradation, sorption and mobility. *Pest Management Science*. 64: 1057–1062.

- Sondhia, S. 2005. Phytotoxicity and persistence of metribuzin residue in black soil. *Toxicological and Environmental Chemistry*. 83: 389-397.
- Stenrod, m., Perceval, J., Benoit, P., Almvik, M., Bolli, R. I. and Eklo, O. M. 2008. Cold climatic conditions: Effects on bioavailability and leaching of the mobile pesticide metribuzin in a silt loam soil in Norway. *Cold Regions Science and Technology*. 53: 4-15.
- Stevens, J. T. and Sumner, D. D. 1991. Herbicides. Handbook of Pesticide Toxicology. *Academic Press*, New York, NY.
- Strek, H. J. 2005. The Science of Dupont,s soil residual herbicides in Canada. Pages 31-44 in R . C. Van Acker, ed. Soil residual herbicides: Sience and Mnagement. Topics in Canadian weed science, volume3. Sainte Anne-de Bellevue, Quebec.
- Theng, B. G., Kookana, R. S. and Rahman, A. 2000. Environmental concerns of pesticides in soil and groundwater and management strategies in oceania. In: Huang, P. M. and Iskandar, I. K. (Eds.), Soils and Ground water Pollution and Remediation. *CRC Press*. Boca Raton. Florida.
- Thorstensen, C. W. and O. Lode. 2000. Laboratory degradation studies of bentazone, dichlorprop, MCPA and propiconazole in Norwegian soils. *Environmental Quality*. 30: 947-953.
- Tiktak, A., Pineros, J. D., Nie, D.S., Vanclooster, M. and Jones, A. 2003. Assessment of pesticide leaching at the pan-European level using a spatially distribution model. Proc. Diffuse Pollution and Basin Management Conf, Dublin, Aquatic Ecology and Dangerous Substances Section, pp. 17–22, August.
- Tipping, E. 1981. The adsorption of aquatic humic substances by iron oxides. *Geochimical and Cosmochimical Acta*. 45: 191-199.
- Tomlin, C. D. S. (Ed.), The Pesticide Manual, 12th ed., British Crop Protection Council, Farnham, 2000.
- USA Environmental Protection Agency. Pesticide Fact Sheet Number 53: Metribuzin. Office of Pesticides and Toxic Substances, Washington, DC. 8–35, 1985.
- USA Environmental Protection Agency. National Survey of Pesticides in Drinking Water Wells. Phase I Report. Washington, DC, 1990. pp. 8–24.
- Valcarcel, A. and Tadeo, J. L. 1999. Influence of Soil Moisture on Sorption and Degradation of Hexazinone and Simazine in Soil. *Agricultural Food Chemistry*. 47: 3895-3900.
- Van Dijk, J. and Keukens, H. J. 2000. The stability of some veterinary drugs and cocciostats during composting and storage of laying hen and broiler feces, In: Residue of veterinary drugs in food, Proceedings of the Euroresidue IV Conference, Veldhoven, The Netherlands, May 2000.

- Van Hamme, J. D. 2004. Bioavailability and biodegradation of organic pollutants: A microbial perspective. In *Soil Biology, Vol. 2: Biodegradation and Bioremediation* (Eds: Singh, A., Ward, O. P.). *Springer Verlag*, Berlin, Heidelberg. 37–56.
- Vencill, W.K. 2002. Herbicide handbook. 8th ed. Lawrence, K.S: *Weed Science Society of America*. 493p.
- Waldman, M. and Shevah, Y. 1993. Biodegradation and leaching of pollutants: monitoring aspects. *Pure Applied Chemistry*. 65:1595–1603.
- Walker, S. R., Robinson, G. R. and Hargreaves, R. A. 1997. Weed control with atrazine and chlorsulfuron is determined by herbicide availability and persistence. *Australian Journal of Agricultural Research*. 48: 1003-1009.
- Wang, W. and Freemark, K. 1995. The use of plants for environmental monitoring and assessment. *Ecotox. Environ. Safety*. 30: 289–301.
- Warner, D., Andersen, R. and Stucker, R. 1997. Dissipation of metribuzin as affected by soil pH and tillage. *Sugarbeet Research and Extension Reports*. 8: 64 –69.
- Wauchope, R. D. and Myers, R. S. 1985. Adsorption-desorption kinetics of atrazine and linuron in freshwater-sediment aqueous slurries. *Environmental Quality*. 14: 132– 136.
- Wauchope, R. D., Buttler, T. M., Hornsby, A. G., Augustijn-Beckers, P. M. and Burt, J. P. 1992. SCS/ARS/CES Pesticide properties database for environmental decisionmaking. *Environmental Contaminant Toxicology*. 123: 1–157.
- Wauchope, R., Graney, R., Cryer, S., Eadsforth, C. and Klein, W. 1995. Pesticide runoff: Methods and interpretation of field studies. *Pure and Applied Chemistry*. 67: 2089-2108.
- WSSA. Herbicide Handbook of the Weed Science Society of America, 7th ed. *W F Humphrey Press*. Genevea, NY, 1994.