

## فصل ششم

### منابع

- باقری، ع.، مشتاقی، ن و شریفی، ا. ۱۳۸۶. بیوتکنولوژی گیاهی. انتشارات جهاد دانشگاهی مشهد. مشهد.
- حسنلو، ط.، رضازاده، ش. و ح. راهنما. ۱۳۸۷. ریشه‌های مویین منبعی برای تولید ترکیبات با ارزش دارویی. فصلنامه گیاهان دارویی. سال هشتم، دوره اول، ۲۹.
- سجادی، ا. و ورپورت، ر. ۱۳۷۷. مقایسه چهل و سه کولتیوار گیاه پروانش از نظر مقدار آکالوئید ضد سرطان وینبلاستین. مجله پژوهش در علوم پزشکی.
- فارسی، م.، ذوالعلی، ج. ۱۳۸۷. اصول بیوتکنولوژی گیاهی (ترجمه). مشهد. انتشارات دانشگاه فردوسی مشهد. چاپ سوم.
- شرفی، ع. ۱۳۸۵. مطالعه کشت بافت، باززایی و انتقال ژن گاس به گیاه دارویی آرتمیزیا، پایان نامه کارشناسی ارشد. دانشکده کشاورزی، دانشگاه مازندران.

مشتاقی، ن. ۱۳۸۲. تولید ریشه‌های موئین با استفاده از *Agrobacterium rizogenes* در گیاه *Datura stramonium* و مقایسه میزان و ثبات رشد با ریشه های نرمال. پایان نامه کارشناسی ارشد بیوتکنولوژی، دانشکده کشاورزی، دانشگاه فردوسی مشهد.

- Bajaj, Y.P.S. 2000. Biotechnology in Agriculture and Forestry, Transgenic trees. Springer-Verlag, Berlin Hediberg. 44: 15-37.
- Barney, C.S. Morgan, J.A., Penn, A.H. and J.V. Shanks. 2000. Effects of buffered media upon growth and alkaloid production of *Catharanthus roseus* hairy root. *Appl. Microbiol Biotechnol.* 53:262-265.
- Balandrin, M.F., Klocker, J.A., Wurtele, E.S. and W.H. Bollinger. 1985. Natural plant chemicals: sources of industrial and medicinal materials. *Science* 228:1154-1160.
- Banthorope, D.V., and B.V. Charlwood. 1980. The Terpenoids. In: Encyclopedia of Plant Physiology New Series, Vol. 8, *Secondary Plant Products*. Bell, E.A., and Charlwood, B.V. (eds), Springer-verlag, London. pp 185-220.
- Bennett, J.W. and R. Bentley. 1989. What's in a name? Microbial secondary metabolism. *Adv. Appl. Microbiol.* 34:1-28.
- Bhadra R, Vani S and J.V. Shanks. 1993. Production of indole alkaloids by selected hairy root lines of *Catharanthus roseus*. *Biotech. Bioengin.* 41: 581-592.
- Bourgau, F., Gravot, A., Milesi, S. and E. Gontier. 2001. Production of plant secondary metabolites: a historical perspective. *Plant Sci.* 161:839-851.
- Briellmann, H.L. 1999. Phytochemicals: The Chemical Components of Plants. "In *Natural Products of Plants*". Kaufman, P.B., Cseke, L.J., Warber, S., Duke, J.A., Briellmann, H.L. eds. CRS press, Florida, USA. pp 1250-1318.
- Carderlli, M., Mariotti, D., Pomponi, M., Spano, L., Capone, I. and P. Castantino. 1987. *Agrobacterium rhizogenes* T-DNA genes capable of inducing hairy root phenotype. *Mol. Genet.* 209:475-480.
- Cheng, S.S., Park, S.K., Kim, B.C., Kang, B.J., Kim, D.U., and H.G. Nam. 1994. Stable genetic transformation of *Arabidopsis thaliana* by *Agrobacterium* inoculation in plant. *Plant Sci.* 5:551-558.
- Chilton, M.D., Drummond, M.H., Merlo, D.J., Sciaky, D. Montoya, A.L., Gordon, M.P. and E.W., Nester. 1977. Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *Cell* 11:263-271.

- Chilton. M.D., Saiki R.K., Yadav N., Gordon M.P. and F. Quetier. 1980. T-DNA from *Agrobacterium* Ti plasmid is in the nuclear DNA of crown gall tumour cells. *Proc. Natl. Acad. Sci. USA* 77:4060–4064.
- Choi, Y.H., Yoo, K.P., and J. Kim. 2002. Supercritical fluid extraction and liquid chromatography–electrospray mass analysis of vinblastine from *Catharanthus roseus*. *Chem. Pharm. Bulletin* 50:1294–1296.
- Chu, I.H., Bodnar, J.A., Bowman, R.N., and E.L. White. 1997. Determination of vincristine and vinblastine in *Catharanthus roseus* plants by high performance liquid chromatography electrospray ionization mass spectrometry. *J. Chromatogr. Relat. Technol.* 20:1159–1174.
- Ciau-Uitz R., Miranda-Ham M.L., Coello-Coello J., Chi B., Pacheco L.M. and V.M. Loyola-Vargas. 1994. Indole alkaloid production by transformed and nontransformed root cultures of *Catharanthus roseus*. *In vitro Cell Dev. Biol.* 30P:84–88
- Croteau, R., Kutchan, T., and N. Lewis. 2000. Natural Products (Secondary Metabolites). In: *Biochem. and Molec. Biol. of Plants*. Buchanan, ab., aaguissem, W., and Jones, R. eds. American Society of Plant Physiologists, Rockville, MD. pp 1250-1318.
- Das, S., Sopory, S.K., Srivastava, P.S. and T. Srivastava. 2009. A reliable protocol for transformation of *Catharanthus roseus* through *Agrobacterium tumefaciens*. *Physiol. Mol. Biol. Plants*. 15:93-98.
- De La Riva, G.A., Gozales-Cabrera, J., Vazquez-Pardon, R., and Ayra-Pardo, C. 1998. The *Agrobacterium thumefaciens* gene transfer to plant cell. *Electronic Journal of Biotechnology*. 118:133.
- De Luca, V., Balsevich, J., Tyler, R.T., Eilert, U., Panchuk, B.D. and W.G.W. Kurz. 1986. Biosynthesis of indole alkaloids: developmental regulation of the biosynthetic pathway from tabersonine to vindoline in *Catharanthus roseus*. *J. Plant. Physiol.* 125:147–156.
- Dellapenna, D. 2001. Plant metabolic engineering . *Plant Physiol.* 125:160-163.
- Dollery, C. 1999. Therapeutic Drugs. Churchill Livingstone Co, London. Vol 2 (34).
- Dobelis, Inge N. 1989. Magic and Medicine of Plants. Pleasantville, NY, Reader's Digest Books.
- Drager. B. 2002. Analysis of tropane and related alkaloids. *J. Chromatogr. A.* 978:1–35
- Fowler, M.W. 2006. Plants, medicines and man. *J. Sci. Food Agric.* 86 (12):1797–1804.

- Fachini, P.J. 1999. Plant secondary metabolism: out of the evolutionary abyss. *Trends plant Sci.* 4:382-384.
- Gershenzo, J., and W. Kreis. 1999. Biochemistry of terpenoids: monoterpenes, sesquiterpenes, diterpenes, sterols, cardiac glycosides and steroid saponins. In: *Biochemistry of plant secondary metabolism*. Wink, M. (ed). Sheffield Academic Press Ltd., England. pp 222-299.
- Giri, A. and M.L. Narasu. 2000. Transgenic hairy roots: recent trends and applications. *Biotechnology Advances* 18: 1-22.
- Guillon, S., Tremouillaux-Guiller, J., Pati, P.K., Rideau, M., and P. Gantet. 2006. Hairy root research: recent scenario and exciting prospects. *Curr. Opin. Plant. Biol.* 9:341-346.
- Hamill, J. and A. Lidget. 1997. Hairy root cultures opportunities and key protocols for studies in metabolic engineering. In: *Hairy Roots: Cultivation and Applications*. Doran, P. (editor). Harwood Academic Publishers, Amsterdam, Netherlands. pp 1-30.
- Heble, M.R. 1985. Multiple shoot cultures: available alternative in vitro system for the production of known and biologically active plant constituents. In: Neumann, K.H., Barz, W. and E. Reinhard. (eds). *Primary and Secondary Metabolism of Plant Cell Cultures*. Springer-Verlag, Berlin. pp:281-289.
- Hilton, M.G. and M.J. Rhodes. 1990. Growth and hyoscyamine production of hairy root cultures of *Datura stramonium* in a modified stirred tank reactor. *Appl Microbiol Biotechnol.* 33:132-138.
- Hisiger, S. and M. Jolicoeur. 2007. Analysis of *Catharanthus roseus* alkaloids by HPLC. *Phytochem. Rev.* 6:207-234.
- Ho, C.H. and J. Shanks. 1992. Effects of initial medium pH on growth and metabolism of *Catharanthus roseus* hairy roots cultures – a study with  $^{13}\text{P}$  and  $^{13}\text{C}$  NMR spectroscopy. *Biotechnol letters.* 14 :959-964.
- Kauppinen, V. Nuutila, A.M. and L. Toivonen. 1994. Bioreactor studies on hairy root culture of *Catharanthus roseus*: Comparison of three bioreactor types. *Biotechnology techniques.* 8 : 61-66.
- Kieran, P. 2001. Bioreactor design for plant cell suspension cultures. In: Cabral J.M.S. (ed) *Principles of Multiphase Reactor Design*. Harwood Academic Publishers, pp 391-426.

- Lea, P.J. and R.C. Leegoog. 1999. Plant Biochemistry and Molecular Biology. John Wiley and Sons, London, 358pp.
- Mano, Y., Nabeshima, S., Matsui, C. and H. Ohkawa. 1986. Production of tropane alkaloids by hairy root cultures of *Scopolia japonica*. *Agric. Biol. Chem.* 50:2715–2722.
- McCalley, D.V. 2002. Analysis of the Cinchona alkaloids by high-performance liquid chromatography and other separation techniques. *J. Chromatogr. A.* 967:1–19.
- Misawa, M., Hayashi, M., Takayama, S. 1985. accumulation of antineoplastic agents by plant tissue cultures. In: Neumann K.H., Primary and Secondary Metabolism of Plant Cell Cultures, *Springer-Verlag*, Berlin Heidelberg. pp: 235-246.
- Pal Bais, H., Loyola-Vargas, V.M., Flores, H.E., Vivanco, J.m. 2001. Root-specific metabolism: the biology and biochemistry of underground organs. *In Vitro CellDev Biol.-Plant*.37:730-741.
- Palazon, J., Altabella, T., Cusido, R.M., Ribo, M. and M.T. Pinol. 1995. Growth and tropane alkaloid production in *Agrobacterium* transformed root and derived callus of *Datura*. *Biologia Plantarum*. 37:161-168.
- Payne J., Hamill J.D., Robins R.J., Rhodes M.J.C. 1987. Production of hyoscyamine by hairy root cultures of *Datura stramonium*. *Planta. Med.* 53:474–478.
- Pietrosiuk, A. and M. Furmanowa. 2001. Preliminary results of indole alkaloids production in different roots of *Catharanthus roseus* cultured in vitro. *Acta. Soc. Bot. Pol.* 70:261–265.
- Premjet, D., Itoh, K., Tachibana, S. 2002. Stimulation of the production of Podophyllotoxin by biogenetic precursors and elicitor in *Juniperus chinensis* stem derived callus cultures, *Pakistan Journal of Biological Science*. 5: 131-316.
- Ramavat, K.G and J.M.Merillon. 1999. Biotechnology: Secondary Metabolites. Science Publishers, Enfield, USA, 372 pp.
- Ramachandra-Rao. S. and G.A. Ravishankar. 2002. Plant cell cultures: chemical factories of secondary metabolites. *Biotechnol. Adv.*20: 101-153.
- Rao, S.R. and G.A. Ravishankar. 2002. Plant cell cultures: chemical factories of secondary metabolites. *Biotechnol. Adv.* 20:101–153.
- Raskin, I., Ribnicky, D.M., Komarnytsky, S., Ilic N., Poulev, A., Borisjuk, N., Brinker, A., Morena, D.A., Ripoll, C., Yakoby, N., O’ Neal. J., Cornwell, T., Pastor, I. and B.

- Fridlender .2002. Plants and human health in the twenty-first century. *Trends Biotechnol.* 20:522–531.
- Shanks J.V., Morgan J. 1999. Plant “hairy root” culture. *Curr. Opin. Biotechnol.* 10:151–155.
- Sevon N., and K.M. Oksman-Caldentey. 2002. *Agrobacterium rhizogenes* mediated transformation: root cultures as a source of alkaloids. *Planta Med.* 68:859–868
- Smith, M., 2002. An in vitro approach to investigate medicinal chemical synthesis by three herbal plants. *Plant Cell Tissue Organ Culture.* 70: 105-111.
- Spena, A., Estruch, J.J., Prinsen, E., Nacken, W., Van Onkelen, H. and H. Sommer. Anther specific expression of the *rolB* gene of *Agrobacterium rhizogenes* increases IAA content in anthers and alters anther development and whole flower growth. *Theor Apple. Genet.* 84:520-527.
- Stockigt J., Sheludko Y., Unger M., Gerasimenko I., Warzecha H. and D. Stockigt. 2002. High-performance liquid chromatographic, capillary electrophoretic and capillary electrophoretic–electrospray ionisation mass spectrometric analysis of selected alkaloid groups. *J. Chromatogr. A.* 967:85–113.
- Toivonen, L., Balsevich, J. and W.G.W. Kurz . 1989. Indole alkaloid production by hairy root cultures of *Catharanthus roseus*. *Plant Cell Tissue Organ Cult.* 18:79–93.
- Uniyal, G.C., Bala, S., Mathur, A.K., and R.N. Kulkarni. 2001. Symmetry C18 column: a better choice for the analysis of indole alkaloids of *Catharanthus roseus*. *Phytochem. Anal.* 12:206–210.
- Verpoorte, R. 1999. Secondary metabolism. In: Verpoorte, R., and Alfermann, A.W. (eds.). *Metabolic engineering of plant secondary metabolism*. Klumer Academic Publishers, the Netherlands. pp 1-29.
- Verporte, R. and J. Zhao. 2007. Manipulating indole alkaloid productionby *Catharanthus roseus* cell cultures in bioreactors: from biochemical processing to metabolic engineering. *Springer Science, Business Media B.V.* 6:435-457.
- Wink, M. 1999a. Intoduction: Biochemistry, role and biotechnology of secondary metabolites. In: Wink, M. (ed.) *Biochemistry of plant secondary metabolism*. Sheffield Academic Press Ltd. England. pp 1-16.
- Wink, M. 1999b. Introduction: functions of Plant secondary metabolites. In: *Functions of Plant Secondary Metabolites and their Exploitation in Biotechnology*. Wink, M. ed Sheffield Academic press Ltd., England. pp 1-16.

- 
- Wink, M. 1997. Compartmentation of secondary metabolites and xenobiotics in plant vacuoles. *Adv. Bot. Res.* 25:141-169.
- Zhao, J., Zhu, W. and Q. Hu. 2001. Enhanced catharanthine production in *Catharanthus roseus* cell cultures by combined elicitor treatment in shake flasks and bioreactors. *Enz. Microb. Technol.* 28, 673–681.
- Zhou, H., Tai, Y.P., Sun, C.R. and Y.J. Pan. 2005. Rapid identification of Vinca alkaloids by direct injection electrospray ionisation tandem mass spectrometry and confirmation by high performance liquid chromatography mass spectrometry. *Phytochem. Anal.* 16:328–333.