

فہرست منابع

- Andersson, L., Milberg, P., and Noronha, A. 1997. Germination response of weed seeds to light, light of short duration and darkness after stratification in soil. *Swedish Journal of Agriculture*, 27: 113-120.
- Argel, P. J. and Humphreys, L. R. 1983. Environmental effects on seed development and hardseededness in *Stylosanthes hamate* cv. Verano. I. Temperature. *Australian Journal of Agricultural Research*, 34: 261-270.
- Baskin, J. M., and Baskin, C. C. 1977. Role of temperature in the germination ecology of three summer annual weeds. *Oecologia*, 30: 377-382.
- Baskin, J. M., and Baskin, C. C. 1980. Ecophysiology of secondary dormancy in seeds of *Ambrosia artemisiifolia*. *Ecology*, 61: 475-480.
- Baskin, J. M., and Baskin, C. C. 1981. Seasonal changes in the germination responses of buried *Lamium amplexicaule* seeds. *Weed Research*, 21: 229-306.
- Baskin, J. M., and Baskin, C. C. 1982. Comparative germination responses of the two varieties of *Arenaria patula*. *Trans. Kentucky Academic Science*, 43:50-54.
- Baskin, J. M., and Baskin, C. C. 1983. Seasonal changes in the germination responses of buried seeds of *Arabidopsis thaliana* and ecological interpretation. *Botanical Gazette*, 144: 540-543.
- Baskin, J. M., and Baskin, C. C. 1984. Germination ecophysiology of the woodland herb *Osmorhiza longistylis* (Apiaceae). *American Journal of Botany*, 71: 687-692.
- Baskin, J. M., and Baskin, C. C. 1985. The annual dormancy cycle in buried weed seeds: a continuum. *BioScience*, 35: 492-498.
- Baskin, J. M., and Baskin, C. C. 1986. Temperature requirement for afterripening in seeds of nine winter annuals. *Weed Research*, 26: 375-380.
- Baskin, J. M., and Baskin, C. C. 1987. Environmentally induced changes in the dormancy states of buried weed seeds. *Proc. 1987 Brit. Crop Protection. Conference weeds 7c*, 2: 695-706.
- Baskin, J. M., and Baskin, C. C. 1989. *Physiology of dormancy and germination in relation to seed bank ecology*. Pp: 53-66, Academic Press. San Diego.
- Baskin, J. M., and Baskin, C. C. 1990. Germination ecophysiology of seeds of the winter annual *Chaerophyllum tianturieri*: A new type of morphophysiological dormancy. *Ecology*, 78: 933-1004.
- Baskin, C. C., and Baskin, J. M. 1994. Germination response of *Oenothera biennis* seeds during burial under natural seasonal temperature cycles. *Canadian Journal of Botany*, 72: 779-782.
- Baskin, J. M., and Baskin, C. C. 1995. Variation in the annual dormancy cycle in buried seeds of the weedy winter annual *Viola arvensis*. *Weed Research*, 35: 353-362.
- Baskin, C. C., and Baskin, J. M. 1998. *Seeds: Ecology, biogeography, and evolution of dormancy and germination*. Academic Press. San Diego.
- Baskin, J. M., and Baskin, C. C. 2004. A classification system for seed dormancy. *Seed Science*, 14: 1-16.
- Baskin, C. C., and Baskin, J. M., and Van Auken, O. W. 1992. Germination response patterns to temperature during afterripening of achenes of four Texas winter annual Asteraceae. *Canadian Journal of Botany*, 70: 2354-2358.
- Baskin, C. C., Baskin, J. M., and Chester, E. W. 2000. Studies on the ecological life cycle of the native winter annual grass *Alepecurus carolinianus*, with particular reference to seed germination biology in a floodplain habitat. *Journal of Torrey Botany Society*, 127: 280-290.
- Baskin, C. C., Milberg, P., Andersson, L., and Baskin, J. M. 2002. Nondeep simple morphophysiological dormancy in seeds of weed facultative winter annual *Papaver rhoeas*. *Weed Research*, 42: 194-202.

- Baskin, C.C., Milberg, P., Andersson, L., and Baskin, J. M. 2004. Germination ecology of seeds of the annual weeds *Capsella bursa-pastoris* and originating from high northern latitudes. *Weed Research*, 44: 60-86.
- Batlla, D., and Benech-Arnold, R. L. 2007. Predicting changes in dormancy level in weed seed soil bank: Implications for weed management. *Crop Protection*, 26: 189-197.
- Bazzaz, F. A. 1990. Plant-Plant interactions in successional environments. In Perspectives on Plant Competition, eds. J. B. Grace and D. Tilman. *Academic Press*. San Diego. 239-263.
- Bell, D. T. 1999. The process of germination in Australian species. *Australian Journal of Botany*, 47: 475-517.
- Benech-Arnold, R. L., Sanchez, R. A., Forcella, F., Kruk, B. C., and Ghersa, C. M. 2000. Environmental control of dormancy in weed seedbanks in soil. *Field Crop Research*, 67: 105-122.
- Benvenuti, S., Macchia, M., and Miele, S. 2001. Light, temperature and burial depth effects on *Rumex obtusifolius*. Seed germination and emergence. *Weed Research*, 41: 177-186.
- Berrie, A. M., Paterson, J., and West, H. P. 1974. Water content and responsivity of lettuce seeds to light. *Physiology of Plant*, 31:90-96.
- Bewley, J. D., and Black, M. 1982. Physiology and biochemistry of seeds. Vol. 2. Viability, dormancy and environmental control. Springer-Verlag, Berlin.
- Bouwmeester, H. J., and Karssen, C. M. 1989. Environmental factors influencing the expression of dormancy patterns in weed seeds. *Annals of Botany*, 63:113-120.
- Bouwmeester, H. J., and Karssen, C. M. 1992. The dual role of temperature in the regulation of the seasonal changes in dormancy and germination of seeds of *Polygonum persicaria* L. *Oecologia*, 90: 88-94.
- Bouwmeester, H. J., and Karssen, C.M. 1993a. Annual changes in dormancy and germination in seeds of *Sisymbrium officinale* L. Scop. *New Phytologist*, 124:179-191.
- Bouwmeester, H. J., and Karssen, C. M. 1993b. The effect of environmental conditions on the annual dormancy pattern of seeds of *Spergula arvensis*. *Canadian Journal of Botany*, 71:64-73.
- Bouwmeester, H. J., and Karssen, C. M. 1993c. Seasonal periodicity in germination of seeds of *Chenopodium album* L. *Annals of Botany*, 72:463-473.
- Buhler, D. D. 1997. Effect of tillage and light environment on emergence of 13 annual weeds. *Weed Technology*, 11: 496-501.
- Cardina, J., and Sparrow, D. H. 1997. Temporal changes in velvetleaf (*Abutilon theophrasti*) seed dormancy. *Weed Science*, 45: 61-66.
- Caron, G. E., Wang, B. S. P., and Schooley, H. O. 1993. Variation in *Picea glauca* seed germination associated with the year of cone collection. *Canadian Journal For Research*, 23:1306-1313.
- Cavers, P. B., Steel, M. G. 1984. Patterns of change in seed weight over time on individual plants. *American Nature*, 124: 324-335.
- Cavers, P. B. 1995. Seed banks: memory in soil. *Canadian Journal of Soil Science*, 75: 11-13.
- Ceccato, D. V., Bertero, H. D., and Batlla, D. 2011. Environmental control of dormancy in quinoa (*Chenopodium quinoa*) seeds: two potential genetic resources for pre-harvest sprouting tolerance. *Seed Science Research*, Vol 21, Issue 02: 133-141.
- Chadoeuf-Hannel, R., and Barralis, G. 1982. Influence de differents regimes hydriques sur la croissance vegetative, le poids et al germination des grains dune mauvaise herbe cultivee en serre: *Amaranthus retroflexus* L. *Agronomie*, 2: 835-841.

- Clua, A. A., and Gimenez, D. O. 2003. Environmental factors during seed development of narrow-leaved birds-foot-trefoil (*Lotus tenuis*) influences subsequent dormancy and germination. *Grass Forage Science*, 58:333-338.
- Cone, J. W., and Kendrick, R. E. 1985. Fluence-response curves and action spectra for promotion and inhibition of seed germination in wildtype and long-hypocotyl mutants *Arabidopsis thaliana* L. *Planta*, 163:43-54.
- Cristaudo, A., Gresta, F., Luciani, F., and Restuccia, A. 2007. Effects of after-harvest period and environmental factors on seed dormancy of *Amaranthus* species. *Weed Research*, 47: 327-334.
- Datta, S.C., Evenari, M., and Gutterman, Y. 1970. The heteroblasty of *Aegilops ovate* L. *Israel Journal Botany*, 19: 463-483.
- Derkx, M., and Karssen, C. 1993. Changing sensitivity to light and nitrate but not to gibberellins regulates seasonal dormancy patterns in *Sisymbrium officinale* seeds. *Plant, Cell and Environment*, 16(5): 469-479.
- Derkx, M. P. M., Karssen, C. M. 1994. Are seasonal dormancy patterns in *Arabidopsis thaliana* regulated by changes in seed sensitivity to light, nitrate and gibberellin? *Annals of Botany*, 73:129-136.
- Donohue, K. 2005. Seeds and seasons: interpreting germination timing in the field. *Seed Science Research*, 15: 175-187.
- Dyer, W. E. 1995. Exploiting weed seed dormancy and germination requirements through agronomic practices. *Weed Science*, 43:498-503.
- El-Keblawy, A., Al-Ansari, F. 2000. Effect of site of origin, time of seed maturation and seed age on germination behavior of *Portulaca oleracea* L. From old and new world. *Canadian Journal of Botany*, 78: 279-287.
- El-Keblawy, A., and Al-Rawai, A. 2006. Effects of seed maturation time and dry storage on light and temperature requirements during germination in invasive *Prosopis juliflora*. *Flora*, 201: 135-143.
- Evenari, M., Koller, D., and Gutterman, Y. 1966. Effects of the environment of the mother plant on germination by control of seed- coat permeability to water in *Ononis sicula* Guss. *Australian Journal of Biology Science*, 19:1007-1016.
- Fawcett, R. S., and Slife, F. W. 1978. Effects of field applications of nitrate on weed seed germination and dormancy. *Weed Science*, 26: 594-596.
- Fenner, M. 1992. Environmental influences on seed size and composition. *Horticulture Review*, 13:183-213.
- Fenner, M., and Thompson, K. 2006. *The ecology of seeds*. Cambridge, UK: Cambridge University Press.
- Fielding, A., Kriste, D. N., and Dearman, P. 1992. The temperature dependence of Pfr action governs the upper temperature limit for germination in lettuce. *Photochemistry and Photobiology*, 58: 623-627.
- Finich-Savage, W. E., and Leubner-Metzger, G. 2006. Seed dormancy and control of germination. *New Phytology*, 171: 501-523.
- Forcella, F., Wilson, R. G., Renner, K. A., Dekker, J., Harvey, R. G., Alm, D. A., Buhler, D. D., and Cardina, J. A. 1992. Weed seedbanks of the U. S. Corn belt: magnitude, variation, emergence, and application. *Weed Science*, 40: 636-644.
- Gallagher, R. S., and Cardina, J. 1998. Phytochrome-mediated *Amaranthus* germination. I. effect of seed burial and germination temperature. *Weed Science*, 48:48-52.
- Ghadiri, H., and Niazi, M. 2005. Effects of stratification, scarification, alternating temperature and light on seed dormancy of *Rumex dentatus*, *Amaranthus retroflexus* and *Chenopodium album*. *Iranian Journal of Weed Science*, 1 (2):93-109.

- Ghorbani, R., Seel, W., and Leifert, C. 1999. Effects of environmental factors on germination and emergence of *Amaranthus retroflexus*. *Weed Science*, 47: 505-510.
- Gordon, A. G. 1973. The rate of germination. *Seed Ecology* (ed. W. Heydecker), 391-410. Butterworths. London.
- Gualano, N. A., and Benech-Arnold, R.L. 2009. Predicting pre-harvest sprouting susceptibility in barley: looking for sensitivity window' to temperature throughout grain filling in various commercial cultivars. *Field Crops Research*, 114: 35-44.
- Guo, P., and AL-Khatib, K. 2003. Temperature effects on germination and growth of redroot pigweed (*Amaranthus retroflexus*), Palmer amaranth (*Amaranthus palmeri*), and common waterhemp (*Amaranthus rudis*). *Weed Science*, 51: 869-875.
- Gutterman, Y. 1974. The influence of the photoperiodic regime and red-far red light treatments of *Portulaca oleracea* L. plants on the germinability of their seeds. *Oecologia*, 17: 27-38.
- Gutterman, Y. 1991. Comparative germination of seeds, matured during winter or summer, of some bi-seasonal flowering perennial desert Aiozaceae. *Journal of Arid Environment*, 21: 283-291.
- Gutterman, Y. 1992. Maturation dates affecting the germinability of *Lactuca serriola* L. achenes collected from a natural population in the Negev Desert highlands. Germination under constant temperatures. *Journal of Arid Environment*, 22: 353-362.
- Gutterman, Y. 1994. Germinability under natural temperatures of *Lactuca serriola* L. achenes matured and collected on different dates from a natural population in the Negev Desert highlands. *Journal of Arid Environment*, 28: 117-127.
- Gutterman, Y., Shem-Tov, S., and Gozlan, S. 1998. The effect of post-maturation temperature and duration on seed germinability of *Plantago coronopus* occurring in natural populations in the Negev Desert highlands, Israel. *Journal of Arid Environment*, 38:451-463.
- Gutterman, Y. 2000. Environmental factors and survival strategies of annual plant species in the Negev Desert, Israel. *Plant Species Biology*, 15: 113-125.
- Gutterman, Y. 2002. *Survival strategies of annual desert plants*. Springer, Berlin, Heidellberg.
- Halloran, G.M., and Collins, W. J. 1974. Physiological predetermination of the under of hardseededness breakdown in subterranean clover (*Trifolium subterraneum* L.). *Annals of Botany*, 38: 1039-1044.
- Hakansson, S. 1983. Seasonal variation in the emergence of annual weeds-an introductory investigation in Sweden. *Weed Research*, 23: 313-324.
- Harper, J. L. 1959. The ecological significance of dormancy and its importance in weed control. Proceedings of the Ivth International Congress of Crop Protection, Hamburg, September 1957, Vol 1, 415-420.
- Heide, O. M., Junttila, O., and Samuelsen, R. T. 1976. Seed germination and bolting in Red beet as affected by parent plant environment. *Journal of Physiology of Plant*, 36: 343- 349.
- Hillhorst, H. W. M., and Karssen, C. M. 1988. Dual effect of light on the gibberellin-and nitrate-stimulated seed germination of *Sisymbrium officinale* and *Arabidopsis thaliana*. *Plant Physiology*, 86: 591-597.
- Hillhorst, H. W. M. 1998. The regulation of secondary dormancy. The membrane hypothesis revised. *Seed Science Research*, 8: 77-90.
- Holm, L. G., Plucknelt, L. D., Pancho, J., and Herberger, J. 1977. *World's worst weeds*. Published for the east-west center by university press of Hawaii. Honolulu: 280-284.

- Honek, A., Martinkova, Z., and Jarosik, V. 1999. Annual cycles of germinability and differences between primary and secondary dormancy in buried seeds of *Echinochloa crus-galli*. Blackwell Science. *Ltd Weed Research*, 39:69-79.
- Hsiao, A.L., and Vidaver, W. 1973. Dark reversion of phytochrome in lettuce seeds stored in a water-saturated atmosphere. *Plant Physiology*, 51:459-463.
- Hume, L. 1994. Maternal environment effects on plant growth and germination of two strains of *Thlaspi arvense* L. *Int. Journal of Plant Science*, 155: 180-186.
- Johnston, M., Fernandez, G., and Olivares, A. 1994. Capacidad germinativa en especies de la pradera annual mediterranea II. Efecto del ano de produccion de semillas. *Phyton (Buenos Aires)*, 55: 59-69.
- Jursik, M., Soukup, J., Venclova, V., and Holec, J. 2003. Seed dormancy and germination of shaggy soldier (*Galinsoga ciliate* Blake.) and common lambsquarter (*Chenopodium album* L.). *Plant Soil Environment*, 49 (11): 511-518.
- Kadman-Zahavi, A. 1960. Effects of short and continuous illumination on the germination of *Amaranthus retroflexus* seeds. *Bulletin of the Research Council of Israel*, 9: 1-20.
- Karssen, C. M. 1970. The light promoted germination of the seeds of *Chenopodium album* L. III. Effect of the photoperiod during growth and development of the plants on the dormancy of the produced seeds. *Acta Botanica Neerlandica*, 19: 81-94.
- Karssen, C. M. 1980/81. Patterns of change in dormancy during burial of seeds in soil. *Israel Journal of Botany*, 29: 65-73.
- Karssen, C. M. 1982. Seasonal patterns of dormancy in weed seeds. The physiology and biochemistry of seed development, dormancy and germination (ed. A. A. Khan), Elsevier Biomedical Press. Amsterdam, 243-271.
- Khan, A. 1960. An analysis of dark-osmotic inhibition of germination of lettuce seeds. *Plant Physiology*, 35: 1-7.
- Khan, A. A., and Karssen, C. M. 1980. Induction of secondary dormancy in *Chenopodium bonus-henricus* L. seeds by osmotic and high temperature treatments and its prevention by light and growth regulators. *Plant Physiology*, 66: 175-181.
- Kigel, J., Gibly, A., and Negbi, M. 1979. Seed germination in *Amaranthus retroflexus* L. as affected by the photoperiod and age during flower induction of the parent plants. *Journal of Experimental Botany*, 30: 997-1002.
- Kigel, J., Ofir, M., and Koller, D. 1977. Control of the germination responses of *Amaranthus retroflexus* L. seeds by their parental photothermal environment. *Journal of Experimental Botany*, 28: 1125-1136.
- Kremer, R. J. 1993. Management of weed seed banks with microorganisms. *Biological Applications*, 3: 42-52.
- Kruk, B., and Benech-Arnold, R. 1998. Functional and quantitative analysis of seed thermal responses in prostrate knotweed (*Polygonum aviculare*) and common purslane (*Portulaca oleracea*). *Weed Science*, 83-90.
- Kruk, B. C., and Benech-Arnold, R. L. 2000. Evaluation of dormancy and germination responses to temperature in *Carduus acanthoides* and *Anagallis arvensis* using a screening system and relationship with field-observed emergence patterns. *Seed Science Research*, 10: 77-88.
- Lamonico, D. 2010. Biology, life-strategy and invasiveness of *Amaranthus retroflexus* L. (Amaranthaceae) in central Italy: pre liminary remarks. *Botanica Serbica*, 34 (2): 137-145.
- Maguire, J., and Overland, A. 1959. Laboratory germination of seeds of weedy and native plants. Washington Agricultural Experimental Station, Circular no. 349, Pullman, Washington.

- Mahesh, M. Q., and Turkington, R. 1996. Dynamics of seed bank and survivorship of Meadow Salsify (*Tragopogon pratensis*) populations. *Weed Science*, 44: 100-108.
- Martinkova, Z., and Honek, A. 1995. The effect of post-harvest conditions on termination of seed dormancy by stratification in barnyardgrass (*Echinochloa crus-galli*). *Ochr. Rostlin*, 31: 241-247.
- Martinkova, Z., and Honek, A. 1997. Geographic variation in the rate of seed dormancy termination in barnyardgrass (*Echinochloa crus-galli*). *Ochr. Rostlin*, 33: 25-32.
- Mennan, H., and Zandstra, B. H. 2006. The effect of depth and duration of seed burial on viability, dormancy and emergence of ivy leaf speedwell (*Veronica hederifolia*). *Weed Technology*, 20: 438-444.
- Meyer, S. E., and Allen, P. S. 1999. Ecological genetics of seed germination regulation in *Bromus tectorum* L. II. Reaction norms in response to a water stress gradient imposed during seed maturation. *Oecologia*, 120: 35-43.
- Milberg, P., Andersson, L., and Noronha, A. 1996. Seed germination after short-duration light exposure: implications for the photo-control of weeds. *Journal of Applied Ecology* 33, 1469-1478.
- Milberg, P. 1997. Weed seed germination after short term light exposure: germination rate, photon fluence response and interaction with nitrate. *Weed Research*, 37: 157-164.
- Munir, J., Dorn, L. A., Donohue, K., and Schmitt, J. 2001. The effect of vmaternal photoperiod on seasonal dormancy in *Arabidopsis thaliana* (Brassicaceae). *American Journal of Botany*, 88: 1240-1249.
- Murdoch, A. J., and Ellis R. H. 1992. Longevity, viability and dormancy. In *Seeds: The Ecology of Regeneration in Plant Communities*, ed. M. Fenner. Wallingford, OXUK: CAB International, 193-229.
- Nikolaeva, M. G. 1969. Physiology of deep dormancy in seeds. Leningrad, Russia, Izdatelstvo 'Nauka'. (Translated from Russia by Z. Shapiro, National Science Foundation, Washington, DC.).
- Nikolaeva, M. G. 1977. Factors controlling the seed dormancy pattern. In *The Physiology and Biochemistry of Seed Dormancy and Germination*, ed. A. A. Khan. Amsterdam: North Holland Publishing, 51-74.
- Nikolaeva, M. G. 2001. Ecological and physiological aspects of seed dormancy and germination. (Review of investigations for the last century). *Botanicheskii Zhurnal*, 86: 1-14. (in Russian with English summary).
- Noronha, A., Andersson, L., and Milberg, P. 1997. Rate of change in dormancy level and light requirement in weed seeds during stratification. *Annals of Botany*, 80: 795-801.
- Okusanya, O. T., and Ungar, I. A. 1983. The effects of time of seed production on the germination response of *Spergularia marina*. *Physiology of Plant*, 59: 335-342.
- Omami, E. N., Haigh, A. M., Medd, R. W., and Nicol, H. I. 1999. Changes in germinability, dormancy and viability of *Amaranthus retroflexus* as affected by depth and duration of burial. *Weed Research*, 39: 345-354.
- Orozco-Segovia, A., Brechu-Franco, A. E., Zambrano-Polaco, L., Osuna-Fernandez, R., Laguna-Hernandez, G., and Sanchez-coronado, M. E. 2000. Effects of maternal light environment on germination and morphological characteristics of *Sicyos deppei* seeds. *Weed Research*, 40: 495-506.
- Ozer, Z. 1996. Untersuch ungen zur keimtemperature von unkrautsamenaus unterschiedlichen gebieten der turkei. *Z. Pfl. Krankh. Pfl.-Schutz, Sonderh*, 15: 61-64.
- Pita, J. M., and Duran, J. M. 1984. Germination en el genero *Amaranthus* L.: *ITEA*, 56: 17-28.
- Pons, T. L. 1991a. Dormancy, germination and mortality of seeds in a chalk-grassland flora. *Journal of Ecology*, 79: 765-780.

- Pons. T. L. 1991b. Induction of a dark dormancy in seeds: its importance for the seed bank in the soil. *Functional Ecology*, 5: 669-675.
- Prochazka, S., Machackova, I., Krekule, J., and Sebanek, J. 1998. Fyziologie rostlin. Academia, Praha.
- Qaderi, M. M., Cavers, P. B., and Bernards, M. A. 2003. Pre-and post-dispersal factors regulate germination patterns and structural characteristics OF Scotch thistle (*Onopordum acanthium*) cypselas. *New Phytologist*, 159: 263-278.
- Richardson, S. G. 1979. Factors influencing the development of primary dormancy in wild oat seeds. *Canadian Journal of Plant Science*, 59: 777-784.
- Roach, D. A., and Wulff, R. 1987. Maternal effects in plants. *Annuals Review Ecology System*, 18: 209-235.
- Roberts, E. H., and Benjamin, S. K. 1979. The interaction of light, nitrate and alternating temperature on the germination of *Chenopodium album*, *Capsella bursa-pastoris* and *Poa annua* before and after chilling. *Seed Science and Technology*, 7: 379-392.
- Roberts, H. A., and Lockett, P. M. 1975. Germination of buried and dry-stored seeds of *Stellaria media*. *Weed Research*, 15: 199-204.
- Sanchez, R. A., Eyherabide, G. and de Miguel, L. 1981. The influence of irradiance and water deficit during fruit development on seed dormancy in *Datura ferox* L. *Weed Research*, 21: 127-132.
- Schafer, D. E., and Chilcote, D. O. 1970. Factors influencing persistence and depletion in buried seed populations. II. The effects of soil temperature and moisture. *Crop Science*, 10: 342-345.
- Schimpf, D. J. 1977. Seed weight of *Amaranthus retroflexus* in relation to moisture and length of growing season. *Ecology*, 58: 450-453.
- Simpson, G. M. 1990. *Seed dormancy in grasses*. Cambridge University Press. Cambridge.
- Steckel, L. E., Sprague, C. L., Stoller, E. W., and Wax, L. M. 2004. Temperature effects on germination of nine *Amaranthus* species. *Weed Science*, 52: 217-221.
- Terborg, S. J. 1987. Qualitative and quantitative aspects of the interaction between *Rhinanthus* and *Orobanch* species and their hosts. Parasitic Flowering Plants (Eds H. C. Weber and W. Forstreuter). Pp: 109-120. Philipps Universität, Marburg.
- Teitz, A. Y., Gorski, S. F. & McDonald, M. B. 1990. The dormancy of livid *amaranthus* (*Amaranthus lividus* L.) seeds. *Seed Science and Technology*, 18: 781-789.
- Thompson, K., and Grime, J. P. 1979. Seasonal variation in the seed banks of herbaceous species in ten contrasting habitats. *Journal of Ecology*, 67: 893-921.
- Taylorson, R. B., and Hendricks, S. B. 1969. Action of phytochrome during prechilling of *Amaranthus retroflexus* L. seeds. *Plant Physiology*, 44: 825-831.
- Taylorson, R. B. 1970. Changes in dormancy and viability of weed seeds in soil. *Weed Science*, 18: 265-269.
- Taylorson, R. B., and Hendricks, S. B. 1971. Changes in phytochrome expressed by germination of *Amaranthus retroflexus* L. seeds. *Plant Physiology*, 47: 619-622.
- Taylorson, R. B. 1972. Phytochrome controlled changes in dormancy and germination of buried weed seeds. *Weed Science*, 20:417-422.
- Taylorson, R. B., and Hendricks, S. B. 1972. Rehydration of phytochrome in imbibing seeds of *Amaranthus retroflexus* L. seeds. *Plant Physiology*, 49: 663-665.
- Valleriani, A., and Tielborger, K. 2006. Effect of age on germination of dormant seeds. *Theo. Population Boil*, 70: 1-9.
- Van Assche, J. A., and Vanlerberghe, K. A. 1989. The role of temperature on the dormancy cycle of seeds of *Rumex obtusifolius* L. *Functional Ecology*, 3: 107-115.

- Vegis, A. 1964. Dormancy in higher plants. *Annual Review of Plant Physiology*, 15: 185-224.
- Vincent, E. M., and Roberts, E. H. 1977. The interaction of light, nitrate, and alternating temperature in promoting the germination of dormant seeds of common weed species. *Seed Science and Technology*, 5: 659-670.
- Vleeshouwers, L. M., Bouwmeester, H. J., and Karssen, C. M. 1995. Redefining seed dormancy: an attempt to integrate physiology and ecology. *Journal of Ecology*, 83: 1031-1037.
- Vleeshouwers, L. M., and Bouwmeester, H. J. 2001. A simulation model for seasonal changes in dormancy and germination of weed seeds. *Seed Science Research*, 11: 77-92.
- Weaver, S. E., and McWilliams, E. L. 1980. The biology of Canadian weeds. 44. *Amaranthus retroflexus* L., *A. powelli* S. Wats & *A. hybridus* L. *Canadian Journal of Plant Science*, 60: 1215-1234.
- Webb, D. M., Smith, D. W., and Schulz-Schaffer, J. 1987. Amaranth seedling emergence as affected by seedling depth and temperature on a thermogradient plate. *Agronomy Journal*, 79: 23-26.
- Wesson, G., and Wareing, P. F. 1967. Light requirements of buried seeds. *Nature*, 213: 600-601.
- Wesson, G., and Wareing, P. F. 1969a. The role of light in the germination of naturally occurring populations of buried weed seeds. *Journal of Experimental Botany*, 20: 402-413.
- Wesson, G., and Wareing, P. F. 1969b. The induction of light sensitivity in weed seeds by burial. *Journal of Experimental Botany*, 20: 414-425.
- Williams, J. T., and Harper, J. L. 1965. Seed polymorphism and germination. I. The influence of nitrates and low temperatures on the germination of *Chenopodium album*. *Weed Research*, 5: 141-150.