

آمارنامه کشاورزی جلد اول محصولات زراعی سال زراعی ۱۳۹۲. تهران، وزارت جهاد کشاورزی، معاونت برنامه‌ریزی و اقتصادی، مرکز فناوری اطلاعات و ارتباطات.

بهپور، م. ۱۳۸۹. تأثیر اختلاط علف کش کلودینافوب-پروپاژیل با مویان و نیتروژن در کنترل علف‌هرز یولاف وحشی (Avena fatua L.). پایان‌نامه کارشناسی ارشد علف‌های هرز. گروه علف‌های هرز. دانشکده کشاورزی. دانشگاه آزاد شیراز.

جاهدی، آ. نوروزی، ع. و ساعتی، م. ۱۳۸۴. کاهش مصرف علف‌کش با کاربرد همزمان تیغه‌های کولتیواتور و سمپاشی نواری در زراعت چغندرقند. (۱) ۷۷ تا ۸۶.

جهاد‌اکبر، م. ر. طباطبایی نیم‌اورد، ر. و ابراهیمیان، ح. ر. ۱۳۸۳. بررسی دوره بحرانی کنترل علف‌های هرز در کبوترآباد اصفهان. چغندرقند. ج (۱) ۷۳ تا ۹۲.

حاج محمدنیا قالی بaf، ک. ۱۳۹۰. مطالعه تأثیر کیفیت آب مخزن سمپاش بر کارایی علف‌کش‌های گلایفوسیت و نیکوسلوفورون در کنترل علف‌های هرز سوروف (Echinochloa crus-galli L.) و گاوپنبه (Abutilon theophrasti Medicus.) در شرایط گلخانه‌ای. رساله دکتری علوم علف‌های هرز. دانشگاه فردوسی مشهد.

خواجه‌پور، م. ر. ۱۳۸۵. گیاهان صنعتی. انتشارات جهاد دانشگاهی. دانشیان، ج. ف. نجاری، ظ. و لطفی ماوی، ف. ۱۳۹۱. بررسی کارایی مدیریت تلفیقی علف‌های هرز بر عملکرد چغندرقند در میاندوآب، (۸) ۴۱ تا ۵۳.

راشد محصل، م. ح. راستگو، م. موسوی، ک. ولی‌الله پور، ر. و حقیقی، ع. ۱۳۸۵. مبانی علم علف‌های هرز. انتشارات دانشگاه فردوسی مشهد.

راشد محصل، م. ح. نجفی، ح. واکبرزاده، م. ۱۳۸۰. بیولوژی و کنترل علف‌های هرز. انتشارات دانشگاه فردوسی مشهد.

زرگر، م. نجفی، ح. زند، ا و میقانی، ف. ۱۳۹۰. ارزیابی تاثیر روش‌های شیمیایی و غیر شیمیایی در مدیریت علف‌های هرز در راستای کاهش مصرف علف‌کش‌ها در چغندرقند. نشریه حفاظت گیاهان، (۴) ۲۵ تا ۳۷۷.

زند، ا.، باغستانی، م.ع.، شیمی، پ.، نظام آبادی، ن.، موسوی، م.ر.، و موسوی، س.ک. ۱۳۹۱. راهنمای کنترل شیمیایی علف‌های هرز محصولات مهم زراعی و باگی ایران (با رویکرد کاربرد صحیح و کاهش مصرف علف‌کش‌ها. ویراست چهارم. انتشارات جهاد دانشگاهی مشهد).

زند، ا.، رحیمیان مشهدی، ح.، کوچکی، ع.، خلقانی، ج.، موسوی، س.ک. و رمضانی، ک. ۱۳۸۹. اکولوژی علف‌های هرز (کاربردهای مدیریتی). انتشارات جهاد دانشگاهی مشهد.

زند، ا. و باغستانی، م.ع. ۱۳۸۱. مقاومت علف‌های هرز به علف‌کش‌ها. انتشارات جهاد دانشگاهی مشهد. سرابی، و.، موسوی، س.ک. و راشدمحصل، م.ح. ۱۳۹۰. بررسی اختلاط‌پذیری علف‌کش‌های تریبنورون متیل+کلودینافوب پروپارژیل و مزوسلوفورون+یدوسلوفورون با حشره‌کش فنیتروتیون و کود لیبرل BMX بر رشد رویشی گندم. نشریه پژوهش‌های زراعی ایران. ۹(۱): ۱۱۴ تا ۱۲۲.

عبداللهیان نوقابی، م.، رهبری، ا.، علیزاده، ح و رحیمیان مشهدی، ح. ۱۳۸۹. کنترل تلفیقی علف‌های هرز در سیستم تهیه بستر بذر چغندر قند به طور کامل در پاییز. مجله پژوهش علف‌های هرز، ۲(۲): ۲۹ تا ۴۲.

فدائی شهری، م.ر.، نجفی، ح.، عبداللهیان نوقابی، م و میرهادی، م.ج. ۱۳۹۰. بررسی نقش گیاهان پوششی باریکبرگ زمستانه بر جمعیت علف‌های هرز مزارع چغندر قند. مجله دانش علف‌های هرز (۷): ۵۹ تا ۶۶. فتاحی وانانی، م.، منتظری، م.، میرهادی، س.ج. و خدادادی، ح. ۱۳۸۹. مقایسه کارایی علف‌کش‌های انتخابی چغندر قند در روش‌های خاکورزی سنتی وحدائق بهاره. مجله پژوهش علف‌های هرز، ۲(۲): ۸۳ تا ۹۳.

فرح‌بخش، ع.ن. ۱۳۸۸. اصول کنترل علف‌های هرز (مفاهیم و رویکردها). انتشارات کوشامهر. ۲۴۶ صفحه.

قربانی، ا.ع.، زند، ا.، باغستانی میبدی، م.ع.، فروزان، س.، نوقابی، م.ع. و کاظمی پور اسفهان، م.ت. ۱۳۸۶. بررسی اثر سطوح مختلف ماده افزودنی سیتوگیت و علف‌کش کلریدازون+فنمیدیقام بر عملکرد و اجزاء عملکرد چغندر قند. مجله علوم محیطی، ۵(۱): ۳۷ تا ۵۱.

کوچکی، ع.، ظریف‌كتابی، ح. و نخ‌فروش، ع. ۱۳۸۰. رهیافت‌های اکولوژیکی مدیریت علف‌های هرز. (ترجمه). انتشارات دانشگاه فردوسی مشهد.

کوچکی، ع.، نصیری محلاتی، م.، سیاهمرگوبی، آ.، قرخلو، ج.، راستگو، م. و قائمی، ع. ۱۳۸۷. مقایسه الگوهای مختلف مدیریت تلفیقی بر تراکم علف‌های هرز و عملکرد چغندر قند (*Beta vulgaris* L.). مجله پژوهش‌های زراعی ایران، ۶(۲): ۳۸۳ تا ۳۹۴.

مظاہری، د. و مجnoon حسینی، ن. ۱۳۸۴. مبانی زراعت عمومی. انتشارات دانشگاه تهران.

ملکی، غ. ر، زند، ا. و میرهادی، س. ج. ۱۳۸۷. استفاده از روش تلفیقی خاکورزی و سمپاشی نواری در مدیریت علفهای هرز برای کاهش مصرف علفکش در زراعت چغندرقند (*Beta vulgaris* L.). مجله پژوهش‌های زراعی ایران، ۶(۲): ۴۴۳ تا ۴۵۱.

موسوی، س. ک.، زند، ا. و صارمی، ح. ۱۳۸۴. کارکرد فیزیولوژیک و کاربرد علفکش‌ها. انتشارات دانشگاه زنجان. ۲۸۶ ص.

موسوی، م.ر. ۱۳۹۲. علفکش‌ها (شناخت و کاربرد). چاپ اول انتشارات مرز دانش، تهران.  
نجفی، ح.، بازوبندی، م. و جعفرزاده، ن. ۱۳۸۹. بررسی میزان کارایی ترکیب‌های مختلف علفکشی در کنترل علفهای هرز پهنه‌برگ مزارع چغندرقند. مجله پژوهش علفهای هرز، ۲(۱): ۴۳ تا ۵۳.  
نصرتی، ا.، علیزاده، ح. و رحیمیان مشهدی، ح. ۱۳۹۰. مطالعه رفع اثرات کاهندگی ناشی از کیفیت آب سمپاشی بر کارایی گلایفوسیت آمیخته علفکشی توفوردی + ام سی پی آ در کنترل شیرین‌بیان (Glycyrrhiza glabra) با استفاده از برخی مواد افزودنی. مجله دانش علفهای هرز (۷): ۴۹ تا ۶۰.  
نصیری محلاتی، م.، کوچکی، ع.، مندنی، ف.، امیرمرادی، ش. و فیضی، ح. ۱۳۹۴. بررسی شاخص‌های فیزیولوژیکی رشد در کشت مخلوط نواری ذرت (*Phaseolus vulgaris* L.) و لوبیا (*Zea mays* L.). نشریه پژوهش‌های زراعی ایران ۱۳(۱): ۱۴ تا ۲۳.

Abdollahi, F. and H. Ghadiri. 2004. Effect of separate and combined applications of herbicides on weed control and yield of sugar beet. *Weed Technology*, 18, 4: 968-976.

Abdollahian-Noghabi M. 2003. New approach to the management of genetically modified herbicide tolerant sugar beet. *Journal of Sugar Beet*, 18 (2): 167-168.

Abdollahian-Noghabi, M. 1999. Ecophysiology of sugar beet cultivars and weed. University of, species subjected to water deficiency stress. PhD, Thesis Reading.

Ahrens, W.H. Panaram, W.R., 1997. Basis for thifensulfuron insecticide synergism in soybeans (*Glycine max*) and corn (*Zea mays*). *Weed Science*, 45, 648–653.

Ahrens, W.H., 1990. Enhancement of soybean (*Glycine max*) injury and weed control by thifensulfuron–insecticide mixtures. *Weed Technology*, 4, 524–528.

ASTM. 1995. Terminology relating to agricultural tank mix adjuvants. In: Annual book of ASTM standards. Vol 11.05: *Biological Effect and Environmental Fate; Biotechnology; Pesticides*. Philadelphia, PA, pp 966–967.

Baghestani, M. A., Zand, E., Soufizadeh, S., Beheshtian, M., Haghghi, A., Barjasteh, A., and Deihimfard, R. 2008. Study on the efficacy of weed control in wheat (*Triticum aestivum* L.) with tank mixtures of grass herbicides with broadleaved herbicides. *Crop protection*, 27(1), 104-111.

- Barnes, J.W., and L.R. Oliver. 2004. Cloransulam antagonizes annual grass control with aryloxyphenoxypropionate graminicides but not cyclohexanediones1. *Weed Technology*, 18: 763-772.
- Barros, J. F., Basch, G., and de Carvalho, M. 2008. Effect of reduced doses of a post-emergence graminicide to control *Avena sterilis* L. and *Lolium rigidum* G. in no-till wheat under Mediterranean environment. *Crop Protection*, 27(6), 1031-1037.
- Bayer, D.E., and Foy, C.L. 1982. *Action and fate of adjuvants in soils. In: Adjuvants for Herbicides*, WSSA, Champaign, IL. Pp. 84-92.
- Bhattacherjee, A.K., and P. Dureja. 1999. Light-induced transformations of tribenuron-methyl in aqueous solution. *Pesticide Science*, 55: 183-188.
- Biediger, D.L., Bauman, P.A., Weaver, D.N., Chandler, J.M., Merkle, M.G., 1992. Interactions between primisulfuron and selected soil applied insecticides in corn (*Zea mays*). *Weed Technology*, 6, 807–812.
- Bierman, R.E., Riechers, D.E., Sprague, C.L., Bollero, G., Pedersen, W.L., 2006. Fungicide-herbicide interaction in soybean (*Glycine max*). *Crop Protection*, 25, 134–139.
- Blackshaw, R.E., K.N. Harker, G.W. Clayton, and J.T. O'donovan. 2006. Broadleaf herbicide effects on clethodim and quizalofop-P efficacy on volunteer wheat (*Triticum aestivum*). *Weed Technology*, 20: 221-226.
- Bohannan, D. R., and Jordan, T. N. 1995. Effects of ultra-low volume application on herbicide efficacy using oil diluents as carriers. *Weed Technology*, 682-688.
- Brommer, C.L., D.R. Shaw, S.O. Duke, and K.N. Reddy. 2000. Antagonism of BAS 625 by selected broadleaf herbicides and the role of ethanol. *Weed Science*, 48: 181-187.
- Buckley, D. C. 1991. Effects of adding mineral oils to annual broad – leaved weed herbicides applied post – emergence to sugar beet. *Annals of Applied Biology*, Supplement, 66-67. UK.
- Bunting, J.A., C.L. Sprague, and D.E. Riechers. 2004. Proper adjuvant selection for foramsulfuron activity. *Crop Protection*, 23: 361-366.
- Burke, I.C., J.W. Wilcut, and D. Porterfield. 2002. CGA-362622 antagonizes annual grass control with clethodim. *Weed Technology*, 16: 749-754.
- Cabanne, F., J. Gaudry, and J.C. Streibig. 2000. Influence of alkyl oleates on efficacy of phenmedipham applied as an acetone:water solution on *Galium aparine*. *Weed Research*, 39: 57-67.
- Cooke, D. A. and Scott, R. K. 1993. *The Sugar Beet Crop*. Translated by: A. Koucheki, and A. Soltani. Jahad Daneshgahi of Mashhad Pub.Mashhad.
- Coret, J. M., and Chamel, A. R. 1994. Effect of some ethoxylated alkylphenols and ethoxylated alcohols on the transfer of [<sup>14</sup>C] chlorotoluron across isolated plant cuticles. *Weed Research*, 34: 445-451.

- Cuevas, M. V., Cox, L., Calderon, M. J., Hermosin, M. C., and Fernandez, J. E. 2007. Chloridazon and lenacil dissipation in a clayey soil of the Guadalquivir river marshes (southwest Spain). *Agriculture, ecosystems and environment*, 124(3): 245-251.
- Dale T.M. , K.A. Renner, and A. N. Kravchenko. 2006. Effect of herbicides on weed control and sugar beet (*Beta vulgaris*) yield and quality. *Weed Technology*, 20, 1:150-156.
- Damalas, C. A., Dhima, K. V., and Eleftherohorinos, I. G. 2006. Control of Early Watergrass (*Echinochloa Oryzoides*) and Late Watergrass (*Echinochloa Phyllopon*) with Cyhalofop, Clefoxydim, and Penoxsulam Applied Alone and in Mixture with Broadleaf Herbicides 1. *Weed technology*, 20(4), 992-998.
- Davies, J., and Caseley, J. C. 1999. Herbicide safeners: a review. *Pesticide Science*, 55: 1043-1058.
- DeRuiter, H., Holterman, H. J., Kempenaar, C., Mol, H. G. J., DeVliger, J. J., and DeZade, J. C. V. 2003. Influence of adjuvants and formulations on the emission of pesticides to the atmosphere. *Wageningen, Plant Research International B.V.*
- Deveikyte, I. B., and V. Seibutis. 2006. Broadleaf weed and sugar beet response to phenmedipham, desmedipham, ethofumesate and triflusulfuron-methyl. *Agronomy Research*, 4 (special issue):159-162.
- Devendra R., Umamahesh V., Ramachandra-Prasad T.V., Prasad T.G. and Asha S.T. 2004. Influence of surfactants on efficacy of different herbicides in control of *Cyperus rotundus* and *Oxalis latifolia*. *Current. Science*, 86, 1148–1151.
- Dexter, A. G., J. L. Luecke, and A. Cattanach. 1997. *Survey of Weed Control and Production Practices on Sugarbeet in Eastern North Dakota and Minnesota*. 1997. Sugarbeet Research and Extension Report 28. Fargo, ND: North Dakota State University. Pp. 37–65.
- Dexter, A.G. 1996. *Weed Control Guide for Sugar beet. Research and Extension Reports*, Vol.27, pp. 3-30.
- Dodds, D.M., Reynolds,D.B., Massey,J.H., and Koger,C.H. 2007. Effect of adjuvant and urea ammonium nitrate on bispyribac-sodium efficacy, absorption, and translocation in barnyard grass (*Echinochloa crus-galli*). *Weed Science*, 55, 406-411.
- Domaradzki K., 2007. Optimisation of herbicide application in the sugar beet protection system. *Prog. Plant Protect./Post. Ochr Rosl*, 47(3): 64-73. (in Polish with English summary)EC/839/2008. Maximum residue levels of pesticides in or on certain products. *Official Journal of the European Union*, 30.08.2008, L 234: 1-216.
- Ferreira, K.L., J.D. Burton, and H.D. Coble. 1995. Physiological basis for antagonism of fluazifop-P by DPX-PE350. *Weed Science*, 43: 184-191.

- Fielding, R. J., and Stoller, E. W. 1990. Effects of additives on the efficacy, uptake, and translocation of the methyl ester of thifensulfuron. *Weed Science*, 172-178.
- Fischer, B. B., L. M. Burtch, and R. Smith. 1975. *The Control of Weeds in Beets. A Progress Report. Runcina, Volume 3.* Fresno, CA: University of California Cooperative Extension.
- Fischer, B. B., L. M. Burtch, and R. Smith. 1977. *The Role of Selective Herbicides in Sugar beet Production. A Progress Report. Runcina, Volume 7.* Fresno, CA: University of California Cooperative Extension.
- Fisher, S., May, M. and Dickinson, G. 1995. Post-emergence broad-leaved weed control in sugar beet with triflusulfuron in the UK 1993-1994. *Brighton Crop Protection Conference Weeds* pp. (853-858): brit crop protection council.
- Foster D.K., Taylor W.A.,and Parsons R.G. 2006. Effects of adjuvants on the depositionretention and efficacy of pesticides. *Annals of Applied Biology*, 77(1): 127-132.
- Foy, C.L., and H.L. Witt. 1992. Annual grass control in alfalfa (*Medicago sativa*) with post emergence graminicides. *Weed Technology*, 6: 938-948.
- Gebhart, M. R. and McWhorter, C. G. 1987. *Introduction to herbicide application technology.* In Pp: 1-8. C. G. McWhorter and M. R. Gebhart (Eds), Method of Applying Herbicide. Monograf serios of the Weed Sience of America. Weed Sience Society of America, Champaign, IL.
- Gebhart, M. R. and McWhorter, C. G. 2001. *Introduction to herbicide application technology.* In: Weed Science Handbook, Pp: 1-8.
- Ghadiri, V., N. Arjomandi and P. Shimi. 2004. *Pests, diseases and weeds of sugar beet and their integrated management.* Press of Agricultural Education. (in Persian).
- Ghanbari Birgani, D., Khaleghani, J., Mazaheri, A., Nourooz-zadeh, Sh., Badali, Kh., Hesan, A. and Sharifi, H. 2002. Investigation on the efficacy of triflosulfuron in control of broud-leaf weeds in sugar beet. *Iranian Journa of Agronomy Sceince*, 4:292-301.
- Ghanbari Birgani, D., M. Shahvardi, M.R. Avrazizadeh and M. Hoseinpour. 2005. Integrated broadleaf weeds control in Sugar beet. *Iranian Research Institute of plant protection.* (in Persian).
- Ghanbari Birgani, D., Orazi zadeh, M. and Ghashghaii, M. 1998. Final report on the experiment of herbicides on broadleaf weeds of sugar beet. Safi Abad Agricultural Research Center of Dezful, Iran.
- Ghanbari Birgani, D., Shahverdi, M., Hosseinpour, M. and Orazi zadeh, M. 2006. Final report on the integrating reduced rates of postemergence herbicides and cultivation for

broadleaf weed control in sugarbeet (*Beta vulgaris* L.). Safi Abad Agricultural Research Center of Dezful, Iran.

Ghanbari Birgani, D., Sharifii, H. and Mazaheri, A. 1997. Final report on the evaluation of the efficacy of Betanal Progress AM in controlling broadleaf weeds in sugar beet. Safi Abad Agricultural Research Center of Dezful, Iran.

Ghanbari-Birgani, D., Hosseinpour, M., Shimi, P. and Abdollahian-noghabi, M. 2006a. Integrated weed control of sugar beet in Dezful and Boroujerd. *Iranian Juornal of Crop Science*, 8: 283-299. (In Persian with English Summary).

Ghanbari-Birgani, D., Hosseinpour, M., Shimi, P. and Abdollahian, M. 2006b. Evaluation of Chloridazon and Desmedipham Mixture with and without Surfactant for Weed Control in Sugar Beet. *Iranian Journal of Weed Science*, 2(2): 43.

Ghanbari-birgani, D., Khalagani, J., Mazaheri, A., Norouzzadeh, Sh., Badali, Kh., Hasan, A. and Sharifi, H. 2002. Evaluation of efficacy of Triflusulfuron on control of broadleaved weed in sugar beet fields. *Iranian Juornal of Crop Science*, 4: 292- 301. (In Persian with English Summary).

Ghanbari-Birgani, D.; Sharifi, H. and Mazaheri, M. 2000. Investigating Betanal Progress AM for the control of broad leaf weeds in sugar beet. Final research report. Saffiabad Agricultural Research Station, Khuzestan, Iran.

Ghanbari-Birgani,D; Orazi-Zadeh, M.R. and Ghashghaii, M.1998. Testing herbicides to control broad leaf weeds in sugar beet. Final research report. Saffiabad Agricultural Research Station, Khuzestan, Iran.

Gillespie, G.R. and J.D. Nalewaja. 1989. Influence of 2,4-D and MCPA formulations and oil on diclofop phytotoxicity. *Weed Science*, 37: 380-384.

Gonzini, L.C., S.E. Hart, and L.M. Wax. 1999. Herbicide combinations for weed management in glyphosate-resistant soybean (*Glycine max*). *Weed Technology*, 13: 354-360.

Green, J. M., and Baily, S.P. 2001. Herbicide Interactions with Herbicides and Other Agricultural Chemicals. In: *Weed Science Handbook*, Pp: 37-60.

Green, J. M., and Beestman, G. B .2007. Recently patented and commercialized formulation and adjuvant technology. *Crop Protection*, 26: 320-327.

Grichar, W.J., B.A. Besler, K.D. Brewer, and R.G. Lemon. 2003. Interaction of pyrithiobac and graminicides for weed control in cotton (*Gossypium hirsutum*). *Weed Technology*, 17: 461-466.

Hacsikaylo, J., J. J. K. Walker, and E. G. Pires. 1964. Response of cotton seedlings to combinations of preemergence herbicides and systemic insecticides. *Weeds*, 12: 288.

- Hagimoto, H., and H. Yoshikawa. 1972. Synergistic interactions between inhibitions of growth and photosynthesis II. The growth dilution hypothesis. *Weed Research*, 12: 21-31.
- Hall, F.R., A.C. Chapple, R.A. Downer, L.M. Kirchner, and J.R.M. Thacker. 1993. Pesticide application as affected by spray modifiers. *Pesticide Science*, 38: 123-133.
- Hamilton, R. J. 1993. Structure and general properties of mineral and vegetable oils used as spray adjuvants. *Pesticide science*, 37(2), 141-146.
- Hart, S.E., Wax, L.M., 1996. Dicamba antagonizes grass weed control with imazethapyr by reducing foliar absorption. *Weed Technology*, 10, 828-834.
- Hatzios, K. K. 2000. *Herbicide safeners and synergists*. Pages 259–294 in T. Roberts, ed. Metabolism of Agrochemicals in Plants. Chichester, U.K.: Wiley.
- Hatzios, K.K. and Burgos, N. 2004. Metabolism-based herbicide resistance: regulation by safeners. *Weed Science*, 52, 454–467
- Hazen, J. L., 2000. Adjuvants terminology, classification and chemistry. *WeedTechnology*, 14: 773-784.
- Heckman, J.R., Majek, B.A., Prostko, E.P., 1999. Application of manganese fertilizer with postemergence soybean herbicides. *Journal of Production Agriculture*, 12, 445–448.
- Hsiao, A.I., S.H. Liu, and W.A. Quick. 1996. Effect of ammonium sulfate on the phytotoxicity, foliar uptake, and translocation of Imazamethabenz in wild oat. *Plant Growth Regulation*, 15: 115-120.
- Jinxia S. 1996. *Characterization of organosilicone surfactants and their on sulfonylurea herbicide activity*. (Eds: Foy, C. L. C., R. L. Grayson, K. K. Hatzios, J. L. Hess, and D. M. Orectt) Blacksburg, Virginia.
- Jinxia, S., C.L. Foy, and H.L. Witt. 1996. Effect of organosilicone surfactants on the rainfastness of primisulfuron in velvetleaf (*Abutilon theophrasti*). *WeedTechnology*, 10: 263-267.
- Jordan, D. L. 1995. Interactions of fenoxaprop-ethyl with bensulfuron and bentazon in dry-seeded rice (*Oryza sativa*). *Weed Technology*, 9: 724-727.
- Jordan, D. L., A. C. York, and F. T. Corbin. 1989. Effect of ammonium sulfate and bentazon on sethoxydim absorption. *Weed Technology*, 3: 674–677.
- Jordan, D.L., Culpepper, A.S., Grichar,W.J., Treadaway Ducar, J., Brecke, B.J., York, A.C., 2003. Weed control with combinations of selected fungicides and herbicides applied postemergence to peanut (*Arachis hypogaea* L.). *Peanut Science*, 30, 1–8.
- Kapusta, G. Krausz, R.F., 1992. Interaction of terbufos and nicosulfuron on corn (*Zea mays*), *Weed Technology*, 6, 999–1003.
- Kataria, H. R., and Gisi, U. 1990. Interactions of fungicide-herbicide combinations against plant pathogens and weeds. *Crop Protection*, 9(6), 403-409.

- Khalghani, J. and M. Abdolahian Noghabi. 2006. Investigation the effect of time seedbed preparation in sugar beet on weeds population. *Iranian Research Institute of plant protection.* (in Persian).
- Knoche, M. 1994. Effect of droplet size and carrier volume on performance of foliage-applied herbicides. *Crop Protection*, 13(3), 163-178.
- Knoche, M., and M.J. Bukovac. 1993. Interaction of surfactant and leaf surface in glyphosate absorption. *Weed Science*, 41: 87-93.
- Koocheki, A. 1996. *The sugar beet*. Jahad Daneshgahi Mashhad. 200 pp.
- Kucharski, M., Sadowski, J., and Domaradzki, K. 2012. Degradation rate of chlорidazon in soil as influenced by adjuvants. *Journal of Plant Protection Research*, 52(1), 114-117.
- Kudsk, P. 2008. Optimising herbicide dose: a straightforward approach to reduce the risk of side effects of herbicides. *Environmentalist*, 28: 49–55.
- Kudsk, P., and Mathiassen, S. K. 2004. Joint action of amino acid biosynthesis inhibiting herbicides. *Weed Research*, 44: 313-322.
- Kudsk, P., and Mathiassen, S. K. 2007. Analysis of adjuvant effects and their interactions with variable application parameters. *Crop Protection*, 26: 328-334.
- Kudsk, P., and Streibig, J. C. 2003. Herbicides—a two-edged sword. *Weed Research*, 43(2), 90-102.
- Lajos, K. and Lajos, M. 2000. Weed control with reduced herbicide applications in sugarbeets in Hungary. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz-sonderheft-* 17: 623-628.
- Lancaster, S.H., Jordan, D.L., York, A.C., Burke, I.C., Corbin, F.T., Sheldon, Y.S., Wilcut, J.W., and Monks, D.W., 2005a. Influence of selected fungicides on efficacy of clethodim and sethodim. *Weed Technology*, 19, 397–403.
- Liebman, M., Mohler, C., and Staver, C. P. 2001 . *Ecological Management of Agricultural Weeds* . Cambridge University Press.
- Ma, X., Wu, H., Jiang, W., Ma, Y., and Ma, Y. 2015. Interference between Redroot Pigweed (*Amaranthus retroflexus* L.) and Cotton (*Gossypium hirsutum* L.): Growth Analysis. *Plos one*, 10(6), e0130475.
- MacIsaac, S. A., R. N. Paul, and M. D. Devine. 1991. A scanning electron microscope study of glyphosate deposits in relation to foliar uptake. *Pesticide Science*, 31: 53-64.
- Manthey, F. A., Matysiak, R., and Nalewaja, J. D. 1992. Petroleum oil and emulsifier affect the phytotoxicity of imazethapyr. *Weed Technology*, 81-84.

- Maschhoff, J.R., S.E. Hart, and J.L. Baldwin. 2000. Effect of ammonium sulfate on the efficacy, absorption, and translocation of glufosinate. *Weed Science*, 48: 2-6.
- May, M. 2001. Crop protection in sugar beet. *Pesticide Outlook*, 12: 188-191.
- McCullough, P.E., and S.E. Hart. 2008. Spray adjuvants influence bispyribac-sodium efficacy for annual bluegrass (*Poa annua*) control in cool-season turf grass. *WeedTechnology*, 22: 257-262.
- McMullan, P. M. 2000. Utility adjuvants. *Weed Technology*, 14: 792-797.
- McWhorter, C. G., Ouzts, C., and Hanks, J. E. 1993. Spread of water and oil droplets on johnsongrass (*Sorghum halepense*) leaves. *Weed Science*, 460-467.
- Mersey, B. G., J. C. Hall, D. M. Anderson, and C. J. Swanton. 1990. Factors affecting the herbicidal activity of glufosinate-ammonia: absorption, translocation, and metabolism in barley and green foxtail. *Pesticide Biochemistry and Physiology*, 7:90-98.
- Miller, P.A., P. Westra and S.J. Nissen. 1999. The influence of surfactant and nitrogen on foliar absorption of MON 37500. *Weed Science*, 47:270-274.
- Minton, B.W., M.E. Kurtz, and D.R. Shaw. 1989a. Barnyardgrass (*Echinochloa crusgalli*) control with grass and broadleaf weed herbicide combinations. *WeedScience*, 37: 223-227.
- Molin, W.T., and K. Hirase. 2005. Effects of surfactants and simulated rainfall on the efficacy of the Engame formulation of glyphosate in johnsongrass, prickly sida and yellow nutsedge. *Weed Biology and Management*, 5: 123-127.
- Monaco, T.J., S.C. Weller, and F.M. Ashton. 2002. *Weed Science: Principles and Practices*. 4th ed. John Wiley and Sons, Inc., New York.
- Morishita, D. W. and R. W. Downard. 1995. Weed Control in Sugar Beets with Triflusulfuron as Influenced by Herbicide Combination, Timing, and Rate. *Journal of Sugar Beet Research*, Vol. 32, No. 1, 23-35.
- Mousavnik, A., Zand, E., Baghestani, M. A., Deihimfard, R., Soufizadeh, S., Ghezeli, F., and Aliverdi, A. 2009. Ability of Adjuvants in Enhancing the Performance of Pinoxaden and Clodinafop Propargyl Herbicides against Grass Weeds. *Iranian Journal of Weed Science*, 5, 65-77.
- Najafi, H. 2009. Recognition and management of weeds in sugar beet fields. Iranian Research Institute of plant protection. pp.125. (in Persian).
- Nalewaja, J. D. and R. Matysiak. 1993. Optimizing adjuvants to overcome glyphosate antagonistic salts. *Weed Technology*: 337-342.
- Nalewaja, J. D., Devilliers, B., and Matysiak, R. 1996. Surfactant and salt affect glyphosate retention and absorption. *Weed Research*, 36: 241-247.

- Nalewaja, J. D., Manthey, F. A., Szelezniak, E. F. and Anyska, Z. 1989. Sodium bicarbonate antagonism of sethoxydim. *Weed Technology*, 3:654-658.
- Nalewaja, J. D., Matysiak, R. and Szelezniak, E. 1994. Sethoxydim response to spray carrier chemical properties and environment. *Weed Technology*, 8:591-597.
- Nalewaja, J.D., and R. Matysiak. 2000. Spray deposits from nicosulfuron with salts that affect efficacy. *Weed Technology*, 14: 740-749.
- Nalewaja, J.D., Praczyk, T., Matysiak, R. 1995. Surfactants and oil adjuvants with nicosulfuron. *Weed Technology*, 9, 689-695.
- Nandula, V.K., Poston, D.H., Reddy, K.N., and Koger, C.H. 2007. Formulation and adjuvant effects on uptake and translocation of Clethodim in bermudagrass (*Cynodon dactylon*). *Weed Science*, 55: 6-11.
- Noroozi A. 2000. Combined application of cultivator and band spraying for reducing herbicide use in sugar beet weed control. Proceedings of the 6th Iranian Congress of Crop Production and Plant Breeding. 3-6 Sep. Babolsar. pp. 579-580.
- Norris, R. F. 1996. Sugar beet integrated weed management. Publication UC IPM Pest Management Guidelines: *Sugar beet, Veg Crops/Weed Science*, UC Davis UC DANR Publication 3339.
- Nouroozian, M. 1999. *List of permitted pesticides of the country*. Plant protection organization of the agricultural ministry. Iran.
- Nurse, R.E., Hamilla, A.S., Kellsb, J.J., and Sikkema, P.H., 2008. Annual weed control may be improved when AMS is added to below-label glyphosate doses in glyphosate-tolerant maize (*Zea mays L.*). *Crop Protection*, 27, 452–458.
- Padovani, L., Trevian, M., and Capri, E. 2004. A calculation procedure to assess potential environmental risk of pesticides at the farm level. *Ecological Indicator*, 4:111-123.
- Pannacci E., Mathiassen S.K., and Kudsk P. 2010. Effect of adjuvants on the rainfastness and performance of tribenuron-methyl ob broad-leaved weeds. *Weed Biology and Management*, 10 (2): 126–131.
- Paradowski, A. 1998. Expander top\reg trade mark\400 SC to keep beet fields free of weeds. *Ochrona-Roslin* 42:18-19.
- Parr, J.F. 1982. *Toxicology of adjuvants*. In: Adjuvants for Herbicides, WSSA, Champaign, IL. Pgs. 93-114.
- Paul, J., Brink, V. D., Steven, J. H., and et all. 2009. Effects of a herbicide-insecticide mixture in freshwater microcosms: risk assessment and ecological effect chain. *Environmental Pollution*, 157(1): 237-249.

- Pearson, B.A., Scott,R.C., CareyIII,V.F. 2008. Urea ammonium nitrate affects on bispyribac and penoxsulam efficacy. *Weed Technology*, 22, 597-601.
- Pedreros, A. and Tay, J. 2003. Split Application of Broadleaf Herbicides in Dry Bean. *Bean Improvement Cooperative*.
- Penner, D. 2000. Activator adjuvants. *Weed Technology*, 14: 785-791.
- Porpiglia, P.J. Gillespie, G.R. Johnson, M.D., 1990. Enhanced CGA-136872 activity in combination with insecticides, *WSSA Abstract 30*.
- Rahbari, A., M. Abdollahian-Noghabi, H. Alizadeh, J. Khalaghani and H. Rahimian. 2007. Effect of integrated weed control on the yield and quality of sugar beet in the method of complete seedbed preparation in autumn. *Iranian Journal of Field Crop Science*, 38 (1): 15- 23.
- Rahman, A. and James, T.K.,1993. Enhanced activity of nicosulfuron in combination with soil-applied insecticides in corn (*Zea mays*), *Weed Technology*, 7, 824–829.
- Rainbolt, C.R., D.C. Thill, and F.L. Young. 2004. Control of volunteer herbicideresistant wheat and canola. *Weed Technology*, 18: 711-718.
- Ramsdale, B. K. and C. G. Messersmith. 2002. Adjuvant and herbicide oncentration in spray droplets influence phytotoxicity. *Weed Technology*, 16: 631-637.
- Ramsdale, B. K., Messersmith, C. G. and Nalewaja, J. D. 2009. Spray Volume, Formulation, Ammonium Sulfate, and Nozzle Effects on Glyphosate Efficacy1.
- Ramsey, R.J.L., G.R. Stephenson, and J.C. Hall. 2005. A review of the effects of humidity, humectants, and surfactant composition on the absorption and efficacy of highly water-soluble herbicides. *Pesticide Biochemistry and Physiology*, 82: 162–175.
- Ramsey, R.J.L., G.R. Stephenson, and J.C. Hall. 2006. Effect of humectants on the uptake and efficacy of glufosinate in wild oat (*Avena fatua*) plants and isolated cuticles under dry conditions. *Weed Science*, 54: 205-211
- Rao, V. S. 2000. *Principles of Weed Science*. Enfield, NH: Science Publishers. Pp. 348–375.
- Rashed-Mohassel, M. H. R., Aliverdi, A., Hamami, H., and zand, E. 2010. Optimizing the performance of diclofop-methyl, cycloxydim, and clodinafop-propargyl on littleseedcanarygrass (*Phalaris minor*) and wild oat (*Avenaludoviciana*) control with adjuvants. *Weed Biology and Management*, 10: 57-63.
- Rashed-Mohassel, M. H., Aliverdi, A., and Ghorbani, R. 2009. Effects of a magnetic field and adjuvant in the efficacy of cycloxydim and clodinafop-propargyl on the control of wild oat (*Avena fatua*). *Weed biology and management*, 9(4), 300-306.
- Roehl, S. R., M. Bredehoeft and J. Fischer. 2001. Efficacy and economic viability of current and potential weed control options at southern Minnesota sugar beet cooperative. *Southern Minnesota sugar beet cooperative* 38, 93.

- Roggenbuck, F.C., and Penner, D., 2000. Mode of action of organosilicone adjuvants. International symposium on growth and developments of fruit crops. *Acta Horticulture*, 527, 57–60.
- Ross, M. A. and C. A. Lembi. 1985. *Applied Weed Science*. Burgees publishing Company, Minneapolis, MN.
- Ruiter, H. D., A. J. M. Uffing and E. Meinen. 1996. Influence of surfactants and ammonium sulfate on glyphosate phytotoxicity to Quack (*Elytrigia repens*). *Weed Technology*, 10: 803-808.
- Scarabel, L., Carraro, N., Sattin, M., and Varotto, S. 2004. Molecular basis and genetic characterisation of evolved resistance to ALS-inhibitors in *Papaver rhoeas*. *Plant Science*, 166 :703–709.
- Scherder, E.F., R.E. Talbert, and M.L. Lovelace. 2005. Antagonism of cyhalofop grass activity by halosulfuron, triclopyr, and propanil. *Weed Technology*, 19: 934-941.
- Schubert, C.L., D.J. Erasmus, L.P. Vandyk, V. Gray, and K. Lovell. 1993. Adjuvants and volatility of hormone herbicides. *Pesticide Science*, 38: 179-183.
- Schweizer, E. E. 1980. Herbicides applied sequentially for economical control of annual weeds in sugarbeets. *Weed Science*, 28:152–159.
- Schweizer, E. E. 1983. Common lambsquarters (*Chenopodium album*) interference in sugar beets (*Beta vulgaris*). *Weed Science*, 31:5-8.
- Schweizer, E. E. and M. J. May. 1993. *Weeds and weed control. In The sugar beet crop science into practice*, eds. D. A. Cooke and R. K. Scott, pp 485-519. Chapman and Hall.
- Shaban, S. A., El-Henawi, H., Yehia, Z. and El-Hassan, R. 2009. Improving the efficiency of some herbicides in weed control in sugar beet (*Beta vulgaris* L.) by some adjuvants. *Egyptian Journal of Agronomy*, 31(2): 149-160.
- Shaner, C.L. J .J. Kells, and D. Penner. 2006. Weed control and corn (*Zea mays*) tolerance from soil-applied RPA 201772. *Weed Technology*, 17: 769-773.
- Sharma, S.D. and M. Singh. 2000. Optimizing foliar activity of glyphosate on *Bidens frondosa* and *Panicum maximum* with different adjuvant types. *Weed Research*, 40: 523-533.
- Sharma, S.D., and Singh, M., 2001. Surfactants increase toxicity of glyphosate and 2,4 D to Brazil pusley. *Horticulture. Science*, (Calcutta) 36, 726–728.
- Shaw, D.R., W.H. Morris, E.P. Webster, and D.B. Smith. 2000. Effects of spray volume and droplet size on herbicide deposition and common cocklebur (*Xanthium strumarium*) control. *Weed Technology*, 14: 321–326.
- Si, Y., Zhou, J., Chen, H., Zhou, D., and Yue, Y., 2004. Effects of humic substances on photodegradation of bensulfuron-methyl on dry soil surfaces. *Chemosphere*, 56: 967–972.

- Singh, S., and Singh, M., 2005. Evaluation of some adjuvants for improving glyphosate efficacy. *Journal. ASTM International*, 2 (4), 1–10.
- Sondhia, S., and Varshney, J. G. 2010. *Herbicides*. SSPH. New Dehli.
- Stachecki, S., T. Praczyk., and K. Adamczewski. 2004. Adjuvant effects on plant growth regulators in winter wheat. *Plant Protection Research*, 44 (4): 365-371.
- Starke, R.J. and L.R. Oliver. 1998. Interaction of glyphosate with chlorimuron, fomesafen, imazethapyr, and sulfentrazone. *Weed Science*, 46: 652-660.
- Steckel, G. J., S. E. Hart, and L. M. Wax. 1997. Absorption and translocation of glufosinate on four weed species. *Weed Science*, 45:378–381.
- Stephenson GR, Ferris IG, Holland PT, Nordberg M. 2006. Glossary of terms relating to pesticides (IUPAC Recommendations 2006). *Pure and Applied Chemistry*, 78:2075–2154.
- Streibig, J. C., Kudsk, P., and Jensen, J. E. 1998. A general joint action model for herbicide mixtures. *Pesticide Science*, 53(1): 21-28.
- Streibig, J.C., Rudemo, M., and Jensen, J.E., 1993. *Dose-response curves and statistical models*. In: Streibig, J.C., and Kudsk, P. (Eds.), *Herbicide Bioassay*. CRC Press, Boca Raton, FL, USA, pp. 29–55.
- Thompson, W.M., S.J. Nissen, and R.A. Masters. 1996. Adjuvant effects on imazethapyr, 2,4-D and picloram absorption by leafy spurge (*Euphorbia esula*). *Weed Science*, 44: 469-475.
- Tomlin C.D.S. *The Pesticide Manual*, 14th ed.; BCPC Publication: Alton-Hempshire, UK, pp. 409-411, 2006.
- Trajdos, J., Kucharski, M., and Sadowski, J. 2014. Influence of metamitron dose and surfactant on weed control and yield of sugarbeet. *Progress in Plant Protection*, 1(54). 51-55.
- Tu, M., and J.M. Randall. 2001. Adjuvants. In: *Weed Control Methods Handbook: Tools and Techniques for Use in Natural Areas*. (Eds: Tu, M., C. Hurd, and J. M. Randall.). [www.tncweeds.ucdavis.edu](http://www.tncweeds.ucdavis.edu). Visited, 2009, 08, 05. Underwood, A.K. 2000. Adjuvant trends for the new millennium. *Weed Technology*, 14: 765-772.
- Tyler, M. J. 1997. Herbicides kill frogs. Newsletter of the declining amphibians population task force #21.
- Usui, K., F. Deng, A. Nagao, and I.S. Shim. 2001. Differential glutathione Stransferase isozyme activities in rice and early watergrass seedlings. *Weed Biologyand Management*, 1: 128-132.
- Van den Brink, P. J., Crum, S. J., Gylstra, R., Bransen, F., Cuppen, J. G., and Brock, T. C. 2009. Effects of a herbicide-insecticide mixture in freshwater microcosms: risk assessment and ecological effect chain. *Environmental Pollution*, 157(1): 237-249.

- Vidrine, P.R., J.L. Griffin, and D.C. Blouin. 2002. Evaluation of reduced rates of glyphosate and chlorimuron in glyphosate-resistant soybean (*Glycine max*). *Weed Technology*, 16: 731-736.
- Vidrine, P.R., D.B. Reynolds, and D.C. Blonin. 1995. Grass control in soybean (*Glycine max*) with graminicides applied alone and in mixtures. *Weed Technology*, 9: 68-72.
- Wanamarta, G., and Penner, D. 1989. Foliar absorption of herbicides. *Reviews of weed science (USA)*.
- Wanamarta, G., Kells, J. J. and Penner, D. 1993. Overcoming antagonist effect of Nabentazon on sethoxydim absorption. *Weed Technology*, 7:322-325.
- Weinberger, P., and Greenhalgh, R., 1984. Some adjuvant effects on the fate of fenitrothion and aminocarb. *Environmental Toxicology Chemistry*, 3: 325–334.
- Wills, G.D., Hanks, J.E., Jones, E.J., and Mack, R.E., 1998. Effect of oil adjuvants and nitrogen fertilizer on the efficacy of imazethapyr applied at conventional and ultralow spray volumes. *Weed Technology*, 12: 441–445.
- Wilson, G. R., G. A. Smith, and C. D. Yonts. 2005. Repeated reduced rates broadleaf herbicides in combination with methylated seed oil for postemergence weed control in sugar beet (*Beta vulgaris*). *Weed Technology*, 19:855-860.
- Woznica, Z., J. D. Nalewaja, C. G. Messersmith, and P. Milkowski. 2003. Quinclorac efficacy as affected by adjuvants and spray carrier water. *Weed Technology*, 17:582–588.
- Young, B.G., A.W. Knepp, L.M. Wax, S.E. Hart. 2003. Glyphosate translocation in common lambsquarters (*Chenopodium album*) and velvetleaf (*Abutilon theophrasti*) in response to ammonium sulfate. *Weed Science*, 51: 151-156.
- Young, B.G., and S.E. Hart. 1998. Optimizing foliar activity of isoxaflutole on giant foxtail (*Setaria faberii*) with various adjuvants. *Weed Science*, 46: 397-402.
- Young, B.G., S.E. Hart, and L.M. Wax. 1996. Interactions of sethoxydim and corn (*Zea mays*) post-emergence broadleaf herbicides on three annual grasses. *WeedTechnology*, 10: 914-922.
- Zabkiewicz, J.A. 2000. Adjuvants and herbicidal efficacy- present status and future prospects. *Weed Research*, 40: 139-149.
- Zabkiewicz, J.A., P.J.G. Stevens, W.A. Forster, and K.D. Steele. 1993. Foliar uptake of organosilicone surfactant oligomers into bean leaf in the presence and absence of glyphosate. *Pesticide Science*, 38: 135-143.
- Zhiqian, L. 2004. Effects of surfactants on foliar uptake of herbicides - a complex scenario. *Colloids and Surfaces B: Biointerfaces*, 35: 149-153.