منابع

[۱]   P. D. Turney, "Thumbs up or thumbs down?: semantic orientation applied to unsupervised classification of reviews," in *Proceedings of the 40th annual meeting on association for computational linguistics*, 2002, pp. 417-424.

[۲]   F. Pozzi, E. Fersini, E .Messina, and B. Liu, *Sentiment Analysis in Social Networks* Elsevier Inc, 2017.

[۳]   B. Pang, L. Lee, and S. Vaithyanathan, "Thumbs up?: sentiment classification using machine learning techniques," presented at the Proceedings of the ACL-02 conference on Empirical methods in natural language processing-Volume 10, 2002.

[۴]   B. Pang and L. Lee, "Seeing stars: Exploiting class relationships for sentiment categorization with respect to rating scales," presented at the Proceedings of the 43rd Annual Meeting on Association for Computational Linguistics, 2005.

[۵]   E. Riloff and J. Wiebe, "Learning extraction patterns for subjective expressions," presented at the Proceedings of the 2003 conference on Empirical methods in natural language processing, 2003.

[۶]   S.-M .Kim and E. Hovy, "Extracting opinions, opinion holders, and topics expressed in online news media text," presented at the Proceedings of the Workshop on Sentiment and Subjectivity in Text, 2006.

[۷]   C. O. Alm, "Subjective natural language problems: motivations, applications, characterizations, and implications," presented at the Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies: short papers-Volume 2, 2011.

[۸]   L. Barbosa and J. Feng, "Robust sentiment detection on twitter from biased and noisy data," presented at the Proceedings of the 23rd International Conference on Computational Linguistics: Posters, 2010.

[۹]   M. Abdul-Mageed, M. Diab, and M. Korayem, "Subjectivity and sentiment analysis of modern standard Arabic," presented at the Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies, 2011.

[۱۰]   M. Hu and B. Liu, "Mining and summarizing customer reviews," presented at the Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining, 2004.

[۱۱]   B. Lu, M. Ott, C. Cardie, and B. K. Tsou, "Multi-aspect sentiment analysis with topic models," presented at the 11th International Conference on Data Mining Workshops (ICDMW), 2011.

[۱۲]   B. Liu, Sentiment analysis: Mining opinions, sentiments, and emotions: Cambridge University Press, 2015.

[۱۳]   I. Habernal, T. Ptáček, and J. Steinberger, "Supervised sentiment analysis in Czech social media," *Information Processing & Management,* vol. 50, pp. 693-707, 2014.

[۱۴]   R. Piryani, D. Madhavi, and V. K. Singh, "Analytical mapping of opinion mining and sentiment analysis research during 2000–2015," *Information Processing & Management,* vol. 53, pp. 122-15۰, ۲۰۱۷.

[۱۵]   S. L. Lo, E. Cambria, R. Chiong, and D. Cornforth, "Multilingual sentiment analysis: from formal to informal and scarce resource languages," *Artificial Intelligence Review,* pp. 1-29, 2016.

[۱۶]   H. Guo, H. Zhu, Z. Guo, X. Zhang, and Z. Su, "OpinionIt: a text mining system for cross-lingual opinion analysis," in *Proceedings of the 19th ACM international conference on Information and knowledge management*, 2010, pp. 1199-1208.

[۱۷]   D. Gao, F. Wei, W. Li, X. Liu, and M. Zhou, "Cross-lingual Sentiment Lexicon Learning With Bilingual Word Graph Label Propagation," *Computational Linguistics,* vol. 41, pp. 21-40, 2015.

[۱۸]   P. Zhang, S. Wang, and D. Li, "Cross-lingual sentiment classification: Similarity discovery plus training data adjustment," *Knowledge-Based Systems,* vol. 107, pp. 129-141, 2016.

[۱۹]   M.-T. Martín-Valdivia, E. Martínez-Cámara, J.-M. Perea-Ortega, and L. Alfonso Ureña-López, "Sentiment polarity detection in Spanish reviews combining supervised and unsupervised approaches," *Expert Systems with Applications,* vol. 40, pp. 3934-3942, 2012.

[۲۰]   C. Banea, R. Mihalcea, and J. Wiebe, "Porting Multilingual Subjectivity Resources Across Languages," *IEEE Transactions on Affective Computing,* vol. 4, 2013.

[۲۱]   A. Balahur and M. Turchi, "Comparative Experiments Using Supervised Learning and Machine Translation for Multilingual Sentiment Analysis," *Computer Speech & Language,* vol. 28, pp. 56–75, 2013.

[۲۲]   M. Okada and K. Hashimoto, "Investigation of Preprocessing of Multilingual Online Reviews for Automatic Classification," in *Computer and Information Science (ICIS), 2012 IEEE/ACIS 11th International Conference on*, 2012, pp. 306-309.

[۲۳]   J. M. Wiebe, R. F. Bruce, and T. P. O'Hara, "Development and use of a gold-standard data set for subjectivity classifications," in *Proceedings of the 37th annual meeting of the Association for Computational Linguistics on Computational Linguistics*, 1999, pp. 246-253.

[۲۴]   J. M. Wiebe, "Learning subjective adjectives from corpora," in *Proceedings of the National Conference on Artificial Intelligence*, 2000, pp. 735-741.

[۲۵]   H. Yu and V. Hatzivassiloglou, "Towards answering opinion questions: Separating facts from opinions and identifying the polarity of opinion sentences," in *Proceedings of the 2003 conference on Empirical methods in natural language processing*, 2003, pp. 129-136.

[۲۶] V. Hatzivassiloglou, J. L. Klavans, M. L. Holcombe, R. Barzilay, M.-Y. Kan, and K. R. McKeown, "Simfinder: A flexible clustering tool for summarization," in *Proceedings of the NAACL workshop on automatic summarization*, 2001, pp. 41-49.

[۲۷] B. Pang and L. Lee, "A sentimental education: Sentiment analysis using subjectivity summarization based on minimum cuts," in *Proceedings of the 42nd annual meeting on Association for Computational Linguistics*, 2004, p. 271.

[۲۸] B. Liu and L. Zhang, "A survey of opinion mining and sentiment analysis," in *Mining Text Data*, ed: Springer, 2012, pp. 415-463.

[۲۹] B. Liu, "Sentiment analysis and opinion mining," *Synthesis Lectures on Human Language Technologies,* vol. 5, pp. 1-167, 2012.

[۳۰] M. A. Halliday and C. M. Matthiessen, *An introduction to functional grammar*. USA: Taylor and Francis Group, 2004.

[۳۱] B. Liu, Web data mining: Exploring Hyperlinks, Contents, and Usage Data: Springer, 2011.

[۳۲] B. Liu, "Sentiment analysis and subjectivity," *Handbook of natural language processing,* vol. 2, p. 568, 2010.

[۳۳] I. Mani and M. T. Maybury, *Advances in automatic text summarization* vol. 293: MIT Press, 1999.

[۳۴] M. A. Fattah and F. Ren, "Automatic Text Summarization," *International Journal of Computer Science,* vol. 3, pp. 25-28, 2008.

[۳۵] V. Gupta and G. S. Lehal, "A Survey of Text Summarization Extractive Techniques," *Journal of Emerging Technologies in Web Intelligence,* vol. 2, pp. 258-268, 2010.

[۳۶] D. Das and A. F. Martins, "A survey on automatic text summarization," *Literature Survey for the Language and Statistics II course at CMU,* vol. 4, pp. 192-195, 2007.

[۳۷] P. Beineke, T. Hastie, C. Manning, and S. Vaithyanathan, "An exploration of sentiment summarization," in *Proceedings of AAAI*, 2003, pp. 12-15.

[۳۸] Y. Seki, K. Eguchi, N. Kando, and M. Aono, "Opinion-focused summarization and its analysis at DUC 2006," in *Proceedings of the Document Understanding Conference (DUC)*, 2006, pp. 122-130.

[۳۹] D. Wang and Y. Liu, "A pilot study of opinion summarization in conversations," in Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1, 2011, pp. 331-339.

[۴۰] H. Nishikawa, T .Hasegawa, Y. Matsuo, and G. Kikui, "Opinion summarization with integer linear programming formulation for sentence extraction and ordering," in *Proceedings of the 23rd International Conference on Computational Linguistics: Posters*, 2010, pp. 910-918.

[۴۱]   N. Yu, M. Huang, Y. Shi, and X. Zhu, "Product Review Summarization by Exploiting Phrase Properties," in *the 26th International Conference on Computational Linguisti (COLING)*, 2016, pp. 1113-1124.

[۴۲]   N. X. Le, V. Hristidisy, and N. Young, "Ontology-and Sentiment-aware Review Summarization," in *33rd International Conference on Data Engineering (ICDE)*, 2017, pp. 171-174.

[۴۳]   X. Ding, B. Liu, and P. S. Yu, "A holistic lexicon-based approach to opinion mining," in *Proceedings of the international conference on Web search and web data mining*, 2008, pp. 231-240.

[۴۴]   M. Taboada, J. Brooke, M. Tofiloski, K. Voll, and M. Stede, "Lexicon-based methods for sentiment analysis," *Computational linguistics,* vol. 37, pp. 267-307, 2011.

[۴۵]   J. Kamps, M. Marx, R. J. Mokken, and M. De Rijke, "Using wordnet to measure semantic orientations of adjectives," in *Proceedings of the 4th International Conference on Language Resources and Evaluation (LREC 2004)*, 2004, pp. 1115-1118.

[۴۶]   A. Fahrni and M. Klenner, "Old wine or warm beer: Target-specific sentiment analysis of adjectives," in *Proc. of the Symposium on Affective Language in Human and Machine, AISB*, 2008, pp. 60-63.

[۴۷]   V. Hatzivassiloglou and K. R. McKeown, "Predicting the semantic orientation of adjectives," in *Proceedings of the eighth conference on European chapter of the Association for Computational Linguistics*, 1997, pp. 174-181.

[۴۸]   N. Kaji and M. Kitsuregawa, "Building Lexicon for Sentiment Analysis from Massive Collection of HTML Documents," in *EMNLP-CoNLL*, 2007, pp. 1075-1083.

[۴۹]   L. Velikovich, S. Blair-Goldensohn, K. Hannan, and R. McDonald, "The viability of web-derived polarity lexicons," in Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics, 2010, pp. 777-785.

[۵۰]   H. Takamura, T. Inui, and M. Okumura, "Extracting semantic orientations of words using spin model," in *Proceedings of the 43rd Annual Meeting on Association for Computational Linguistics*, 2005, pp. 133-1.۴۰

[۵۱]   A. Esuli and F. Sebastiani, "Pageranking wordnet synsets: An application to opinion mining," presented at the Proceedings of the 43rd Annual Meeting on Association for Computational Linguistics (ACL), Prague, Czech Republic, 2007.

[۵۲]   D. Rao and D. Ravichandran, "Semi-supervised polarity lexicon induction," in Proceedings of the 12th Conference of the European Chapter of the Association for Computational Linguistics, 2009, pp. 675-682.

[۵۳]   S. Poria, A. Gelbukh, A. Hussain, N. Howard, D. Das, and S. Bandyopadhyay, "Enhanced SenticNet with affective labels for concept-based opinion mining," *IEEE Intelligent Systems,* vol. 28, pp. 31-38, 2013.

[۵۴]   S. Gindl, A. Weichselbraun, and A. Scharl, "Extracting and Grounding Contextualized Sentiment Lexicons," 2013.

[۵۵]   D. Tang, F. Wei, B. Qin, M. Zhou, and T. Liu, "Building Large-Scale Twitter-Specific Sentiment Lexicon: A Representation Learning Approach," in *the 25th International Conference on Computational Linguistics (COLING)*, 2014, pp. 172-182.

[۵۶]   س. نوفرستی و م. شمس فرد, "ساخت و بکارگیری یک پیکره برای تعیین بار نظرات غیرمستقیم," presented at the بیستمین کنفرانس ملی سالانه انجمن کامپیوتر ایران, دانشگاه فردوسی مشهد, ۱۳۹۳.

[۵۷]   H. Kanayama and T. Nasukawa, "Fully automatic lexicon expansion for domain-oriented sentiment analysis," in *Proceedings of the 2006 conference on empirical methods in natural language processing*, 2006, pp. 355-363.

[۵۸]   A. Hassan and D. Radev, "Identifying text polarity using random walks," in *Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics*, 2010, pp. 395-403.

[۵۹]   A. Hassan, A. Abu-Jbara, R. Jha, and D. Radev, "Identifying the semantic orientation of foreign words," in Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies: short papers-Volume 2, 2011, pp. 592-597.

[۶۰]   I. Dehdarbehbahani, A. Shakery, and H. Faili, "Semi-supervised word polarity identification in resource-lean languages," *Neural Networks,* vol. 58, pp. 50-5 ,۹ ۲۰۱۴.

[۶۱]   S. Baccianella, A. Esuli, and F. Sebastiani, "SentiWordNet 3.0: An Enhanced Lexical Resource for Sentiment Analysis and Opinion Mining," in *LREC*, 2010, pp. 2200-2204.

[۶۲]   A. Esuli and F. Sebastiani, "Sentiwordnet: A publicly available lexical resource for opinion mining," in *Proceedings of 5th International Conference on Language Resources and Evaluation (LREC)*, Genoa, 2006, pp. 417-422.

[۶۳]   A. Neviarouskaya, H. Prendinger, and M. Ishizuka, "SentiFul: A lexicon for sentiment analysis," *IEEE Transactions on Affective Computing,* vol. 2, pp. 22-36, 2011.

[۶۴]   A. Neviarouskaya, H. Prendinger, and M. Ishizuka, "Textual affect sensing for sociable and expressive online communication," in *International Conference on Affective Computing and Intelligent Interaction*, 2007, pp. 218-229.

[۶۵] C. Strapparava and A. Valitutti, "WordNet Affect: an Affective Extension of WordNet," in *Proceedings of the 4th International Conference on Language Resources and Evaluation (LREC)*, 2004, pp. 1083-1086.

[۶۶] E. Cambria, R. Speer, C. Havasi, and A. Hussain, "SenticNet: A Publicly Available Semantic Resource for Opinion Mining," in *AAAI fall symposium: commonsense knowledge*, 2010.

[۶۷] E. Cambria, S. Poria, R. Bajpai, and B. W. Schuller, "SenticNet 4: A Semantic Resource for Sentiment Analysis Based on Conceptual Primitives," in *Proceedings of the 26th International Conference Computational Linguistics (COLING)*, Osaka, 2016, pp. 2666-2677.

[۶۸] E. Cambria, A. Livingstone, and A. Hussain, "The hourglass of emotions ",*Cognitive behavioural systems,* pp. 144-157, 2012.

[۶۹] W. Chamlertwat, P. Bhattarakosol, T. Rungkasiri, and C. Haruechaiyasak, "Discovering Consumer Insight from Twitter via Sentiment Analysis," *J. UCS,* vol. 18, pp. 973-992, 2012.

[۷۰] A. Montejo-Ráez ,E. Martínez-Cámara, M. T. Martín-Valdivia, and L. A. Ureña-López, "Ranked wordnet graph for sentiment polarity classification in twitter," *Computer Speech & Language,* vol. 28, pp. 93-107, 2014.

[۷۱] M.-T. Martín-Valdivia, E. Martínez-Cámara, J.-M. Perea-Ortega, and L. A. Ureña-López, "Sentiment polarity detection in Spanish reviews combining supervised and unsupervised approaches," *Expert Systems with Applications,* vol. 40, pp. 3934-3942, 2013.

[۷۲] R. Pandarachalil, S. Sendhilkumar, and G. Mahalakshmi" ,Twitter sentiment analysis for large-scale data: an unsupervised approach," *Cognitive computation,* vol. 7, pp. 254-262, 2015.

[۷۳] C. Hung and S.-J. Chen, "Word sense disambiguation based sentiment lexicons for sentiment classification," *Knowledge-Based Systems,* vol. 110, pp. 224-232, 2016.

[۷۴] K. Denecke, "Using sentiwordnet for multilingual sentiment analysis," in *Data Engineering Workshop, 2008. ICDEW 2008. IEEE 24th International Conference on*, 2008, pp. 507-512.

[۷۵] F. L. Cruz, J. A. Troyano, B. Pontes, and F. J. Ortega, "Building layered, multilingual sentiment lexicons at synset and lemma levels," *Expert Systems with Applications,* vol. 41, pp. 5984-5994, 2014.

[۷۶] M. E. Basiri, A. R. Naghsh-Nilchi, and N. Ghassem-Aghaee, "A Framework for Sentiment Analysis in Persian," *Open Transactions on Information Processing,* vol. 1, pp. 1-14, 2014.

[۷۷] F. Amiri, S. Scerri, and M. H. Khodashahi, "Lexicon-based Sentiment Analysis for Persian Text," in *Recent Advances in Natural Language Processing*, 2015, pp.۹–۱۶ .

[۷۸]   K. Dashtipour, A. Hussain, Q. Zhou, A. Gelbukh, A. Y. Hawalah, and E. Cambria, "PerSent: A Freely Available Persian Sentiment Lexicon," in *Proceedings of the 8th International Conference Advances in Brain Inspired Cognitive Systems, BICS 2016 ,Beijing, China*, 2016, pp. 310-320.

[۷۹]   M. Shams, A. Shakery, and H. Faili, "A non-parametric LDA-based induction method for sentiment analysis," in *Artificial Intelligence and Signal Processing (AISP), 2012 16th CSI International Symposium on*, 2012, pp.۲۲۱-۲۱۶ .

[۸۰]   س. علی مردانی و ع. آقایی, "ارائهٔ روش نظارتی برای نظرکاوی در زبان فارسی با استفاده از لغت‌نامه و الگوریتم SVM," فصلنامه علمی-پژوهشی مدیریت فناوری اطلاعات, 1394 ,345-362 .pp ,7 .vol.

[۸۱]   S. Cerini, V. Compagnoni, A. Demontis, M. Formentelli, and G. Gandini, "Micro-WNOp: A gold standard for the evaluation of automatically compiled lexical resources for opinion mining," *Language resources and linguistic theory: Typology, second language acquisition, English linguistics,* pp. 200-210, 2007.

[۸۲]   P. M. Andersen, P. J. Hayes, A. K. Huettner, L. M. Schmandt, I. B. Nirenburg, and S. P. Weinstein, "Automatic extraction of facts from press releases to generate news stories," in *Proceedings of the third conference on Applied natural language processing*, 1992, pp. 170-177.

[۸۳]   E. Ferrara, P. De Meo, G. Fiumara, and R. Baumgartner, "Web data extraction, applications and techniques: A survey," *Knowledge-based systems,* vol. 70, pp. 301-323, 2014.

[۸۴]   J. Piskorski and R. Yangarber, "Information extraction: past, present and future," in *Multi-source, multilingual information extraction and summarization*, ed: Springer, 2013, pp. 23-49.

[۸۵]   D. C. Wimalasuriya and D. Dou, "Ontology-based information extraction: An introduction and a survey of current approaches," ed: Sage Publications Sage UK: London, England, 2010.

[۸۶]   K. Schouten and F. Frasincar, "Survey on aspect-level sentiment analysis," *IEEE Transactions on Knowledge and Data Engineering,* vol. 28, pp. 813-830, 2016.

[۸۷]   B. Liu, "Web data mining: exploring hyperlinks, contents, and usage data," *ACM SIGKDD Explorations,* vol. 10, pp. 23-25, 2007.

[۸۸]   A.-M. Popescu, B. Nguyen, and O. Etzioni, "Extracting product features and opinions from reviews," in *Proceedings of Human Language Technology (HLT/EMNLP) on interactive demonstrations*, 2005, pp. 339-346.

[۸۹]   L.-W. Ku, Y.-T. Liang, and H.-H. Chen, "Opinion extraction, summarization and tracking in news and blog corpora," in *Proceedings of AAAI-2006 spring symposium on computational approaches to analyzing weblogs*, 2006.

[۹۰]   C. Scaffidi, K. Bierhoff, E. Chang, M. Felker, H. Ng, and C. Jin, "Red Opal: product-feature scoring from reviews," in *Proceedings of the 8th ACM conference on Electronic commerce*, 2007, pp. 182-191.

[۹۱] J. Zhu, H. Wang, B. K. Tsou, and M. Zhu, "Multi-aspect opinion polling from textual reviews," in *Proceedings of the 18th ACM conference on Information and knowledge management*, 2009, pp. 1799-1802.

[۹۲] C. Long, J. Zhang, and X. Zhut, "A review selection approach for accurate feature rating estimation," in *Proceedings of the 23rd International Conference on Computational Linguistics*, 2010, pp. 766-774.

[۹۳] S. Blair-Goldensohn, K. Hannan, R. McDonald, T. Neylon, G. A. Reis, and J. Reynar, "Building a sentiment summarizer for local service reviews," presented at the International Workshop on NLP Challenges in the Information Explosion Era (WWW Workshop), 2008.

[۹۴] B. Liu, M. Hu, and J. Cheng, "Opinion observer: analyzing and comparing opinions on the Web," in *Proceedings of the 14th international conference on World Wide Web*, 2005, pp. 342-351.

[۹۵] L. Zhuang, F. Jing, and X.-Y. Zhu, "Movie review mining and summarization," in *Proceedings of the 15th ACM international conference on Information and knowledge management*, 2006, pp. 4.۵۰-۳

[۹۶] Y. Wu, Q. Zhang, X. Huang, and L. Wu, "Phrase dependency parsing for opinion mining," in *Proceedings of the 2009 Conference on Empirical Methods in Natural Language Processing: Volume 3-Volume 3*, 2009, pp. 1533-1541.

[۹۷] W. Du and S. Tan, "An iterative reinforcement approach for fine-grained opinion mining," in Proceedings of Human Language Technologies: The 2009 Annual Conference of the North American Chapter of the Association for Computational Linguistics, 2009, pp. 486-493.

[۹۸] Z. Hai, K .Chang, and J.-j. Kim, "Implicit feature identification via co-occurrence association rule mining," in *Computational Linguistics and Intelligent Text Processing*, ed: Springer, 2011, pp. 393-404.

[۹۹] W. Jin, H. H. Ho, and R. K. Srihari, "OpinionMiner: a novel machine learning system for web opinion mining and extraction," in *Proceedings of the 15th ACM SIGKDD international conference on Knowledge discovery and data mining*, 2009, pp. 1195-1204.

[۱۰۰] F. Li, C. Han, M. Huang, X. Zhu, Y.-J. Xia, S. Zhang, *et al.*, "Structure-aware review mining and summarization," in *Proceedings of the 23rd International Conference on Computational Linguistics*, 2010, pp. 653-661.

[۱۰۱] T. Hofmann, "Probabilistic latent semantic indexing," in Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval, 1999, pp. 50-57.

[۱۰۲] D. M. Blei, A. Y. Ng, and M. I. Jordan, "Latent dirichlet allocation," *the Journal of machine Learning research,* vol. 3, pp. 993-1022, 2003.

[۱۰۳] Q. Mei, X. Ling, M. Wondra, H. Su, and C. Zhai, "Topic sentiment mixture: modeling facets and opinions in weblogs," in *Proceedings of the 16th international conference on World Wide Web*, 2007, pp. 171-180.

[۱۰۴] I. Titov and R. McDonald, "Modeling online reviews with multi-grain topic models," presented at the Proceedings of the 17th international conference on World Wide Web, 2008.

[۱۰۵] Y. Lu, C. Zhai, and N. Sundaresan, "Rated aspect summarization of short comments," presented at the Proceedings of the 18th international conference on World wide web, 2009.

[۱۰۶] H. Guo, H. Zhu, Z. Guo, X. Zhang, and Z. Su, "Product feature categorization with multilevel latent semantic association," in *Proceedings of the 18th ACM conference on Information and knowledge management*, 2009, pp. 1087-1096.

[۱۰۷] W. X. Zhao, J. Jiang, H. Yan, and X. Li, "Jointly modeling aspects and opinions with a MaxEnt-LDA hybrid," in *Proceedings of the 2010 Conference on Empirical Methods in Natural Language Processing*, 2010, pp. 56-65.

[۱۰۸] S. Brody and N. Elhadad, "An unsupervised aspect-sentiment model for online reviews," in Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics, 2010, pp. 804-812.

[۱۰۹] Y. Jo and A. H. Oh, "Aspect and sentiment unification model for online review analysis," in *Proceedings of the fourth ACM international conference on Web search and data mining*, 2011, pp. 815-824.

[۱۱۰] H. Wang, Y. Lu, and C. Zhai, "Latent aspect rating analysis without aspect keyword supervision," in *Proceedings of the 17th ACM SIGKDD international conference on Knowledge discovery and data mining*, 2011, pp. 618-626.

[۱۱۱] H. Lakkaraju, C. Bhattacharyya, I. Bhattacharya, and S. Merugu, "Exploiting coherence for the simultaneous discovery of latent facets and associated sentiments," in *Proceedings of 2011 SIAM International Conference on Data Mining (SDM)*, 2011, pp. 498-509.

[۱۱۲] Y. Lu, H. Duan, H. Wang, and C. Zhai, "Exploiting structured ontology to organize scattered online opinions," in *Proceedings of the 23rd International Conference on Computational Linguistics*, 2010, pp. 734-742.

[۱۱۳] T.-J. Zhan and C.-H. Li, "Semantic dependent word pairs generative model for fine-grained product feature mining," in *Advances in Knowledge Discovery and Data Mining*, ed: Springer, 2011, pp. 460-475.

[۱۱۴] Y. He, C. Lin, and H. Alani, "Automatically extracting polarity-bearing topics for cross-domain sentiment classification," presented at the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies, USA, 2011.

[۱۱۵] A. Mukherjee and B. Liu, "Aspect extraction through semi-supervised modeling," in Proceedings of the 50th Annual Meeting of the Association for Computational Linguistics: Long Papers-Volume 1, 2012, pp. 339-348.

[۱۱۶] S. Moghaddam and M. Ester, "The FLDA model for aspect-based opinion mining: addressing the cold start problem," in *Proceedings of the 22nd international conference on World Wide Web*, 2013, pp. 909.۹۱۸–

[۱۱۷] Z. Li, M. Zhang, S. Ma, B. Zhou, and Y. Sun, "Automatic extraction for product feature words from comments on the web," in *proceedings of the 5th Asia Information Retrieval Symposium, Information Retrieval Technology*, Japan, 2009, pp. 112-123.

[۱۱۸] J. Yu, Z.-J. Zha, M. Wang, K. Wang, and T.-S. Chua, "Domain-assisted product aspect hierarchy generation: towards hierarchical organization of unstructured consumer reviews," in *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, 2011, pp. 140-150.

[۱۱۹] S. Moghaddam and M. Ester, "Opinion digger: an unsupervised opinion miner from unstructured product reviews," in *Proceedings of the 19th ACM international conference on Information and knowledge management*, 2010, pp.۱۸۲۸–۱۸۲۵ .

[۱۲۰] C. Sauper, A. Haghighi, and R. Barzilay, "Content models with attitude," Association for Computational Linguistics, 2011, pp. 350–358.

[۱۲۱] E. Boiy and M.-F. Moens, "A machine learning approach to sentiment analysis in multilingual Web texts," *Information retrieval,* vol. 12, pp. 526-558, 2009.

[۱۲۲] L. Jiang, M. Yu, M. Zhou, X. Liu, and T. Zhao, "Target-dependent twitter sentiment classification," in *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics :Human Language Technologies*, 2011, pp. 151-160.

[۱۲۳] S. Wang, D. Li, X. Song, Y. Wei, and H. Li, "A feature selection method based on improved fisher's discriminant ratio for text sentiment classification," *Expert Systems with Applications,* vol. 38, pp.۲۰۱۱ ,۸۷۰۲–۸۶۹۶ .

[۱۲۴] M. Rushdi Saleh, M. T. Martín-Valdivia, A. Montejo-Ráez, and L. Ureña-López, "Experiments with SVM to classify opinions in different domains," *Expert Systems with Applications,* vol. 38, pp. 14799-14804, 2011.

[۱۲۵] M. Tsytsarau and T. Palpanas, "Survey on mining subjective data on the web," *Data Mining and Knowledge Discovery,* vol. 24, pp. 478-514, 2012.

[۱۲۶] L. Zhou and P. Chaovalit, "Ontology supported polarity mining," *Journal of the American Society for Information Science and technology,* vol. 59, pp. 98-110, 2008.

[۱۲۷] E. Kontopoulos, C. Berberidis, T. Dergiades, and N. Bassiliades, "Ontology-based sentiment analysis of twitter posts," *Expert Systems with Applications,* vol. 40, pp. 4065-4074, 2013.

[۱۲۸] G. Carenini, R. T. Ng, and E. Zwart, "Extracting knowledge from evaluative text," in *Proceedings of the 3rd international conference on Knowledge capture*, 2005, pp. 11-18.

[۱۲۹] Z. Zhai, B. Liu, H. Xu, and P. Jia, "Grouping product features using semi-supervised learning with soft-constraints," in *Proceedings of the 23rd International Conference on Computational Linguistics*, 2010, pp. 1272-1280.

[۱۳۰] S. Mohammad and G. Hirst, "Distributional measures of concept-distance: A task-oriented evaluation," in *Proceedings of the 20 ۰۶Conference on Empirical Methods in Natural Language Processing*, 2006, pp. 35-43.

[۱۳۱] T. Wang and G. Hirst, "Refining the notions of depth and density in WordNet-based semantic similarity measures," in *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, 2011, pp. 1003-1011.

[۱۳۲] D. Andrzejewski, X. Zhu, and M. Craven, "Incorporating domain knowledge into topic modeling via Dirichlet forest priors," in *Proceedings of the 26th Annual International Conference on Machine Learning*, 2009, pp. 25-32.

[۱۳۳] Z. Zhai, B. Liu, H. Xu, and P. Jia, "Constrained LDA for grouping product features in opinion mining," in *Advances in Knowledge Discovery and Data Mining*, ed: Springer, 2011, pp. 448-459.

[۱۳۴] G. Somprasertsri and P. Lalitrojwong, "Mining Feature-Opinion in Online Customer Reviews for Opinion Summarization," *Journal of Universal Computer Science,* vol. 16, pp. 938-955, 2010.

[۱۳۵] I. Peñalver-Martínez, R. Valencia-García, and F. García-Sánchez, "Ontology-guided approach to feature-based opinion mining," in *Natural Language Processing and Information Systems*, ed: Springer, 2012, pp. 193-200.

[۱۳۶] A. Caputo, P. Basile, M. de Gemmis, P. Lops, G. Semeraro, and G. Rossiello, "SABRE: A Sentiment Aspect-Based Retrieval Engine," in *Information Filtering and Retrieval*, ed: Springer, 2017, pp. 63-78.

[۱۳۷] A. Westerski, C. A. Iglesias Fernandez, and F. Tapia Rico, "Linked opinions: Describing sentiments on the structured web of data," presented at the 4th International Workshop Social Data on the Web, 2011.

[۱۳۸] L. Robaldo and L. Di Caro, "OpinionMining-ML," *Computer Standards & Interfaces,* vol. 35, pp. 454-469, 2013.

[۱۳۹] S. Softic and M. Hausenblas, "Towards opinion mining through tracing discussions on the web," presented at the Social data on the web (SDoW 2008) workshop at the 7th international semantic web conference, Karlsruhe, Germany, 2008.

[۱۴۰] T. Lebo, S. Sahoo, D. McGuinness, K. Belhajjame, J. Cheney, D. Corsar*, et al.* (2013). *Prov-o: The prov ontology* .

[۱۴۱] K. Belhajjame, H. Deus, D. Garijo, G. Klyne, P. Missier, S. Soiland-Reyes*, et al.*, "PROV model primer," *URL: http://www.w3.org/TR/prov-primer,* 2012.

[۱۴۲] Y. Gil, S. Miles, K. Belhajjame, H. Deus, D. Garijo, G. Klyne*, et al.*, "PROV model primer," *W3C Working Draft, 11th December,* 2012.

[۱۴۳] P. Groth and L. Moreau, "PROV-Overview. An Overview of the PROV Family of Documents," World Wide Web Consortium, http://www.w3.org/TR/2012/WD-prov-overview-20121211/2013.

[۱۴۴] N. Loutas and N. Loutas, "of Deliverable: Linked۲Media Semantic Model," Linked2Media http://www.linked2media.eu/2012.

[۱۴۵] J. F. Sánchez-Rada and C. A. Iglesias, "Onyx: A linked data approach to emotion representation," *Information Processing & Management,* vol. 52, pp. 99-114, 2016.

[۱۴۶] A. A. Barforush and A. Rahnama, "Ontology learning: revisted," *Journal of Web Engineering,* vol. 11, pp. 269-289, 2012.

[۱۴۷] W. Wong, W. Liu, and M. Bennamoun, "Ontology learning from text: A look back and into the future," *ACM Computing Surveys (CSUR),* vol. 44, p. 2.۲۰۱۲ ,۰

[۱۴۸] P. Cimiano, A. Pivk, L. Schmidt-Thieme, and S. Staab, "Learning taxonomic relations from heterogeneous sources of evidence," *Ontology Learning from Text: Methods, evaluation and applications,* 2005.

[۱۴۹] P. Buitelaar, P. Cimiano, and B. Magnini, *Ontology learning from text: methods, evaluation and applications* vol. 123: IOS press, 2005.

[۱۵۰] L. Liu, X. Nie, and H. Wang, "Toward a fuzzy domain sentiment ontology tree for sentiment analysis," presented at the Image and Signal Processing (CISP), 2012 5th International Congress on, 2012.

[۱۵۱] F. Ali, E. K. Kim, and Y.-G. Kim, "Type-2 fuzzy ontology-based opinion mining and information extraction: A proposal to automate the hotel reservation system," *Applied Intelligence,* vol. 42, pp. 481-500.۲۰۱۵ ,

[۱۵۲] D. R. Recupero, V. Presutti, S. Consoli, A. Gangemi, and A. G. Nuzzolese, "Sentilo: frame-based sentiment analysis," *Cognitive Computation,* vol. 7, pp. 211-225, 2015.

[۱۵۳] V. Presutti, F. Draicchio, and A. Gangemi, "Knowledge extraction based on discourse representation theory and linguistic frames," in *International Conference on Knowledge Engineering and Knowledge Management*, 2012, pp. 114-129.

[۱۵۴] ش. شریفی و آ. مولوی, "پربسامدترین روابط مفهومی میان واژگان," مجله زبان و ادبیات فارسی (پژوهشنامه ادب غنایی), vol. 6, pp. 53-66, 1387.

[۱۵۵] م. شمس فرد و ا. عبداله زاده, "استخراج دانش مفهومی از متن با استفاده از الگوهای زبانی و معنایی," تازه‌های علوم شناختی, vol. 4, pp. 48-66, 1381.

[۱۵۶] ع. شریف, "مهندسی خودکار هستی شناسی: امکان سنجی استخراج روابط معنایی از متون فارسی و تعیین میزان پیدایی آنها," کتابداری و اطلاع رسانی, 1388، 243-264 .pp ,12 .vol.

[۱۵۷] I. Peñalver-Martinez, F. Garcia-Sanchez, R. Valencia-Garcia, M. Á. Rodríguez-García, V. Moreno, A. Fraga, *et al.*, "Feature-based opinion mining through ontologies," *Expert Systems with Applications,* 2014.

[۱۵۸] F. L. Cruz, J. A. Troyano, F. EnríQuez, F. J. Ortega, and C. G. Vallejo, "'Long autonomy or long delay?'The importance of domain in opinion mining," *Expert Systems with Applications* ,vol. 40, pp. 3174-3184, 2013.

[۱۵۹] C. M. Özsert and A. Özgür, "Word polarity detection using a multilingual approach," in *Computational Linguistics and Intelligent Text Processing*, ed: Springer, 2013, pp. 75-82.

[۱۶۰] J. Steinberger, M. Ebrahim, M. Ehrmann, A. Hurriyetoglu, M. Kabadjov, P. Lenkova, *et al.*, "Creating sentiment dictionaries via triangulation," *Decision Support Systems,* vol. 53, pp. 689-694, 2012.

[۱۶۱] F. H. Mahyoub, M. A. Siddiqui, and M. Y. Dahab, "Building an Arabic Sentiment Lexicon Using Semi-Supervised Learning," *Journal of King Saud University-Computer and Information Sciences,* vol. 26, pp. 417-424, 2014.

[۱۶۲] Y. Chen and S. Skiena, "Building sentiment lexicons for all major languages," in *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (Short Papers)*, 2014, pp. 383-389.

[۱۶۳] F. Mahdisoltani, J. Biega, and F. Suchanek, "YAGO3: A knowledge base from multilingual Wikipedias," in *7th Biennial Conference on Innovative Data Systems Research*, 2014.

[۱۶۴] A. AleAhmad, H. Amiri, E. Darrudi, M. Rahgozar, and F. Oroumchian, "Hamshahri: A standard Persian text collection," *Knowledge-Based Systems,* vol. 22, pp. 382-387, 2009.

[۱۶۵] H. Eghbalzadeh, B. Hosseini, S. Khadivi, and A. Khodabakhsh, "Persica: A Persian corpus for multi-purpose text mining and Natural language processing," in *Telecommunications (IST), 2012 Sixth International Symposium on*, 2012, pp. 1207-1214.

[۱۶۶] A. Balali, A. Rajabi, S. Ghassemi, M. Asadpour, and H. Faili, "Content diffusion prediction in social networks," in *5th Conference on Information and Knowledge Technology (IKT)*, 2013, pp. 467-471.

[۱۶۷] P. Turney, "Mining the web for synonyms: PMI-IR versus LSA on TOEFL," in *12th European Conference on Machine Learning (ECML 2001), Freiburg, Germany*, 2001, pp. 491-502.

[۱۶۸] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, and J. Dean, "Distributed representations of words and phrases and their compositionality," in *Advances in neural information processing systems*, 2013, pp. 3111-3.۱۱۹

[۱۶۹] T. Young, D. Hazarika, S. Poria, and E. Cambria, "Recent Trends in Deep Learning Based Natural Language Processing," *arXiv preprint arXiv:1708.02709,* 2017.

[۱۷۰] D. Vrandečić, *Ontology evaluation*: Springer Book, 2009.

[۱۷۱] C. Brewster, H. Alani, S. Dasmahapatra, and Y. Wilks, "Data driven ontology evaluation," presented at the International Conference on Language Resources and Evaluation (LREC 2004), Lisbon, Portugal, 2004.

[۱۷۲] J. Ashraf, "A semantic framework for ontology usage analysis," Ph.D., School of Information Systems, Curtin Business School, Curtin University, 2013.

[۱۷۳] J. Brank, M. Grobelnik, and D. Mladenić, "A survey of ontology evaluation techniques," presented at the Data Mining and Data Warehouses (SiKDD), 2005.

[۱۷۴] K. Dellschaft and S. Staab, "Strategies for the evaluation of ontology learning," presented at the Ontology Learning and Population: Bridging the Gap between Text and Knowledge, Amsterdam, 2008.

[۱۷۵] R. Costumero, Á. García-Pedrero, C. Gonzalo-Martín, E. Menasalvas, and S. Millan, "Text analysis and information extraction from Spanish written documents," in *International Conference on Brain Informatics and Health*, 2014, pp. 188-197.

[۱۷۶] H. R. Bernard, Research methods in anthropology: Qualitative and quantitative approaches: Rowman & Littlefield, 2017.

[۱۷۷] I. H. Witten, E. Frank, M. A. Hall, and C. J. Pal, *Data Mining: Practical machine learning tools and techniques*: Morgan Kaufmann, 2016.

[۱۷۸] G. K. Savova, J. J. Masanz, P. V. Ogren, J. Zheng, S. Sohn, K. C. Kipper-Schuler*, et al.*, "Mayo clinical Text Analysis and Knowledge Extraction System (cTAKES): architecture, component evaluation and applications," *Journal of the American Medical Informatics Association,* vol. 17, pp. 507-513, 2010.

[۱۷۹] J. Cohen, "A coefficient of agreement for nominal scales," *Educational and psychological measurement,* vol. 20, pp. 37-46, 1960.

[۱۸۰] C. Qing, U. Endriss, R. Fernández, and J. Kruger, "Empirical Analysis of Aggregation Methods for Collective Annotation," in *COLING, ۲۰۱۴,* pp. 1533-1542.

[۱۸۱] M. S. Rasooli, M. Kouhestani, and A. Moloodi, "Development of a Persian syntactic dependency treebank," in Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, 2013, pp. 306-314.

[۱۸۲] K. Denecke, "Are SentiWordNet scores suited for multi-domain sentiment classification?," presented at the Fourth International Conference on Digital Information Management, (ICDIM 2009), 2009.

[۱۸۳] R. Duwairi and M. El-Orfali, "A study of the effects of preprocessing strategies on sentiment analysis for Arabic text," *Journal of Information Science,* vol. 40, pp. 501-513, 2014.

[۱۸۴] I. P. Matsuno, R. G. Rossi, R. M. Marcacini, and S. O. Rezende, "Aspect-based Sentiment Analysis using Semi-supervised Learning in Bipartite Heterogeneous Networks," *Journal of Information and Data Management,* vol. 7, p. 141, 2017.

[۱۸۵] B. Agarwal, S. Poria, N. Mittal, A. Gelbukh, and A. Hussain, "Concept-level sentiment analysis with dependency-based semantic parsing: a novel approach," *Cognitive Computation,* vol. 7, pp. 487-499, 2015.

[۱۸۶] S. Poria, E. Cambria, G. Winterstein, and G.-B. Huang, "Sentic patterns: Dependency-based rules for concept-level sentiment analysis," *Knowledge-Based Systems,* vol. 69, pp. 45-63, 2014.

[۱۸۷] M. Hu and B. Liu, "Mining opinion features in customer reviews," in *Proceedings of the 19th Conference on Artificial Intelligence (AAAI)*, 2004, pp. 755-760.

[۱۸۸] Z. Hai, K. Chang, and J.-j. Kim, "Implicit feature identification via co-occurrence association rule mining," presented at the Computational Linguistics and Intelligent Text Processing (CICLing), Berlin, 2011.

[۱۸۹] Y. Zhao, B. Qin, S. Hu, and T. Liu, "Generalizing syntactic structures for product attribute candidate extraction," in Human Language Technologies: The 2010 Annual Conference of the North American Chapter of the Association for Computational Linguistics, 2010, pp. 377-380.

[۱۹۰] J. Zhao, H. Xu, X. Huang, S. Tan, K. Liu, and Q. Zhang, "Overview of chinese opinion analysis evaluation 2008," in *Proceedings of the First Chinese Opinion Analysis Evaluation*, 2008, pp. 1-21.

[۱۹۱] G. Qiu, B. Liu, J. Bu, and C. Chen, "Expanding domain sentiment lexicon through double propagation," in *Proceedings of the Twenty-First International Joint Conference on Artificial Intelligence (IJCAI-09)*, 2009, pp. 1199-1204.

[۱۹۲] L. Zhang, B. Liu, S. H. Lim, and E. O'Brien-Strain, "Extracting and ranking product features in opinion documents," in *Proceedings of the 23rd International Conference on Computational Linguistics*, 2010, pp. 1462-1470.

[۱۹۳] N. Jakob and I. Gurevych, "Extracting opinion targets in a single-and cross-domain setting with conditional random fields," in *Proceedings of the 2010 conference on empirical methods in natural language processing*, 2010, pp. 1035-1045.

[۱۹۴] C. Toprak, N. Jakob, and I. Gurevych, "Sentence and expression level annotation of opinions in user-generated discourse," in *Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics (ACL)*, 2010, pp. 575-584.

[۱۹۵] J. S. Kessler and N. Nicolov, "Targeting Sentiment Expressions through Supervised Ranking of Linguistic Configurations," in *Proceedings of the Third International ICWSM Conference*, 2009, pp. 90-97.

[۱۹۶] H. Wang, Y. Lu, and C. Zhai, "Latent aspect rating analysis on review text data: a rating regression approach," in *Proceedings of the 16th ACM SIGKDD international conference on Knowledge discovery and data mining*, 2010, pp. 783-792.

[۱۹۷] G. Ganu, N. Elhadad, and A. Marian, "Beyond the Stars: Improving Rating Predictions using Review Text Content," in *Twelfth International Workshop on the Web and Databases (WebDB)*, USA, 2009, pp. 1-6.

[۱۹۸] N. Jindal and B. Liu, "Opinion spam and analysis," in *Proceedings of the 2008 International Conference on Web Search and Data Mining*, 2008, pp. 219-230.

[۱۹۹] J. Yu, Z.-J. Zha, M. Wang, and T.-S. Chua, "Aspect ranking: identifying important product aspects from online consumer reviews," in *Proceedings of the 49th Annual Meeting of the Association for Computational Linguistics: Human Language Technologies-Volume 1*, 2011, pp. 1496-1505.

[۲۰۰] S. Raju, P. Pingali, and V. Varma, "An Unsupervised Approach to Product Attribute Extraction," in *Proceedings of the 31th European Conference on IR Research (ECIR)*, France, 2009, pp. 796-800.

[۲۰۱] A. Gangemi, V. Presutti, and D. R. Recupero, "Frame-based detection of opinion holders and topics: a model and a tool," *IEEE Computational Intelligence Magazine,* vol. 9, pp. 20-30, 2014.

[۲۰۲] M. Shamsfard, "Challenges and open problems in Persian text processing," *Proceedings of LTC,* vol. 11, 2011.

[۲۰۳] W. Feely, M. Manshadi, R. Frederking, and L. Levin, "The CMU METAL Farsi NLP Approach," in *Proceedings of the Ninth International Conference on Language Resources and Evaluation (LREC'14)*, 2014, pp. 4052-4055.

[۲۰۴] M. Shamsfard, H. S. Jafari, and M. Ilbeygi, "STeP-1: A Set of Fundamental Tools for Persian Text Processing," in *LREC*, 2010.

[۲۰۵] Z. Sarabi, H. Mahyar ,and M. Farhoodi, "ParsiPardaz: Persian Language Processing Toolkit," in *Computer and Knowledge Engineering (ICCKE), 2013 3th International eConference on*, 2013, pp. 73-79.

[۲۰۶] M. Seraji, B. Megyesi, and J. Nivre, "A basic language resource kit for Persian," in *Eight International Conference on Language Resources and Evaluation (LREC 2012), 23-25 May 2012, Istanbul, Turkey*, 2012, pp. 2245-2252.

[۲۰۷] M. Khallash and M. Imany. (2014). *Hazm: Python library for digesting Persian text*. Available: https://github.com/sobhe/hazm

[۲۰۸] A. H. Jadidinejad, F. Mahmoudi, and J. Dehdari, "Evaluation of PerStem: a simple and efficient stemming algorithm for Persian," presented at the Workshop of the Cross-Language Evaluation Forum for European Languages, 2010.

[۲۰۹] M. Manshadi. (2013). *Farsi Verb Tokenizer*. Available: https://github.com/mehdi-manshadi/Farsi-Verb-Tokenizer

[۲۱۰] M. Montazery and H. Faili, "Automatic Persian wordnet construction," in *Proceedings of the 23rd International Conference on Computational Linguistics: Posters*, 2010, pp. 846-850.

[۲۱۱] K. N. Lam, F. A. Tarouti, and J. Kalita, "Automatically constructing Wordnet synsets," in *52nd Annual Meeting of the Association for Computational Linguistics (ACL 2014), Baltimore, USA*, 2014.

[۲۱۲] M. Shamsfard, A. Hesabi, H. Fadaei, N. Mansoory, A. Famian, S. Bagherbeigi*, et al.*, "Semi automatic development of farsnet; the persian wordnet," in *Proceedings of 5th Global WordNet Conference, Mumbai, India*, 2010.

[۲۱۳] P. Vossen, "A multilingual database with lexical semantic networks," *Computational Linguistics* vol. 25, pp. 628-630, 1998.

[۲۱۴] F. Keyvan, H. Borjian, M. Kasheff, and C. Fellbaum, "Developing persianet: The persian wordnet," in *3rd Global wordnet conference*, 2007, pp. 315-318.

[۲۱۵] A. Famian and D. Aghajaney, "Towards Building a WordNet for Persian Adjectives," *International Journal of lexicography,* pp. 307-308, 2006.

[۲۱۶] M. Fadaee, H. Ghader, H. Faili, and A. Shakery, "Automatic WordNet Construction Using Markov Chain Monte Carlo," *Polibits* ,pp. 13-22, 2013.

[۲۱۷] N. Taghizadeh and H. Faili, "Automatic Wordnet Development for Low-resource Languages using Cross-lingual WSD," *Journal of Artificial Intelligence Research,* vol. 56, pp. 61-87, 2016.

[۲۱۸] M. Seraji, "PrePer: A Pre-processor for Persian," in Proceedings of The Fifth International Conference on Iranian Linguistics (ICIL5), Bamberg, Germany, 2013.

[۲۱۹] M. Abdul-Mageed, M. Diab, and S. Kübler, "SAMAR: Subjectivity and sentiment analysis for Arabic social media," *Computer Speech & Language,* vol. 28, pp. 20-37, 2014.

[۲۲۰] M. S. Rasooli, A. Moloodi, M. Kouhestani, and B. Minaei-Bidgoli, "A syntactic valency lexicon for Persian verbs: The first steps towards Persian dependency treebank," in *5th Language & Technology Conference (LTC): Human Language Technologies as a Challenge for Computer Science and Linguistics*, 2011, pp. 227-231.

[۲۲۱] M. S. Rasooli, H. Faili, and B. Minaei-Bidgoli, "Unsupervised identification of Persian compound verbs," in *Advances in Artificial Intelligence*, ed: Springer, 2011, pp. 394-406.

[۲۲۲] D. L. Pennell and Y. Liu, "Normalization of informal text," *Computer Speech & Language,* vol. 28, pp. 256-277, 2014.

[۲۲۳] D. Kay, E. Unruh, and G. Tandon, "Spell-check for a keyboard system with automatic correction," ed: Google Patents, 2012.

[۲۲۴] F. Oroumchian, S. Tasharofi, H. Amiri, H. Hojjat, and F. Raja, "Creating a feasible corpus for Persian POS tagging," *Department of Electrical and Computer Engineering, University of Tehran,* 2006.

[۲۲۵] M. Bijankhan, "The role of the corpus in writing a grammar: An introduction to a software," *Iranian Journal of Linguistics,* vol. 19, 2004.

[۲۲۶] K. Ganchev, B. Taskar, F. Pereira, and J. Gama, "Posterior vs parameter sparsity in latent variable models," in *Advances in Neural Information Processing Systems*, 2009, pp. 664-672.

[۲۲۷] B. Megyesi, "Improving Brill's POS tagger for an agglutinative language," in Proceedings of the Joint SIGDAT Conference on Empirical Methods in Natural Language Processing and Very Large Corpora, 1999, pp.۲۸۴-۲۷۵ .

[۲۲۸] Y. Saeys, I. Inza, and P. Larrañaga, "A review of feature selection techniques in bioinformatics," *bioinformatics,* vol. 23, pp. 2507-2517, 2007.

[۲۲۹] G. Forman, "An extensive empirical study of feature selection metrics for text classification," *The Journal of machine learning research,* vol. 3, pp. 1289-1305, 2003.

[۲۳۰] B. Agarwal and N. Mittal, *Prominent Feature Extraction for Sentiment Analysis*. Berlin: Springer International Publishing, 2016.

[۲۳۱] I. Habernal, T. Ptáček, and J. Steinberger, "Reprint of "Supervised sentiment analysis in Czech social media"," *Information Processing & Management,* vol. 51, pp. 532-546, 2015.

[۲۳۲] C. D. Manning, P. Raghavan, and H. Schütze, *Introduction to information retrieval* vol. 1: Cambridge University Press, 2008.

[۲۳۳] G. Paltoglou and M. Thelwall, "A study of information retrieval weighting schemes for sentiment analysis," in *Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics*, 2010, pp. 1386-1395.

[۲۳۴] J. Martineau and T. Finin, "Delta TFIDF: An Improved Feature Space for Sentiment Analysis," presented at the Proceedings of the Third International ICWSM Conference, 2009.

[۲۳۵] B. Blamey, T. Crick, and G. Oatley, "RU:-) or:-(? character-vs. word-gram feature selection for sentiment classification of OSN corpora," in *Research and Development in Intelligent Systems XXIX*, ed: Springer, 2012, pp. 207-212.

[۲۳۶] S. M. Mohammad, S. Kiritchenko, and X. Zhu, "NRC-Canada: Building the state-of-the-art in sentiment analysis of tweets," presented at the 7th International Workshop on Semantic Evaluation (SemEval 2013), 2013.

[۲۳۷] X. Zhu, S. Kiritchenko, and S. M. Mohammad, "Nrc-canada-2014: Recent improvements in the sentiment analysis of tweets," in *Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014)*, 2014, pp. 443-447.

[۲۳۸] B. Agarwal and N. Mittal, "Semantic feature clustering for sentiment analysis of English reviews," *IETE Journal of Research,* vol. 60, pp. 414-422, 2014.

[۲۳۹] A. K Jain and Y. Pandey, "Analysis and Implementation of Sentiment Classification Using Lexical POS Markers," *International Journal of Computing, Communications and Networking,* vol. 2, pp. 36-40, 2013.

[۲۴۰] T. O'Keefe and I. Koprinska, "Feature selection and weighting methods in sentiment analysis," in *Proceedings of the 14th Australasian document computing symposium, Sydney*, 2009, pp. 67-74.

[۲۴۱] L. Dong, F. Wei, Y. Yin, M. Zhou, and K. Xu, "Splusplus: A Feature-Rich Two-stage Classifier for Sentiment Analysis of Tweets," *Proceedings of the 9th International Workshop on Semantic Evaluation (SemEval 2015),* pp. 515-519, 2015.

[۲۴۲] G. Uchyigit, "Experimental evaluation of feature selection methods for text classification," in *Fuzzy Systems and Knowledge Discovery (FSKD), 2012 9th International Conference on*, 2012, pp. 1294-1298.

[۲۴۳] Z. Zheng, X. Wu, and R. Srihari, "Feature selection for text categorization on imbalanced data," *ACM Sigkdd Explorations Newsletter,* vol. 6, pp. 80-89, 2004.

[۲۴۴] F. Sebastiani" ,Machine learning in automated text categorization," *ACM computing surveys (CSUR),* vol. 34, pp. 1-47, 2002.

[۲۴۵] H. T. Ng, W. B. Goh, and K. L. Low, "Feature selection, perceptron learning, and a usability case study for text categorization," in *ACM SIGIR Forum*, 1997, pp. 67-73.

[۲۴۶] L. Galavotti, F. Sebastiani, and M. Simi, "Experiments on the use of feature selection and negative evidence in automated text categorization," in *Research and Advanced Technology for Digital Libraries*, ed: Springer, 2000 ,pp. 59-68.

[۲۴۷] D. Fragoudis, D. Meretakis, and S. Likothanassis, "Best terms: an efficient feature-selection algorithm for text categorization," *Knowledge and Information Systems,* vol. 8, pp. 16-33, 2005.

[۲۴۸] M. Simeon and R. Hilderman, "Categorical proportional difference: A feature selection method for text categorization," in *Proceedings of the 7th Australasian Data Mining Conference*, 2008, pp. 201-208.

[۲۴۹] R.-E. Fan, K.-W. Chang, C.-J. Hsieh, X.-R. Wang, and C.-J. Lin, "LIBLINEAR: A library for large linear classification," *The Journal of Machine Learning Research,* vol. 9, pp. 1871-1874, 2008.