

مراجع

- [1] S. Moghaddam and M. Ester, “The FLDA Model for Aspect based Opinion Mining: Addressing the Cold Start Problem”, *International World Wide Web Conference, (WWW’13)*, pp. 909-918, 2013.
- [2] G. Askalidis and E. C. Malthouse, “The value of online customer reviews”, In *Proceedings of the 10th ACM Conference on Recommender System*, 155-158, 2016.
- [3] D. H. Park, H. D. Kim, C. X. Zhai, L. Guo, “Retrieval of Relevant Opinion Sentences for New Products”, In *proceeding international ACM SIGIR conference on Research and development in information retrieval ACM*, pp. 393-402, 2015.
- [4] I. Barjasteh, R. Forsati, D. Ross, A. Esfahanian, H. Radha. “Cold-start recommendation with provable guarantees: A decoupled approach”, *Knowledge and Data Engineering, IEEE Transactions on*. 12(28), pp. 1462 – 1474, 2016.
- [5] F. Zhang, N. J. Yuan, D. Lian, X. Xie, and W-Y. Ma. “Collaborative knowledge base embedding for recommender systems”, In: *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*. ACM, pp. 353–362, 2016.
- [6] L. Zheng, V. Noroozi, and Ph. S. Yu. “Joint deep modeling of users and items using reviews for recommendation”, In: *Proceedings of the 10th ACM International Conference on Web Search and Data Mining*. ACM, pp. 425–434, 2017.
- [7] R. Forsati, M. Mahdavi, M. Shamsfard, M. Sarwat. “Matrix factorization with explicit trust and distrust side information for improved social recommendation”, *ACM Transactions on Information Systems (TOIS)*, 32(4), pp. 17, 2014.
- [8] C.W.K. Leung, S.C.F. Chan, F.L. Chung, “A collaborative filtering framework based on fuzzy association rules and multiple level similarity”, *Knowledge and Information Systems* 10 (3), pp. 357–381, 2006.

- [9] Y. Zhu, J. Lin, SH. He, B. Wang, Z. Guan, H. Liu, and D. Cai, "Addressing the item cold-start problem by attribute-driven active learning", *IEEE Transactions on Knowledge and Data Engineering, (TKDE)*, 2019.
- [10] C. C. Aggarwal, "Recommender systems", Cham: *Springer International Publishing*, 2016.
- [11] D. Li , D. Yu. "Deep Learning: Methods and Applications, Foundations and Trends", in *Signal Processing*, 7(3–4), pp. 197–387, 2013.
- [12] ZS. Harris. "Distributional structure", *Word* 10(2-3), pp.146-162, 1954.
- [13] Y. Bengio, R. Ducharme, P. Vincent, and C. Jauvin. "A neural probabilistic language model", *Journal of machine learning research*, 3(Feb), 1137-1155, 2003.
- [14] T. Mikolov, M. Karafiat, L. Burget, J. Cernocky, S. Khudanpur, "Recurrent neural network based language model", In: *Proceedings of Interspeech*, vol. 2, p. 3, 2010.
- [15] T. Mikolov, I. Sutskever, K. Chen, G. Corrado, J. Dean, "Distributed representations of words and phrases and their compositionality", In *Advances in neural information processing systems (NIPS)*, pp. 3111 – 3119, 2013.
- [16] T. Mikolov, K. Chen, G. Corrado, J. Dean, "Efficient Estimation of Word Representations in Vector Space", In *International Conference in Learning Representation (ICLR) Workshop Papers*, pp. 1301 – 3781, 2013.
- [17] A. Mnih, K. Kavukcuoglu. "Learning word embeddings efficiently with noise-contrastive estimation", In *Conference on Advances in Neural Information Processing Systems*, pp. 2265–2273, 2013.
- [18] J. Pennington, R. Socher, CD. Manning. "Glove: global vectors for word representation", In: *Proceedings of the Empirical Methods in Natural Language Processing (EMNLP'14)*, vol 12, Doha, Qatar, 1532–1543, 2014.

-
- [19] O. Levy, Y. Goldberg. “Dependency-based word embeddings”, In: *Proceedings of the 52nd Annual Meeting of the Association for Computational Linguistics (ACL)*, vol 2, Baltimore, Maryland, USA, pp. 302–308, 2014.
- [20] M. Faruqui, J. Dodge, S.K. Jauhar, C. Dyer, E. Hovy, N. A. Smith, “Retrofitting word vectors to semantic lexicons”, *arXiv preprint arXiv*, pp.1411-4166, 2014.
- [21] D. Yogatama, M. Faruqui M., C. Dyer, NA. Smith. "Learning word representations with hierarchical sparse coding", In *International Conference on Machine Learning*, pp. 87-96, 2015.
- [22] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov. "Enriching word vectors with subword information", *Transactions of the Association for Computational Linguistics*, 5, pp. 135-146, 2017.
- [23] B. Athiwaratkun, G. Wilson, A. Anandkumar. “Probabilistic FastText for Multi-Sense Word Embeddings”, *ACL*, 2019.
- [24] Y. Sun, L. Lin, D. Tang, N. Yang, Z. Ji, X. Wang, 2015: “Modeling Mention, Context and Entity with Neural Networks for Entity Disambiguation”, In *Proceedings of the 24th International Conference on Artificial Intelligence IJCAI'15*, pp. 1333-1339, 2015.
- [25] D. Tang, B. Qin, T. Liu. “Learning Semantic Representations of Users and Products for Document Level Sentiment Classification”, In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pp. 1014-1023, 2015.
- [26] R. Kiros, Y. Zhu, RR Salakhutdinov, R. Zemel, R. Urtasun, A. Torralba, S. Fidler, “Skip-thought vectors”, In *Advances in Neural Information Processing Systems*, pp. 3276-3284, 2015.

-
- [27] R.Cai, H. Wang, J. Zhang. “Learning Entity Representation for Named Entity Disambiguation”, In *Chinese Computational Linguistics and Natural Language Processing Based on Naturally Annotated Big Data* .Springer International Publishing, pp. 267-278, 2015.
 - [28] Z. He, S. Liu, M. Li, M. Zhou, L. Zhang, H. Wang, “Learning entity representation for entity disambiguation”, In *Proceeding of Association for Computational Linguistics*, ACL, pp. 30-34, 2013.
 - [29] Q.V. Le, T. Mikolov, “Distributed representations of sentences and documents”, *International conference on machine learning*, pp.1188-1196, 2014.
 - [30] H. Cai, V. W. Zheng, and K. Chang, “A comprehensive survey of graph embedding: problems, techniques and applications”, *IEEE Transactions on Knowledge and Data Engineering*, 30(9), 1616-1637, 2018.
 - [31] S. Cao, W. Lu, and Q. Xu, “Deep neural networks for learning graph representations”, in *Association for the Advancement of Artificial Intelligence, AAAI*, pp. 1145–1152, 2016.
 - [32] X. Wang, P. Cui, J. Wang, J. Pei, W. Zhu, and S. Yang, “Community preserving network embedding”, in *Association for the Advancement of Artificial Intelligence, AAAI*, pp. 203–209, 2017.
 - [33] F. Nie, W. Zhu, and X. Li, “Unsupervised large graph embedding”, in *Association for the Advancement of Artificial Intelligence , AAAI*, pp. 2422–2428, 2017.
 - [34] C. Zhou, Y. Liu, X. Liu, Z. Liu, and J. Gao, “Scalable graph embedding for asymmetric proximity”, in *Association for the Advancement of Artificial Intelligence, AAAI*, pp. 2942– 2948, 2017.
 - [35] X. Wei, L. Xu, B. Cao, and P. S. Yu, “Cross view link prediction by learning noise-resilient representation consensus”, in *WWW*, pp. 1611–1619, 2017.

- [36] B. Perozzi, R. Al-Rfou, and S. Skiena, “Deepwalk: Online learning of social representations”, In *Proceedings of the 20th ACM SIGKDD international conference on Knowledge discovery and data mining*, pp. 701-710, 2014.
- [37] J. Tang, M. Qu, M. Wang, M. Zhang, J. Yan, and Q. Mei, “Line: Large-scale information network embedding”, In *Proceedings of the 24th International Conference on World Wide Web*, 1067-1077, 2015.
- [38] Y. Dong, N. V. Chawla, and A. Swami, “metapath2vec: Scalable representation learning for heterogeneous networks”, In *Proceedings of KDD*, pp. 135–144, 2017.
- [39] A. I. Schein, A. Popescul, L. H. Ungar and D. M. Pennock. “Methods and metrics for cold start recommendations”, In *Proceedings of the 25th annual international ACM SIGIR conference on Research and development in information retrieval*, pp. 253-260, 2002.
- [40] A. L. V. Pereira, E. R. Hruschka “Simultaneous co-clustering and learning to address the cold start problem in recommender systems”, *Knowledge Based Systems*, 42(19), pp. 6784–6794, 2015.
- [41] F. Hdioud, B. Frikh, A. Benghabrit, B. Ouhbi, B. “Collaborative Filtering with Hybrid Clustering Integrated Method to Address New-Item Cold-Start Problem”, In *Intelligent Distributed Computing IX. Springer International Publishing*, pp. 285-296, 2016.
- [42] U. Ocepek, J. Rugelj, Z. Bosnić, “Improving matrix factorization recommendations for examples in cold start”, *Expert Systems with Applications*. 42(19), pp. 6784–6794, 2015.
- [43] C. Wongchokprasitti, J. Peltonen, T. Ruotsalo, P. Bandyopadhyay, G. Jacucci, P. Brusilovsky, “User Model in a Box: CrossSystem User Model Transfer for Resolving Cold Start Problems”, In *Proceedings of UMAP'15, The 23rd Conference on User Modelling, Adaptation and Personalization*, Springer, pp. 289-301, 2015.

-
- [44] S. Sahebi, P. Brusilovsky, "Cross-domain collaborative recommendation in a cold start context: the impact of user profile size on the quality of recommendation", In *User Modeling, Adaptation, and Personalization (UMAP'13)*. LNCS, vol. 7899, Springer, Heidelberg, pp. 289–295, 2013.
 - [45] S. Sahebi, P. Brusilovsky, "It Takes Two to Tango: An Exploration of Domain Pairs for Cross-Domain Collaborative Filtering", In *Proceeding RecSys '15 Proceedings of the 9th ACM Conference on Recommender Systems*, pp. 131-138, 2015.
 - [46] Ahn, H. J. "A new similarity measure for collaborative filtering to alleviate the new user cold-starting problem", *Information Sciences*, 178, pp. 37–51, 2008.
 - [47] J. Bobadilla, F. Ortega, A. Hernando. "A collaborative filtering similarity measure based on singularities", *Information Processing & Management*, 48, pp. 204–217, 2012.
 - [48] A. Eckhardt, "Similarity of users (content-based) preference models for collaborative filtering in few ratings scenario", *Expert Systems with Applications*, 39, pp. 11511–11516, 2012.
 - [49] C.W.K. Leung, S.C.F. Chan, F. L. Chung F.L. "An empirical study of a cross-level association rule mining approach to cold start recommendations", *Knowledge Based Systems*, 21, pp. 515–529, 2008.
 - [50] M. Saveski, M. Amin, "Item cold-start recommendations: learning local collective embeddings", *Proceedings of the 8th ACM Conference on Recommender Systems (RecSys'14)*. ACM, pp. 89-96, 2014.
 - [51] J. Li, J. Mengmeng, L. Ke, Z. Lei, Y. Yang, and H. Zi, "From Zero-Shot Learning to Cold-Start Recommendation", *Association for the Advancement of Artificial Intelligence (AAAI)*, 30, 2019.

-
- [52] M. Zhang, B. Hu, C. Shi, B. Wu, and B. Wang, “Matrix Factorization meets Social Network Embedding for Rating Prediction”, In *Asia-Pacific Web (APWeb) and Web-Age Information Management (WAIM) Joint International Conference on Web and Big Data*, Springer, Cham, pp. 121–129, 2018.
 - [53] Y. Zhang, Q. Ai, X. Chen, and W. B. Croft. “Joint representation learning for top-n recommendation with heterogeneous information sources”, In: *Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*. ACM, pp. 1449–1458, 2017.
 - [54] L. Zheng, V. Noroozi, and Ph. S. Yu. “Joint deep modeling of users and items using reviews for recommendation”, In: *Proceedings of the Tenth ACM International Conference on Web Search and Data Mining*, ACM, pp. 425–434, 2017.
 - [55] C. Shi, B. Hu, X. Zhao, and P. Yu. “Heterogeneous Information Network Embedding for Recommendation”, *IEEE Transactions on Knowledge and Data Engineering*, 31(2), 357-370, 2018.
 - [56] J. Wei, J. He, K. Chen, Y. Zhou, and Z. Tang. “Collaborative filtering and deep learning based recommendationsystem for cold start items”, *Expert Systems with Applications*, 69, 29–39, 2017.
 - [57] L. Qiu, S. Gao, Q. Lyu, J. Guo, and P. Gallinari. “A novel non-Gaussian embedding based model for recommender systems”, In: *Neurocomputing*, 278, pp. 144–152, 2018.
 - [58] F. Zhang, N. J. Yuan, D. Lian, X. Xie, and W-Y. Ma. “Collaborative knowledge base embedding for recommender systems”, In: *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*, ACM, pp. 353–362, 2016.
 - [59] L. Zheng, V. Noroozi, and Ph. S. Yu. “Joint deep modeling of users and items using reviews for recommendation”, In: *Proceedings of the Tenth ACM International Conference on Web Search and Data Mining*, ACM, pp. 425–434, 2017.

-
- [60] Ahn, H. J. “A new similarity measure for collaborative filtering to alleviate the new user cold-starting problem”, *Information Sciences*, 178, pp. 37–51, 2008.
 - [61] C. Kim, J. Kim, “A recommendation algorithm using multilevel association rules”, In: *Proceedings of the IEEE/WIC, International Conference on Web Intelligence*, pp. 524 – 527, 13-17 Oct. 2003.
 - [62] T. Hofmann. “Probabilistic latent semantic indexing”, In: *Proceedings of the 22nd International Conference on Research and Development in Information Retrieval (SIGIR)*, pp. 50-57, 1999.
 - [63] W.X. Zhao, S. Li, Y. He, E.Y. Chang, J.R. Wen, X. Li. “Connecting Social Media to E-Commerce: Cold-Start Product Recommendation Using Microblogging Information”, *Knowledge and Data Engineering, IEEE Transactions on*, 28(5), pp. 1147-1159, 2016.
 - [64] T. Chen, W. Zhang, Q Lu, K. Chen, Z. Zheng, Y. Yu, 2012: “SVDFeature: a toolkit for feature-based collaborative filtering”, *The Journal of Machine Learning Research*, 13(1), pp. 3619-3622, 2012.
 - [65] D. Blei, Y. Andrew and M. Jordan. “Latent dirichlet allocation”, *The Journal of Machine Learning Research*. 3: pp. 993–1022, 2003.
 - [66] Y. Yang, C. Chen, M. Qiu, and F. Bao. “Aspect extraction from product reviews using category hierarchy information”, In: *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics: Volume 2, Short Papers*, pp. 675–680, 2017.
 - [67] D. R. Radev, H. Jing, M. Budzikowska, “Centroi-based summarization of multiple documents: sentence extraction, utility-based evaluation, and user studies”, In *Proceedings of the 2000 NAACL-ANLP Workshop on Automatic summarization. Association for Computational Linguistics*, pp. 21-30, 2000.

- [68] A. Berger, J. Lafferty, "Information retrieval as statistical translation", In *Proceedings of ACM Conference on Research and Development in Information Retrieval (SIGIR)*, pp. 222-229, 1999.
- [69] X. Li and H. Chen, "Recommendation as link prediction in bipartite graphs: a graph kernel-based machine learning approach", *Decision Support Syst.* 54, 880–890, 2015.
- [70] F. Folino and C. Pizzuti, "Link prediction approaches for disease networks", In: *Information Technology in Bio- and Medical Informatics. ITBAM*, pp. 99–108, 2012.
- [71] S. Al-Oufi, H. Kim and A. El-Saddik, "Controlling privacy with trust-aware link prediction in online social networks", In: *Third International Conference on Internet Multimedia Computing and Service*, pp. 86–89, 2011.
- [72] Z. Huang, D.D. Zeng, "A link prediction approach to anomalous email detection", In: *Proceedings of the IEEE International Conference on Systems, Man and Cybernetics*, pp. 1131–1136, 2006.
- [73] A. Yadav, Y.N. Singh, R.R. Singh, "Improving routing performance in AODV with link prediction in mobile adhoc networks", *Wireless Personal Communications.* 83(1), 603– 618, 2015.
- [74] Y. Cui, L. Zhang, Q. Wang, P. Chen, and C. Xie. "Heterogeneous network linkage-weight based link prediction in bipartite graph for personalized recommendation", *Procedia Computer Science*, 91, 953–958, 2016.
- [75] N. Chiluka, N. Andrade, J. Pouwelse, "A link prediction approach to recommendations in large-scale user-generated content systems", In: *Proceedings of European Conference on Information Retrieval, ECIR'11*. Springer International Publishing, pp. 189–200, 2011.
- [76] F. Xie, Z. Chen, J. Shang, X. Feng, and J. Li. "A link prediction approach for item recommendation with complex number", *Knowledge-Based Systems*, 81, pp.148-158, 2015.

-
- [77] H.R. DeSa and Ricardo B.C. Prudncio, “Supervised link prediction in weighted networks”, In: *The International Joint Conference on Proceedings of Neural Networks, IJCNN '11. IEEE*, pp. 2281–2288, 2011.
 - [78] D. Liben-Nowell, and J. Kleinberg, “The link-prediction problem for social networks”, *Journal of the American society for information science and technology* 58(7), pp. 1019-1031, 2007.
 - [79] F. Zarrinkalam, H. Fani, E. Bagheri, and M. Kahani, “Inferring implicit topical interests on twitter”, In *European Conference on Information Retrieval* Springer, Cham. pp. 479-491, 2016.
 - [80] L.A. Adamic, E. Adar, “Friends and neighbors on the web”, *Social Networks*, 25(3), 211–230, 2003.
 - [81] Y. Koren, “Factorization meets the neighborhood: a multifaceted collaborative filtering model”, In: *Proceedings of the 14th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, pp. 426–434, 2008.
 - [82] H. F. Yu, C. J. Hsieh, S. Si, and I. Dhillon, “Scalable coordinate descent approaches to parallel matrix factorization for recommender systems”, In *2012 IEEE 12th International Conference on Data Mining (ICDM)*, pp. 765-774, 2012.
 - [83] R. Salakhutdinov and M. Andriy. “Bayesian probabilistic matrix factorization using Markov chain Monte Carlo”, In: *Proceedings of the 25th International Conference on Machine Learning, ICML'08*. ACM, pp. 880–887, 2008.
 - [84] W. X. Zhao, J. Wang, Y. He, J. R. Wen, E. Y. Chang, X. Li. “Mining product adopter information from online reviews for improving product recommendation”, *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 10(3), 29, 2016.
 - [85] Y. Sun, J. Han, X. Yan, Ph. S Yu, and T. Wu. “Pathsim: Meta path-based top-k similarity search in heterogeneous information networks”, In: *Proceedings of the VLDB Endowment* 4.11, pp. 992–1003, 2011.

-
- [86] L. Liao, X. He, H. Zhang, and T. S. Chua. “Attributed social network embedding”, *IEEE Transactions on Knowledge and Data Engineering*, 30(12), pp. 2257–2270, 2018.
 - [87] D. Kingma and J. Ba. “Adam: A Method for Stochastic Optimization”, In: *International Conference on Learning Representations*, pp. 1–15, 2015.
 - [88] Y. Feng, E. Bagheri, F. Ensan, and J. Jovanovic. “The State of the Art in Semantic Relatedness: A Framework for Comparison”, In: *The Knowledge Engineering Review* 32(1), pp. 1–30, 2017.
 - [89] D. R. Radev, H. Jing, M. gorzata Sty’s, and D. Tam. “Centroid-based summarization of multiple documents”, In: *Information Processing & Management* 40(6), pp. 919–938, 2004.
 - [90] N Moratanch and S Chitrakala. “A survey on extractive text summarization”, In: *Computer, Communication and Signal Processing (ICCCSP), International Conference on. IEEE*, pp. 1–6, 2017.
 - [91] J. Tan, X. Wan, and J. Xiao. “Abstractive document summarization with a graph-based attentional neural model”, In: *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 1171–1181, 2017.
 - [92] G. Erkan and D. R. Radev. “Lexrank: Graph-based lexical centrality as salience in text summarization”, In: *journal of Artificial Intelligence Research* 22(1), pp. 457–479, 2004.
 - [93] R. Mihalcea and P. Tar au, “Textrank: Bringing order into text”, In: *Proceedings of the 2004 conference on Empirical Methods in Natural Language Processing (EMNLP)*, pp. 404–411, 2004.

-
- [94] Sh. Xiong and D. Ji, “Query-focused multi-document summarization using hypergraph-based ranking”, In: *Information Processing & Management* 52(4), pp. 670–681, 2016.
- [95] L. Page, S. Brin, R. Motwani, T. Winograd, “The PageRank citation ranking: Bringing order to the web”, *Stanford InfoLab*, 1999.
- [96] M. Jiang, P. Cui, R. Liu, Q. Yang, F. Wang, W. Zhu, and S. Yang, “Social contextual recommendation”, In *Proceedings of the 21st ACM international conference on Information and knowledge management*, pp. 45-54, 2012.
- [97] C. Guanliang, L. Chen, “Recommendation based on contextual opinions”, In: *Proceedings of the 22nd Conference on User Modeling, Adaptation, and Personalization*, Denmark, Springer, UMAP’14, pp. 61–73, 2014.
- [98] K. Owczarzak, J. M. Conroy, H. T. Dang, and A. Nenkova, “An assessment of the accuracy of automatic evaluation in summarization”, In: *Proceedings of Workshop on Evaluation Metrics and System Comparison for Automatic Summarization. Association for Computational Linguistics*, pp. 1–9, 2012.
- [99] A. Louis and A. Nenkova. “Automatically assessing machine summary content without a gold standard”, In: *Computational Linguistics* 39(2), pp. 267–300, 2013.
- [100] H. Wang, N. Wang, D.Y. Yeung, “Collaborative deep learning for recommender systems”, In: *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, pp. 1235–1244, 2015.
- [101] M. Kusner, Y. Sun, N. Kolkin, and K. Weinberger, “From word embeddings to document distances”, In: *International Conference on Machine Learning, ICML ’15*, pp. 957–966, 2015.
- [102] S. Yanir, F. Bohnert, I. Zukerman, Ingrid. “Personalised rating prediction for new users using latent factor models”, In: *Proceedings of the 22nd ACM Conference on Hypertext and Hypermedia*. ACM, pp. 47–56, 2011.

-
- [103] H. F. Yu, C.J. Hsieh, S. Si, and I. Dhillon, “Scalable coordinate descent approaches to parallel matrix factorization for recommender systems”, In *2012 IEEE 12th International Conference on Data Mining*, pp. 765-774, 2012.
- [104] Y. Shi, A. Karatzoglou, L. Baltrunas, M. Larson, N. Oliver and A. Hanjalic, “CLiMF: learning to maximize reciprocal rank with collaborative less-is-more filtering”, In *Proceedings of the 6th ACM conference on Recommender systems*, pp. 139-146, 2012.
- [105] J. M. Ponte and W. B. Croft. “A language modeling approach to information retrieval”. In: *Proceedings of the 21st annual international ACM SIGIR conference on Research and development in information retrieval*. ACM, pp. 275–281, 1998.
- [106] S. J. Kim and S. H. Lee. “An improved computation of the pagerank algorithm”, In: *European Conference on Information Retrieval. Berlin, Heidelberg*, pp. 73–85, 2002.