

منابع

- اسدی، ع. ۱۳۹۱. بررسی نقش استانداردهای مدیریت کیفیت QM مواد غذایی در تجارت بین الملل - HACCP - SFBB - ISO22000، دومین سمینار ملی امنیت غذایی، سواد کوه، (<https://civilica.com/doc/177529>).
- استاندارد ملی ایران شماره ۳۲۰۸. (۱۳۷۰).
- استاندارد ملی ایران شماره ۱۲۰۰۴، مواد غذایی و فرآورده های کشاورزی - روش نمونه برداری برای کنترل رسمی سطوح مایکوتوکسین ها.
- استاندارد ملی ایران شماره ۵۹۲۵، خوراک انسان - دام - بیشینه رواداری مایکوتوکسین ها.
- انجمن صنفی صنایع بیسکویت، شیرینی و شکلات، نشریه شهید. ۱۳۹۹. (<http://www.iranianacm.ir>).
- پیغمبر دوست، ه.، رسولی پیروزیان، ه. ۱۳۹۶. علوم و فناوری شکلات. چاپ اول انتشارات دانشگاه تبریز، تبریز.
- حیدریان، ح. (۱۳۹۹). شکلات های تبریز جزو ۱۰ برند برتر دنیا. (<https://www.magiran.com/article/4138466>).
- خدابخشیان، ر. ۱۳۹۴. تعیین رسیدگی و آسیب های درونی میوه انار با استفاده از تصویربرداری چند طیفی مرئی-مادون قرمز نزدیک. رساله دوره دکتری، دانشگاه تهران.
- راهی، س.، مبلی، ح.، جمشیدی، ب.، عزیزی، ا. و شریفی، م. ۱۳۹۹. فناوری تصویربرداری ابرطیفی فروسرخ نزدیک برای شناسایی آلودگی میکروبی: مطالعه موردی اشیریشیاکلی در کاهو. مجله مهندسی بیوسیستم ایران، دوره ۵۱ شماره ۳ صفحه ۶۰۰ تا ۶۱۰.
- کرامت، ج.، زمیندار، ن.، مصفی، ل (ترجمه). ۱۳۸۸. تکنولوژی شکلات. اس تی بکت. چاپ اول مرکز نشر دانشگاه صنعتی اصفهان، اصفهان.
- مهدی رزاقی ایبانه، معصومه شمس قهفرخی، سهیل علی نژاد. (۱۳۹۰). آفلاتوکسین ها و اهمیت آن ها در بهداشت عمومی و کشاورزی.
- میرجیلی، س. ع. ۱۳۸۱. شناخت انار، نشرآموزش کشاورزی.

– میره ای، ا.، محتسبی، س.، صادقی، م. و رفیعی، ش. ۱۳۹۱. مقایسه سه وضعیت بازتابشی، عبوری و تقابلی در تعیین غیرمخرب رطوبت خرمای مضافتی با استفاده از اسپکتروسکوپی NIR. مجله مهندسی بیو سیستم ایران، شماره ۴۳: صفحه ۱۴۱-۱۳۳.

- Adam, W., Hardy, F., & Nierenstein, M. (1931). The catechin of the cacao bean. *Journal of the American Chemical Society*, 53(2), 727-728
- Afoakwa, E., Mensah-Brown, H., Crentsil, G., Frimpong, K., & Asante, F. (2013). Application of ISO 22000 in comparison with HACCP on industrial processing of milk chocolate .
- Agelet, L. E. (2011). *Single seed discriminative applications using near infrared technologies*. Iowa State University.
- Ardhana, M. M., & Fleet, G. H. (2003). The microbial ecology of cocoa bean fermentations in Indonesia. *International journal of food microbiology*, 86(1-2), 87-99
- Arnautov, S., Trach, B., Gregor, F., Knauth, T., Martin, A., Priebe, C., et al. (2016). {SCONE}: Secure linux containers with intel {SGX}. Paper presented at the 12th {USENIX} Symposium on Operating Systems Design and Implementation ({OSDI} 16.(
- Arrus, K., Blank, G., Abramson, D., Clear, R., & Holley, R. (2005). Aflatoxin production by *Aspergillus flavus* in Brazil nuts. *Journal of Stored Products Research*, 41(5), 513-527
- Bala, M., & Singh, M. (2013). Non destructive estimation of total phenol and crude fiber content in intact seeds of rapeseed–mustard using FTNIR. *Industrial crops and products*, 42, 357-362
- Bart-Plange, A., & Baryeh, E. A. (2003). The physical properties of Category B cocoa beans. *Journal of food engineering*, 60(3), 219-227
- Beckett, S. T. (2011). *Industrial chocolate manufacture and use*: John Wiley & Sons.
- Berardo, N., Brenna, O., Amato, A., Valoti, P., Pisacane, V., & Motto, M. (2004). Carotenoids concentration among maize genotypes measured by near infrared reflectance spectroscopy (NIRS). *Innovative food science & emerging technologies*, 5(3), 393-398
- Berthiller, F., Burdaspal, P., Crews, C., Iha, M., Krska, R., Lattanzio, V., et al. (2014). Developments in mycotoxin analysis: an update for 2012-2013. *World Mycotoxin Journal*, 7(1), 3-33

- Bijak, M., Ponczek, M. B., & Nowak, P. (2014). Polyphenol compounds belonging to flavonoids inhibit activity of coagulation factor X. *International journal of biological macromolecules*, 65, 129-135
- Bijak, M., Ziewiecki, R., Saluk, J., Ponczek, M., Pawlaczyk, I., Krotkiewski, H., et al. (2014). Thrombin inhibitory activity of some polyphenolic compounds. *Medicinal Chemistry Research*, 23(5), 2324-2337
- Biscuit, C. (1996). Chocolate and Confectionery Alliance (BCCCA). *Cocoa Beans: Chocolate Manufacturers' Quality Requirements*
- Bokobza, L. (1998). Near infrared spectroscopy. *Journal of Near Infrared Spectroscopy*, 6(1), 3-17
- Bonvehí, J. S., & Coll, F. V. (1997). Evaluation of bitterness and astringency of polyphenolic compounds in cocoa powder. *Food Chemistry*, 60(3), 365-370
- Börjesson, T., Stenberg, B., & Schnürer, J. (2007). Near-Infrared Spectroscopy for Estimation of Ergosterol Content in Barley: A Comparison Between Reflectance and Transmittance Techniques. *Cereal chemistry*, 84(3), 231-236
- Bros, C. (1971). Cocoa Grower'S Bulletin .
- Bühler AG (1998) CH 9240 Uzwil, Switzerland.
- Caligiani, A., Cirlini, M., Palla, G., Ravaglia, R., & Arlorio, M. (2007). GC-MS detection of chiral markers in cocoa beans of different quality and geographic origin. *Chirality: The Pharmacological, Biological, and Chemical Consequences of Molecular Asymmetry*, 19(4), 329-334
- Caporaso, N., Whitworth, M. B., Fowler, M. S., & Fisk, I. D. (2018). Hyperspectral imaging for non-destructive prediction of fermentation index, polyphenol content and antioxidant activity in single cocoa beans. *Food chemistry*, 258, 343-351
- Chao, K., Chen, Y., Hruschka, W., & Park, B. (2001). Chicken heart disease characterization by multi-spectral imaging. *Applied engineering in agriculture*, 17(1), 99
- Chen, J., Ren, X., Zhang, Q., Diao, X., & Shen, Q. (2013). Determination of protein, total carbohydrates and crude fat contents of foxtail millet using effective wavelengths in NIR spectroscopy. *Journal of Cereal Science*, 58(2), 244-249
- Chen, Y.-R., Chao, K., & Kim, M. S. (2002). Machine vision technology for agricultural applications. *Computers and electronics in Agriculture*, 36(2-3), 173-191

- Cheng, W., Sun, D.-W., & Cheng, J.-H. (2016). Pork biogenic amine index (BAI) determination based on chemometric analysis of hyperspectral imaging data. *LWT*, 73, 13-19
- Cheng, W., Sun, D.-W., Pu, H., & Liu, Y. (2016). Integration of spectral and textural data for enhancing hyperspectral prediction of K value in pork meat. *LWT-Food Science and Technology*, 72, 322-329
- Cheng, X., Chen, Y., Tao, Y., Wang, C., Kim, M., & Lefcourt, A. (2004). A novel integrated PCA and FLD method on hyperspectral image feature extraction for cucumber chilling damage inspection. *Transactions of the ASAE*, 47(4), 1313
- Chong, I.-G., & Jun, C.-H. (2005). Performance of some variable selection methods when multicollinearity is present. *Chemometrics and intelligent laboratory systems*, 78(1-2), 103-112
- Clapperton, J., Yow, S., Chan, J., Lim, D., Lockwood, R., Romanczyk, L., et al. (1994). The contribution of genotype to cocoa (*Theobroma cacao* L.) flavour. *Tropical Agriculture (Trinidad y Tobago)* v. 71 (4) p. 303-308
- Cogdill, R. P., Anderson, C. A., Delgado-Lopez, M., Molseed, D., Chisholm, R., Bolton, R., et al. (2005). Process analytical technology case study part I: feasibility studies for quantitative near-infrared method development. *AAPS PharmSciTech*, 6(2), E262-E272
- Cogdill, R. P., Hurburgh, C., Rippke, G. R., Bajic, S. J., Jones, R. W., McClelland, J. F., et al. (2004). Single-kernel maize analysis by near-infrared hyperspectral imaging. *Transactions of the ASAE*, 47(1), 311
- Cooper, K. A., Donovan, J. L., Waterhouse, A. L., & Williamson, G. (2008). Cocoa and health: a decade of research. *British Journal of Nutrition* 111(1), 99
- Copetti, M. V., Iamanaka, B. T., Pitt, J. I., & Taniwaki, M. H. (2014). Fungi and mycotoxins in cocoa: From farm to chocolate. *International journal of food microbiology*, 178, 13-20
- Copetti, M. V., Iamanaka, B. T., & Taniwaki, M. H. (2013). Fungi and mycotoxin occurrence in cocoa *Chocolate in Health and Nutrition* (pp. 61-71): Springer.
- Cruz-Tirado, J., Pierna, J. A. F., Rogez, H., Barbin, D., & Baeten, V. (2020). Authentication of cocoa (*Theobroma cacao*) bean hybrids by NIR-hyperspectral imaging and chemometrics. *Food Control*, 107445. <http://dx.doi.org/10.1016/j.foodcont.2020.107445>
- Davies, A. (2005). An introduction to near infrared spectroscopy. *NIR news*, 16(7), 9-11

- Díaz, R., Cervera, L., Fenollosa, S., Ávila, C., & Belenguer, J. (2011). Hyperspectral system for the detection of foreign bodies in meat products. *Procedia engineering*, 25, 313-316
- Djekic, I., Jankovic, D., & Rajkovic, A. (2017). Analysis of foreign bodies present in European food using data from Rapid Alert System for Food and Feed (RASFF). *Food Control*, 79, 143-149
- Dowell, F. E., Pearson, T. C., Maghirang, E. B., Xie, F., & Wicklow, D. T. (2002). Reflectance and transmittance spectroscopy applied to detecting fumonisin in single corn kernels infected with *Fusarium verticillioides*. *Cereal Chemistry*, 79(2), 222-226
- Drucker, H., Burges, C. J., Kaufman, L., Smola, A., & Vapnik, V. (1997). Support vector regression machines. *Advances in neural information processing systems*, 9, 155-161
- Edwards, M., & Stringer, M. (2007a). The breakdowns in Food Safety Group: Observations on patterns in foreign material investigations. *Food Control*, 18(773), e782
- Edwards, M., & Stringer, M. (2007b). Observations on patterns in foreign material investigations. *Food control*, 18(7), 773-782.
<http://dx.doi.org/10.1016/j.foodcont.2006.01.007>
- Elmasry, G., Kamruzzaman, M., Sun, D.-W., & Allen, P. (2012). Principles and applications of hyperspectral imaging in quality evaluation of agro-food products: a review. *Critical reviews in food science and nutrition*, 52(11), 999-1023.
<http://dx.doi.org/10.1080/10408398.2010.543495>
- ElMasry, G., Wang, N., ElSayed, A., & Ngadi, M. (2007). Hyperspectral imaging for nondestructive determination of some quality attributes for strawberry. *Journal of food engineering*, 81(1-2), 1-10
- ElMasry, G., Wang, N., & Vigneault, C. (2009). Detecting chilling injury in Red Delicious apple using hyperspectral imaging and neural networks. *Postharvest biology and technology*, 52(1), 1-8
- Esteban-Diez, I., González-Sáiz, J., & Pizarro, C. (2010). An evaluation of orthogonal signal correction methods for the characterisation of arabica and robusta coffee varieties by NIRS. *Analytica Chimica Acta*, 514(1), 57-67
- Feng, Y.-Z., & Sun, D.-W. (2012). Application of hyperspectral imaging in food safety inspection and control: a review. *Critical reviews in food science and nutrition*, 52(11), 1039-1058

- Fernández-Ibañez, V., Soldado, A., Martínez-Fernández, A., & De la Roza-Delgado, B. (2009). Application of near infrared spectroscopy for rapid detection of aflatoxin B1 in maize and barley as analytical quality assessment. *Food Chemistry*, 113(2), 629-634
- Ferreira, D. S., Pallone, J. A. L., & Poppi, R. J. (2013). Fourier transform near-infrared spectroscopy (FT-NIRS) application to estimate Brazilian soybean [*Glycine max* (L.) Merrill] composition. *Food Research International*, 51(1), 53-58
- Forsyth, W. (1955). Cacao polyphenolic substances. 3. Separation and estimation on paper chromatograms. *Biochemical Journal*, 60(1), 108
- Fortier, C., Rodgers, J., Foulk, J., & Whitelock, D. (2012). Near-infrared classification of cotton lint, botanical and field trash .
- Fowler, M. S., & Coutel, F. (2017). Cocoa beans: from tree to factory. *Beckett's industrial chocolate manufacture and use*, 9-49
- Freudenberg, K., Cox, R. F., & Braun, E. (1932). The Catechin of the Cacao Bean1. *Journal of the American Chemical Society*, 54(5), 1913-1917
- Ginesu, G., Giusto, D. D., Margner, V., & Meinschmidt, P. (2004). Detection of foreign bodies in food by thermal image processing. *IEEE Transactions on Industrial Electronics*, 51(2), 480-490
- Giovanelli, G., Sinelli, N., Beghi, R., Guidetti, R., & Casiraghi, E. (2014). NIR spectroscopy for the optimization of postharvest apple management. *Postharvest Biology and Technology*, 87, 13-20
- Goetz, A. (2000). Short course in hyperspectral imaging and data analysis. Boardman JW, Ed. *Center for the Study of Earth from Space*
- Gourieva, K., & Tserevitinov, O. Method of evaluating the degree of fermentation of cocoa beans. 1979. *USSR Patent*(646), 254
- Gowen, A. A., O'Donnell, C. P., Cullen, P. J., Downey, G., & Frias, J. M. (2007). Hyperspectral imaging—an emerging process analytical tool for food quality and safety control. *Trends in food science & technology*, 18(12), 590-598.
<http://dx.doi.org/10.1016/j.tifs.2007.06.001>
- Guo, J., Ying, Y., Li, J., Rao, X., Kang, Y., & Shi, Z. (2012). Detection of foreign materials on surface of ginned cotton by hyper-spectral imaging. *Transactions of the Chinese society*

- of agricultural engineering, 28(21), 126-134. <http://dx.doi.org/10.3969/j.issn.1002-6819.2012.21.018>
- Guo, J., Ying, Y., Rao, X., Li, J., Kang, Y., & Shi, Z. (2012). Detection of trashes in combed cotton using hyper-spectral images. *Nongye Jixie Xuebao= Transactions of the Chinese Society for Agricultural Machinery*, 43(12), 197-203. <http://dx.doi.org/10.6041/j.issn.1000-1298.2012.12.036>
- Herschel, W. (1832). *Investigation of the powers of the prismatic colours to heat and illuminate objects; with remarks, that prove the different refrangibility of radiant heat. To which is added, an inquiry into the method of viewing the sun advantageously, with telescopes of large apertures and high magnifying powers*. Paper presented at the Abstracts of the Papers Printed in the Philosophical Transactions of the Royal Society of London.
- Hruschka, W. R. (1990). Data analysis: wavelength selection methods. *Near infrared technology in agricultural and food industries*
- Huang, M., Wang, Q., Zhang, M., & Zhu, Q. (2014). Prediction of color and moisture content for vegetable soybean during drying using hyperspectral imaging technology. *Journal of Food Engineering*, 128, 24-30
- Hue, C., Gunata, Z., Bergounhou, A., Assemat, S., Boulanger, R., Sauvage, F.-X., et al. (2014). Near infrared spectroscopy as a new tool to determine cocoa fermentation levels through ammonia nitrogen quantification. *Food chemistry*, 148, 240-245
- Hunter, P. (2012). The inflammation theory of disease: The growing realization that chronic inflammation is crucial in many diseases opens new avenues for treatment. *EMBO reports*, 13(11), 968-970
- ICCO (2006) Quarterly Bulletin of Cocoa Statistics. Vol. XXXII, No. 1 Cocoa year 2005/06 ISSN 0308-4469 and Review of Cocoa Market Situation EX/133/1, 7 November 2006. International Cocoa Organisation, Commonwealth House, 1–19 New Oxford Street, London WC1A 1NU, UK. <http://www.icco.org>
- Ingle Jr, J. D., & Crouch, S. R. (1988). Spectrochemical analysis .
- ISO, I. (2018). 22000: Food safety management systems—Requirements for any organization in the food chain. *International Standard*, 1-48

- Ivorra, E., Girón, J., Sánchez, A. J., Verdú, S., Barat, J. M., & Grau, R. (2013). Detection of expired vacuum-packed smoked salmon based on PLS-DA method using hyperspectral images. *Journal of food engineering*, 117(3), 342-349
- Jackson, J., & Edward, A. (1991). User's guide to principal components. John Willey Sons. Inc., New York, 40
- Jalil, A. M. M., & Ismail, A. (2008). Polyphenols in cocoa and cocoa products: is there a link between antioxidant properties and health? *Molecules*, 13(9), 2190-2219
- Jiang, L., Zhu, B., & Tao, Y. (2010). Hyperspectral image classification methods *Hyperspectral imaging for food quality analysis and control* (pp. 79-98): Elsevier.
- Jiang, Y., & Li, C. (2015). Detection and discrimination of cotton foreign matter using push-broom based hyperspectral imaging: system design and capability. *PLoS One*, 10(3), e0121969. <http://dx.doi.org/10.1371/journal.pone.0121969>
- Jinap, S., & DIMICK, P. S. (1990). Acidic characteristics of fermented and dried cocoa beans from different countries of origin. *Journal of food science*, 55(2), 547-550
- Jones, J. P. E., & Wegner, T. H. (2009). Wood and Paper as Materials for the 21st Century. *MRS Online Proceedings Library*, 1187(1), 51-60
- Kandpal, L. M., Lee, S., Kim, M. S., Bae, H., & Cho, B.-K. (2015). Short wave infrared (SWIR) hyperspectral imaging technique for examination of aflatoxin B1 (AFB1) on corn kernels. *Food Control*, 51, 171-176
- Kays, S. E., Shimizu, N., Barton, F. E., & Ohtsubo, K. i. (2005). Near-infrared transmission and reflectance spectroscopy for the determination of dietary fiber in barley cultivars. *Crop science*, 45(6), 2307-2311
- Keskin, M., Dodd, R. B., Han, Y. J., & Khalilian, A. (2004). Assessing nitrogen content of golf course turfgrass clippings using spectral reflectance. *Applied Engineering in Agriculture*, 20(6), 851
- Kim, H., & Keeney, P. (1984). (-)-Epicatechin content in fermented and unfermented cocoa beans. *Journal of Food Science*, 49(4), 1090-1092
- Kim, M., Lefcourt, A., Chao, K., Chen, Y., Kim, I., & Chan, D. (2002). Multispectral detection of fecal contamination on apples based on hyperspectral imagery: Part I. Application of visible and near-infrared reflectance imaging. *Transactions of the ASAE*, 45(6), 2027

- Kim, Y., Keogh, J. B., & Clifton, P. M. (2016). Polyphenols and glycemic control. *Nutrients*, 8(1), 17
- Kleynen, O., Leemans, V., & Destain, M.-F. (2005). Development of a multi-spectral vision system for the detection of defects on apples. *Journal of food engineering*, 69(1), 41-49
- Krähmer, A., Engel, A., Kadow, D., Ali, N., Umaharan, P., Kroh, L. W., et al. (2015). Fast and neat–Determination of biochemical quality parameters in cocoa using near infrared spectroscopy. *Food chemistry*, 181, 152-159
- Krikorian, R., Nash, T. A., Shidler, M. D., Shukitt-Hale, B., & Joseph, J. A. (2010). Concord grape juice supplementation improves memory function in older adults with mild cognitive impairment. *British journal of nutrition*, 103(5), 730-734
- Kumaravelu, C., Ravi, A., Gopal, A., & Joshi, J. (2017). *Estimation of oil content of single cotton seed using NIR spectrometer by area under curve method*. Paper presented at the 2017 Trends in Industrial Measurement and Automation (TIMA).
- Laparra, J. M., & Sanz, Y. (2010). Interactions of gut microbiota with functional food components and nutraceuticals. *Pharmacological research*, 61(3), 219-225
- Lawi, A., & Adhitya, Y. (2018). *Classifying physical morphology of cocoa beans digital images using multiclass ensemble least-squares support vector machine*. Paper presented at the Journal of Physics: Conference Series.
- Lawrence, K. C., Park, B., Windham, W. R., & Mao, C. (2003). Calibration of a pushbroom hyperspectral imaging system for agricultural inspection. *Transactions of the ASAE*, 46(2), 513
- Lee, C. Y. (1992). Enzymatic oxidation of phenolic compounds in fruits .
- Lee, K.-J., Kang, S., Kim, M. S., & Noh, S.-H. (2005). *Hyperspectral imaging for detecting defect on apples*. Paper presented at the 2005 ASAE Annual Meeting.
- Li, J., Huang, W., Zhao, C., & Zhang, B. (2013). A comparative study for the quantitative determination of soluble solids content, ph and firmness of pears by Vis/NIR spectroscopy. *Journal of Food Engineering*, 116(2), 324-332
- Liao, J.-C., Deng, J.-S., Chiu, C.-S., Hou, W.-C., Huang, S.-S., Shie, P.-H., et al. (2012). Anti-inflammatory activities of Cinnamomum cassia constituents in vitro and in vivo. *Evidence-Based Complementary and Alternative Medicine*, 2012

- Libânio, D., Garrido, M., Jácome, F., Dinis-Ribeiro, M., Pedroto, I., & Marcos-Pinto, R. (2018). Foreign body ingestion and food impaction in adults: better to scope than to wait. *United European gastroenterology journal*, 6(7), 974-980.
<http://dx.doi.org/10.1177/2050640618765804>
- Lim, J. G., Kim, G. Y., Mo, C. Y., Oh, K. M., Kim, G. S., Yoo, H. C., et al. (2017). Rapid and nondestructive discrimination of *Fusarium asiaticum* and *Fusarium graminearum* in hulled barley (*Hordeum vulgare* L.) using near-infrared spectroscopy. *Journal of Biosystems Engineering*, 42(4), 301-313
- Liu, Y., Windham, W. R., Lawrence, K. C., & Park, B. (2003). Simple algorithms for the classification of visible/near-infrared and hyperspectral imaging spectra of chicken skins, feces, and fecal contaminated skins. *Applied Spectroscopy*, 57(12), 1609-1612
- Lopez, S., & Dimick, P. (1995). Cocoa fermentation, p 562–577. *Biotechnology :enzymes, biomass, food and feed*, 9
- Lu, R. (2003a). Detection of bruises on apples using near–infrared hyperspectral imaging. *Transactions of the ASAE*, 46(2), 523
- Lu, R. (2003b). *Imaging spectroscopy for assessing internal quality of apple fruit*. Paper presented at the 2003 ASAE Annual Meeting.
- Malinowski, E. R., & Howery, D. G. (1980). *Factor analysis in chemistry*: Wiley.
- Markets, R. a. (2021). Cocoa Market by Product Type, Process, Nature, Quality and Application: Global Opportunity Analysis and Industry Forecast 2021-2027. from <https://www.researchandmarkets.com/reports/5341599/cocoa-market-by-product-type-process-nature>.
- Marín, L., Miguélez, E. M., Villar, C. J., & Lombó, F. (2015). Bioavailability of dietary polyphenols and gut microbiota metabolism: antimicrobial properties. *BioMed research international*, 2015
- Meeting, J. F. W. E. C. o. F. A., & Organization, W. H. (2006). *Safety evaluation of certain food additives* (Vol. 65): World Health Organization.
- Mehl, P. M., Chen, Y.-R., Kim, M. S., & Chan, D .E. (2004). Development of hyperspectral imaging technique for the detection of apple surface defects and contaminations. *Journal of food engineering*, 61(1), 67-81
- Mirdehghan, S. H., & Rahemi, M. (2007). Seasonal changes of mineral nutrients and phenolics in pomegranate (*Punica granatum* L.) fruit. *Scientia Horticulturae*, 111(2), 120-127

- Momin, M. A., Yamamoto, K., Miyamoto, M., Kondo, N., & Grift, T. (2017). Machine vision based soybean quality evaluation. *Computers and Electronics in Agriculture*, 140, 452-461. <http://dx.doi.org/10.1016/j.compag.2017.06.023>
- Mounjouenpou, P., Gueule, D., Fontana-Tachon, A., Guyot, B., Tondje, P. R., & Guiraud, J.-P. (2008). Filamentous fungi producing ochratoxin A during cocoa processing in Cameroon. *International Journal of Food Microbiology*, 121(2), 234-241
- Nazaruddin, R., Seng, L., Hassan, O., & Said, M. (2006). Effect of pulp preconditioning on the content of polyphenols in cocoa beans (*Theobroma cacao*) during fermentation. *Industrial Crops and Products*, 24(1), 87-94
- Nicolai, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., et al. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. *Postharvest biology and technology*, 46(2), 99-118
- Osborne, B. G., Fearn, T., & Hindle, P. H. (1993). *Practical NIR spectroscopy with applications in food and beverage analysis*: Longman scientific and technical.
- Othman, A., Ismail, A., Ghani, N. A., & Adenan, I. (2007). Antioxidant capacity and phenolic content of cocoa beans. *Food chemistry*, 100(4), 1523-1530
- Pasikatan, M., & Dowell, F. (2004). High-Speed NIR Segregation of High-and Low-Protein Single Wheat Seeds. *Cereal chemistry*, 81(1), 145-150
- Pires, P. N., Vargas, E. A., Gomes, M. B., Vieira, C. B. M., Santos, E. A. d., Bicalho, A. A. C., et al. (2019). Aflatoxins and ochratoxin A: occurrence and contamination levels in cocoa beans from Brazil. *Food Additives & Contaminants: Part A*, 36(5), 815-824.
- Peng, Y., Zhang, J., Wang, W., Li, Y., Wu, J., Huang, H., et al. (2011). (Potential prediction of the microbial spoilage of beef using spatially resolved hyperspectral scattering profiles. *Journal of Food Engineering*, 102(2), 163-169
- Pham-Huy, L. A., He, H., & Pham-Huy, C. (2008). Free radicals, antioxidants in disease and health. *International journal of biomedical science: IJBS*, 4(2), 89
- Polder, G., van der Heijden, G. W., & Young, I. T. (2002). Spectral image analysis for measuring ripeness of tomatoes. *Transactions of the ASAE*, 45(4), 1155
- RASFF, E. (2014). Rapid Alert System for Food and Feed (RASFF): Accessed.
- Ribeiro, N. d. A., Bezerra, J., & Lopez, A. (1986). Micobiota na fermentação do cacau no estado da Bahia, Brasil. *Revista Theobroma (Brasil)* v. 16 (1) p. 47-55

- Rodgers, J., Fortier, C., Montalvo, J., Cui, X., Kang, S. Y., & Martin, V. (2010). Near infrared measurement of cotton fiber micronaire by portable near infrared instrumentation. *Textile Research Journal*, 80(15), 1503-1515. <http://dx.doi.org/10.1177/0040517510361799>
- Rohan, T. (1967). The precursors of chocolate aroma: application of gas chromatography in following formation during fermentation of cocoa beans. *Journal of Food Science*, 32(4), 402-404
- Rohan, T., & Stewart, T. (1967). The precursors of chocolate aroma: production of free amino acids during fermentation of cocoa beans. *Journal of food Science*, 32(4), 395-398
- Romero-Cortes, T., Salgado-Cervantes, M. A., García-Alamilla, P., García-Alvarado, M. A., del C Rodríguez-Jimenes, G., Hidalgo-Morales, M., et al. (2013). Relationship between fermentation index and other biochemical changes evaluated during the fermentation of Mexican cocoa (*Theobroma cacao*) beans. *Journal of the Science of Food and Agriculture*, 93(10), 2596-2604
- Rong, D., Xie, L., & Ying, Y. (2019). Computer vision detection of foreign objects in walnuts using deep learning. *Computers and Electronics in Agriculture*, 162, 1001-1010
- Sánchez-Hervás, M., Gil, J., Bisbal, F., Ramón, D., & Martínez-Culebras, P. (2008). Mycobiota and mycotoxin producing fungi from cocoa beans. *International journal of food microbiology*, 125(3), 336-340
- Schaare, P., & Fraser, D. (2000). Comparison of reflectance, interactance and transmission modes of visible-near infrared spectroscopy for measuring internal properties of kiwifruit (*Actinidia chinensis*). *Postharvest Biology and Technology*, 20(2), 175-184
- Schwan, R. F., & Wheals, A. E. (2004). The microbiology of cocoa fermentation and its role in chocolate quality. *Critical reviews in food science and nutrition*, 44(4), 205-221
- Shahin, M. A., Symons, S. J., & Hatcher, D. W. (2014). Quantification of mildew damage in soft red winter wheat based on spectral characteristics of bulk samples: a comparison of visible-near-infrared imaging and near-infrared spectroscopy. *Food and Bioprocess Technology*, 7(1), 224-234
- Short, S. M., Cogdill, R. P., & Anderson, C. A. (2008). Figures of merit comparison of reflectance and transmittance near-infrared methods for the prediction of constituent concentrations in pharmaceutical compacts. *Journal of Pharmaceutical Innovation*, 3(1), 41-50

- Singh, C., Jayas, D., Paliwal, J., & White, N. (2012). (Fungal damage detection in wheat using short-wave near-infrared hyperspectral and digital colour imaging. *International Journal of Food Properties*, 15(1), 11-24
- Singleton, V. L., & Rossi, J. A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American journal of Enology and Viticulture*, 16(3), 144-158
- Sinija, V., & Mishra, H. (2009). FT-NIR spectroscopy for caffeine estimation in instant green tea powder and granules. *LWT-Food Science and Technology*, 42(5), 998-1002
- Su, W.-H., He, H.-J., & Sun, D.-W. (2017). Non-destructive and rapid evaluation of staple foods quality by using spectroscopic techniques: a review. *Critical reviews in food science and nutrition*, 57(5), 1039-1051
- Sugiyama, T., Sugiyama, J., Tsuta, M., Fujita, K., Shibata, M., Kokawa, M., et al. (2010). NIR spectral imaging with discriminant analysis for detecting foreign materials among blueberries. *Journal of Food Engineering*, 101(3), 244-252
- Sun, D.-W. (2010). *Hyperspectral imaging for food quality analysis and control*: Elsevier.
- Sunoj, S., Igathinathane, C., & Visvanathan, R. (2016). Nondestructive determination of cocoa bean quality using FT-NIR spectroscopy. *Computers and Electronics in Agriculture*, 124, 234-242. <http://dx.doi.org/10.1016/j.compag.2016.04.012>.
- Teye, E., Anyidoho, E., Agbemafle, R., Sam-Amoah, L. K., & Elliott, C. (2020). Cocoa bean and cocoa bean products quality evaluation by NIR spectroscopy and chemometrics: A review. *Infrared Physics & Technology*, 104, 103127. <http://dx.doi.org/10.1016/j.infrared.2019.103127>
- Teye, E., & Huang, X. (2015). Novel prediction of total fat content in cocoa beans by FT-NIR spectroscopy based on effective spectral selection multivariate regression. *Food Analytical Methods*, 8(4), 945-953
- Teye, E., Huang, X., Sam-Amoah, L. K., Takrama, J., Boison, D., Botchway, F., et al. (2015). Estimating cocoa bean parameters by FT-NIRS and chemometrics analysis. *Food chemistry*, 176, 403-410
- Trafialek, J., Kaczmarek, S., & Kolanowski, W. (2016). The risk analysis of metallic foreign bodies in food products. *Journal of food quality*, 39(4), 398-407. <http://dx.doi.org/10.1111/jfq.12193>
- Tsao, R. (2010). Chemistry and biochemistry of dietary polyphenols. *Nutrients*, 2(12), 1231-1246

- Tsuta, M., Takao, T., SuGIYAMA, J., Wada, Y., & Sagara, Y. (2006). Foreign substance detection in blueberry fruits by spectral imaging. *Food science and technology research*, 12(2), 96-100
- Udomkun, P., Mutegi, C., Wossen, T., Atehnkeng, J., Nabahungu, N. L., Njukwe, E., et al. (2018). Occurrence of aflatoxin in agricultural produce from local markets in Burundi and Eastern Democratic Republic of Congo. *Food science & nutrition*, 6(8), 2227-2238
- Ultee, A., & Van Dorsen, J. (1909). Bijdrage tot de kennis der op Java gecultiveerde cacaosooten. *Java Agric Station Report*, 33
- Vickers, N. J. (2017). Animal communication: when i'm calling you, will you answer too? *Current biology*, 27(14), R713-R715
- Wang, A., Hu, D., & Xie, L. (2014). Comparison of detection modes in terms of the necessity of visible region (VIS) and influence of the peel on soluble solids content (SSC) determination of navel orange using VIS–SWNIR spectroscopy. *Journal of Food Engineering*, 126, 126-132
- Wang, J., Nakano, K., Ohashi, S., Takizawa, K., & He, J. (2010). Comparison of different modes of visible and near-infrared spectroscopy for detecting internal insect infestation in jujubes. *Journal of Food Engineering*, 101(1), 78-84
- Wang, W., Heitschmidt, G. W., Ni, X., Windham, W. R., Hawkins, S., & Chu, X. (2014). Identification of aflatoxin B1 on maize kernel surfaces using hyperspectral imaging. *Food Control*, 42, 78-86
- Wesley, I., Larroque, O., Osborne, B., Azudin, N., Allen, H., & Skerritt, J. (2001). Measurement of gliadin and glutenin content of flour by NIR spectroscopy. *Journal of Cereal Science*, 34(2), 125-133
- Whiteley, K. S., Heggs, T. G., Koch, H., Mawer, R. L., & Immel, W. (2000). Polyolefins. *Ullmann's Encyclopedia of Industrial Chemistry*
- Wiley, J., & Jackson, J. E. (1991). *User's Guide to Principal Components (Wiley series in probability and mathematical statistics. Applied probability and statistics)*: John Wiley & Sons Incorporated.
- Williamson, G. (2017). The role of polyphenols in modern nutrition. *Nutrition bulletin*, 42(3), 226-235

- Wilson, R., & Tapp, H. (1999). Mid-infrared spectroscopy for food analysis: recent new applications and relevant developments in sample presentation methods. *TrAC Trends in Analytical Chemistry*, 18(2), 85-93
- Wold, S., Esbensen, K., & Geladi, P. (1987). *Principal Component Analysis. Chimometrics and Intelligent Laboratory Systems*. Paper presented at the IEEE Conference on Emerging Technologies & Factory Automation Efta Volume.
- Wood, G. (1991). A history of early cocoa introductions. *Cocoa Growers' Bulletin (United Kingdom)*
- Workmann, J., & Winefordner, J. D. (2005). *Introduction to Near Infrared Spectroscopy*: John Wiley & Sons.
- Xing, J., & De Baerdemaeker, J. (2005). Bruise detection on 'Jonagold' apples using hyperspectral imaging. *Postharvest Biology and Technology*, 37(2), 152-162
- Xu, B., Fang, C., & Watson, M. (1999). Clustering analysis for cotton trash classification. *Textile Research Journal*, 69(9), 656-662
- Xu, J.-L., Esquerre, C., & Sun, D.-W. (2018). Methods for performing dimensionality reduction in hyperspectral image classification. *Journal of Near Infrared Spectroscopy*, 26(1), 61-75
- Zhang, R., Li, C., Zhang, M., & Rodgers, J. (2016). Shortwave infrared hyperspectral reflectance imaging for cotton foreign matter classification. *Computers and Electronics in Agriculture*, 127, 260-270. <http://dx.doi.org/10.1016/j.compag.2016.06.023>
- Zhang, X., Liu, F., He, Y., & Li, X. (2012). Application of hyperspectral imaging and chemometric calibrations for variety discrimination of maize seeds. *Sensors*, 12(12), 17234-17246
- Zhou, Y., Zheng, J., Li, Y., Xu, D.-P., Li, S., Chen, Y.-M., et al. (2016). Natural polyphenols for prevention and treatment of cancer. *Nutrients*, 8(8), 515