

- Abdelaziz, D. H. A., and S. A. Ali. 2014. The protective effect of *Phoenix dactylifera* L. seeds against CCl₄-induced hepatotoxicity in rats. *Journal of Ethnopharmacology* 155:736-743.
- Abidi, N., L. Cabrales, and E. Hequet. 2010. Thermogravimetric analysis of developing cotton fibers. *Thermochimica Acta* 498:27-32.
- Ahuja, D., A. Kaushik, and M. Singh. 2018. Simultaneous extraction of lignin and cellulose nanofibrils from waste jute bags using one pot pre-treatment. *International Journal of Biological Macromolecules* 107:1294-1301.
- Al-Farsi, M. A., and C. Y. Lee. 2008. Optimization of phenolics and dietary fibre extraction from date seeds. *Food Chemistry* 108:977–985.
- Al-Juhaimi, F., K. Ghafoor, and M. M. Özcan. 2012. Physical and chemical properties, antioxidant activity, total phenol and mineral profile of seeds of seven different date fruit (*Phoenix dactylifera* L.) varieties. *International Journal of Food Sciences and Nutrition* 63:84-89.
- Al-Juhaimi, F., M. M. Özcan, O. Q. Adiamo, O. N. Alsawmahi, K. Ghafoor, and E. E. Babiker. 2018. Effect of date varieties on physico-chemical properties, fatty acid composition, tocopherol contents, and phenolic compounds of some date seed and oils. *Journal of food processing and preservation* 42:e13584.
- Ardekani, M. R. S., M. Khanavi, M. Hajimahmoodi, M. Jahangiri, and A. J. I. j. o. p. r. I. Hadjiakhoondi. 2010. Comparison of antioxidant activity and total phenol contents of some date seed varieties from Iran. 9:141.
- Abu-Jdayil, B., W. Hittini, and A.-H. Mourad. 2019. Development of date pit–polystyrene thermoplastic heat insulator material: physical and thermal properties. *International Journal Of Polymer Science* 2019.
- Akasha, I., L. Campbell, J. Lonchamp, and S. R. Euston. 2016. The major proteins of the seed of the fruit of the date palm (*Phoenix dactylifera* L.): Characterisation and emulsifying properties. *Food Chemistry* 197:799-806.

- Akowuah, G.A.; Mariam, A.; Chin, J.H. The effect of extraction temperature on total phenols and antioxidant activity of *Gynura procumbens* leaf. *Pharmacogn. Mag.* 2009, 4, 81–85
- Al-Farsi, M. A., and C. Y. Lee. 2008a. Nutritional and Functional Properties of Dates: A Review. *Critical Reviews in Food Science and Nutrition* 48:877-887.
- Al-Farsi, M. A., and C. Y. Lee. 2008b. Optimization of phenolics and dietary fibre extraction from date seeds. *Food Chemistry* 108:977–985.
- Al-Farsi, M. A., and C. Y. Lee. 2011. Chapter 53 - Usage of Date (*Phoenix dactylifera* L.) Seeds in Human Health and Animal Feed. Pages 447-452 in V. R. Preedy, R. R. Watson, and V. B. Patel, editors. *Nuts and Seeds in Health and Disease Prevention*. Academic Press, San Diego.
- Al-Ghouti, M. A., J .Li, Y. Salamh, N. Al-Laqtah, G. Walker, and M. N. M. Ahmad. 2010. Adsorption mechanisms of removing heavy metals and dyes from aqueous solution using date pits solid adsorbent. *Journal of Hazardous Materials* 176:510-520.
- Al-Juhaimi, F., K. Ghafoor, and M .M. Özcan. 2012. Physical and chemical properties, antioxidant activity, total phenol and mineral profile of seeds of seven different date fruit (*Phoenix dactylifera* L.) varieties. *International Journal of Food Sciences and Nutrition* 63:84-89.
- Al-Juhaimi ,F., M. M. Özcan, O. Q. Adiamo, O. N. Alsawmahi, K. Ghafoor, and E. E. Babiker. 2018. Effect of date varieties on physico-chemical properties, fatty acid composition, tocopherol contents, and phenolic compounds of some date seed and oils. *Journal of food processing and preservation* 42:e13584.
- Al-Meqbaali, F., H. Habib, A. Othman, S. Al-Marzooqi, A. Al-Bawardi, J. Y. Pathan, S. Hilary, U. Souka, S. Al-Hammadi, W. Ibrahim, and C. Platat. 2017. The antioxidant activity of date seed: preliminary results of a preclinical in vivo study. *Emirates Journal of Food and Agriculture*:822-832.
- Al-Rasheed, N. M., H. A. Attia, R. A. Mohamad, N. M. Al-Rasheed, M. A. Al-Amin, and A. AL-Onazi. 2015. Aqueous date flesh or pits extract attenuates liver fibrosis via suppression of hepatic stellate cell activation and reduction of inflammatory cytokines, transforming growth factor-B1 and angiogenic markers in carbon tetrachloride-intoxicated rats. *Evidence-Based Complementary and Alternative Medicine* 2015:19.

- Al-Sheddi, E. 201 .⁹Anticancer potential of seed extract and pure compound from *Phoenix dactylifera* on human cancer cell lines. *Pharmacognosy Magazine* 15:494-499.
- Albuquerque, B. R., S. A. Heleno, M. B. P. P. Oliveira, L. Barros, and I. C. F. R. Ferreira. 2021. Phenolic compounds: Current industrial applications, limitations and future challenges. *Food & Function* 12:14-29.
- Alem, C., J. Ennassir, M. Benlyas, A. N. Mbark, and Y. F. Zegzouti. 2017. Phytochemical compositions and antioxidant capacity of three date (*Phoenix dactylifera* L.) seeds varieties grown in the South East Morocco. *Journal of the Saudi Society of Agricultural Sciences* 16:350-357.
- Alharbi, K. L., J. Raman, and H.-J. Shin. 2021. Date fruit and seed in nutricosmetics. *Cosmetics* 8:59.
- Alqahtani, N., T. Alnemr, and S. Ali. 2021. Development of low-cost biodegradable films from corn starch and date palm pits (*Phoenix dactylifera*). *Food Bioscience* 42:101199.
- Ambigaipalan, P., and F. Shahidi. 2015. Date seed flour and hydrolysates affect physicochemical properties of muffin. *Food Bioscience* 12:54-60.
- Amchova, P., H. Kotolova, J. J. R. t. Ruda-Kucerova, and pharmacology. 2015. Health safety issues of synthetic food colorants. 73:914-922.
- Ammar, A. S. M., E. El-Hady, and M. M. A. El-Razik. 2014. Quality characteristics of low fat meat balls as affected by date seed powder, wheat germ and pumpkin flour addition. *Pakistan Journal of Food Sciences* 24:175-185.
- Álvarez-Casas, M.; García-Jares, C.; Llompart, M.; Lores, M. Effect of experimental parameters in the pressurized solvent extraction of polyphenolic compounds from white grape marc. *Food Chem.* 2014, 157, 524–532
- Babiker, E. E., G. Atasoy, M. M. Özcan, F. A. Juhaimi, K. Ghafoor, I. A. M. Ahmed, and I. A. Almusallam. 2020. Bioactive compounds, minerals, fatty acids, color, and sensory profile of roasted date (*Phoenix dactylifera* L.) seed. *Journal of food processing and preservation* 44:e14495.
- Bouhlali, E. d. T., C. Alem ,J. Ennassir, M. Benlyas, A. N. Mbark, and Y. F. Zegzouti. 2017. Phytochemical compositions and antioxidant capacity of three date (*Phoenix dactylifera* L.) seeds

varieties grown in the South East Morocco. *Journal of the Saudi Society of Agricultural Sciences* 16:350-357.

- Bouhlali, E. d. T., J. El Hilaly, J. Ennassir, M. Benlyas, C. Alem, M.-Y. Amarouch, and Y. Filali-Zegzouti. 2018. Anti-inflammatory properties and phenolic profile of six Moroccan date fruit (*Phoenix dactylifera* L.) varieties. *Journal of King Saud University - Science* 30:519-526.
- Banat, F., S. Al-Asheh, and L. Al-Makhadmeh. 2003. Evaluation of the use of raw and activated date pits as potential adsorbents for dye containing waters. *Process Biochemistry* 39:193-202.
- Basuny, A. M. M., and M. A. Al-Marzooq. Production of mayonnaise from date pit oil. Pages 938-943.
- Besbes, S., C. Blecker, C. Deroanne, N.-E. Drira, and H. J. F. c. Attia. 200 .4Date seeds: chemical composition and characteristic profiles of the lipid fraction. 84:577-584.
- Bijami, A., F. Rezanejad, H. Oloumi, and H. Mozafari. 2020. Minerals, antioxidant compounds and phenolic profile regarding date palm (*Phoenix dactylifera* L (.seed development. *Scientia Horticulturae* 262:109017.
- Bonet-Aracil, M. Á., P. Díaz-García, E. Bou-Belda, N. Sebastiá, A. Montoro, and R. Rodrigo. 2016. UV protection from cotton fabrics dyed with different tea extracts. *Dyes and Pigments* 134:448-452.
- Bouaziz, M. A., S. Besbes, C. Blecker, B. Wathelet, C. Deroanne, and H. Attia. 2008. Protein and amino acid profiles of Tunisian Deglet Nour and Allig date palm fruit seeds. *Fruits* 63:37-43.
- Bouchenafa-Saib, N., P. Grange, P. Verhasselt, F. Addoun, and V. Dubois. 2005. Effect of oxidant treatment of date pit active carbons used as Pd supports in catalytic hydrogenation of nitrobenzene. *Applied Catalysis A: General* 286:167-174.
- Bouhlali, E. d. T., J. El Hilaly, J. Ennassir, M. Benlyas, C. Alem, M.-Y. Amarouch, and Y. Filali-Zegzouti. 2018. Anti-inflammatory properties and phenolic profile of six Moroccan date fruit (*Phoenix dactylifera* L.) varieties. *Journal of King Saud University - Science* 30:519-526.
- Bouhlali, E. d. T., A. Hmidani, B. Bourkhis, T. Khouya ,M. Ramchoun, Y. Filali-Zegzouti, and C. Alem. 2020. Phenolic profile and anti-inflammatory activity of four Moroccan date (*Phoenix dactylifera* L.) seed varieties. *Heliyon* 6:e03436.

- Bravo, J., C. Monente, I. Juániz, M. P. De Peña, and C. Cid. 2013. Influence of extraction process on antioxidant capacity of spent coffee. *Food Research International* 50:610-616.
- Casazza, A.A.; Aliakbarian, B.; Sannita, E.; Perego, P. High-pressure high-temperature extraction of phenolic compounds from grape skins. *Int. J. Food Sci. Technol.* 2012, 47, 399–405.
- Cheng, T.-H., Z.-J. Liu, J.-Y. Yang, Y.-Z. Huang, R.-C. Tang, and Y.-F. Qiao. 2019. Extraction of Functional Dyes from Tea Stem Waste in Alkaline Medium and Their Application for Simultaneous Coloration and Flame Retardant and Bioactive Functionalization of Silk. *ACS Sustainable Chemistry & Engineering* 7:18405-18413.
- Caleja, C., A. Ribeiro, M. Filomena Barreiro, and I. Cfr Ferreira. 2017. Phenolic compounds as nutraceuticals or functional food ingredients. *Current pharmaceutical design* 23:2787-2806.
- Cheng, T.-H., Z.-J. Liu, J.-Y. Yang, Y.-Z. Huang, R.-C. Tang, and Y.-F. Qiao. 2019. Extraction of Functional Dyes from Tea Stem Waste in Alkaline Medium and Their Application for Simultaneous Coloration and Flame Retardant and Bioactive Functionalization of Silk. *ACS Sustainable Chemistry & Engineering* 7:18405-18413.
- Cheng, Y., Q. Xu, J. Liu, C. Zhao, F. Xue, and Y. Zhao. 2014. Decomposition of five phenolic compounds in high temperature water. *Journal of the Brazilian Chemical Society* 25:2102-2107.
- Chism, G. W., Haard, N. F. 1996. Characteristics of edible plant tissues, In *Food Chemistry*, 3rd ed., edited by Fennema, O. R., Dekker: New York, pp. 943-1011.
- Dangles, O., Elhabiri, M., Brouillard, R., 1994. Kinetic and thermodynamic investigation of the aluminium–anthocyanin complexation in aqueous solution. *Journal of the Chemical Society, Perkin Transactions 2*, 2587–2596.
- Dangles, O., 2006. The physico-chemical properties of polyphenols. How do they relate to their roles in plants, foods and human health. *AgroFOOD Industry Hi-tech* 17, 64–67.
- Dangles, O., Dufour, C., 2006. Flavonoid–protein interactions. In: Andersen, O., Markham, K. (Eds.), *Flavonoids: Chemistry, Biochemistry & Applications*. CRC Press, Boca Raton, USA, pp. 443–469.

- Dhahri, H., A. Guesmi, and N. Ben Hamadi. 2019. Application of phenolic compounds as natural dye extracted from date-pits: dyeing studies of modified acrylic fibres. *Natural Product Research* 33:1329-1333.
- Dhaouadi, K., H. Ammar, M. Khouja, H. Sebei, and S. López. 2019. Chemical Composition and Antioxidant Activity of Date Seeds from Different Tunisian Date Palm Cultivars. *Journal of Food Science and Engineering* 9:123-130.
- Dhahri, H., A. Guesmi, and N. Ben Hamadi. 2019. Application of phenolic compounds as natural dye extracted from date-pits: dyeing studies of modified acrylic fibres. *Natural Product Research* 33:1329-1333.
- Dhaouadi, K., H. Ammar, M. Khouja, H. Sebei, and S. López. 2019. Chemical Composition and Antioxidant Activity of Date Seeds from Different Tunisian Date Palm Cultivars. *Journal of Food Science and Engineering* 9:123-130.
- Dimitric-Markovic, J.M., Baranac, J.M., Brdaric, T.P., 2005. Electronic and infrared vibrational analysis of cyanidin-quercetin copigment complex. *Spectrochimica Acta Part A: Molecular and Biomolecular* 62, 673–680.
- Dorta, E.; Lobo, M.G.; Gonzalez, M. Reutilization of mango byproducts: Study of the effect of extraction solvent and temperature on their antioxidant properties. *J. Food Sci.* 2012, 77, C80–C88.
- Downham, A., P. J. I. j. o. f. s. Collins, and technology. 2000. Colouring our foods in the last and next millennium. 35:5-22.
- Durazzo, A., M. Lucarini, E. B. Souto, C. Cicala, E. Caiazzo, A. A. Izzo, E. Novellino, and A. Santini. 2019 .Polyphenols: A concise overview on the chemistry, occurrence, and human health. *Phytotherapy Research* 33:2221-2243.
- El-Zaher, N. A., G. T. El-Bassyouni, M. A. Esawy, and O. W. Guirguis. 2021. Amendments of the Structural and Physical Properties of Cotton Fabrics Dyed with Natural Dye and Treated with Different Mordants. *Journal of Natural Fibers* 18:1247-1260.
- El Hajji, H., Nkhili, E., Tomao, V., Dangles, O., 2006. Interactions of quercetin with iron and copper ions: complexation and autoxidation. *Free Radical Research* 40, 303–320

- El Hilaly, J., J. Ennassir, M. Benlyas, C. Alem, M.-Y. Amarouch, and Y. J. J. o. K. S. U.-S. Filali-Zegzouti. 2018. Anti-inflammatory properties and phenolic profile of six Moroccan date fruit (*Phoenix dactylifera* L.) varieties. 30:519-526.
- Everette, J. D., Q. M. Bryant, A. M. Green, Y. A. Abbey, G. W. Wangila, and R. B. Walker. 2010. Thorough Study of Reactivity of Various Compound Classes toward the Folin–Ciocalteu Reagent. *Journal of Agricultural and Food Chemistry* 58:8139-8144.
- El-Deek, A. A., M. Al-Harhi, and H. M. Yakout. 2008. Use of enzymes to supplement diets containing date waste meal for Lohmann White layers. *International Journal of Poultry Science* 7:397-407.
- FAO. 2020. Crops and livestock products, <https://www.fao.org/faostat/en/#data/QCL>.
- FAO, F. 2021. Food and Agriculture Organization of the United Nations - FAOSTAT, <http://www.fao.org/faostat/en/#data/QC>.
- Farooq, M., A. Ramli, A. Naeem, T. Mahmood, S. Ahmad, M. Humayun, and M. G. U. Islam. 2018. Biodiesel production from date seed oil (*Phoenix dactylifera* L.) via egg shell derived heterogeneous catalyst. *Chemical Engineering Research and Design* 132:6.٦٥١-٤٤
- Fikry, M., Y. A. Yusof, A. M. Al-Awaadh, R. Abdul Rahman, N. L. Chin, E. Mousa, and L. S. Chang. 2019. Effect of the Roasting Conditions on the Physicochemical, Quality and Sensory Attributes of Coffee-Like Powder and Brew from Defatted Palm Date Seeds. *Foods* 8.
- Friedman, M., and H. S. Jürgens. 2000. Effect of pH on the Stability of Plant Phenolic Compounds. *Journal of Agricultural and Food Chemistry* 48:2101-2110.
- Gebhardt, B., R. Sperl, R. Carle, and J. J. J. o. C. P. Müller-Maatsch. 2020. Assessing the sustainability of natural and artificial food colorants.120884.
- Ghnimi, S., S. Umer, A. Karim, and A. Kamal-Eldin. 2017. Date fruit (*Phoenix dactylifera* L.): An underutilized food seeking industrial valorization. *NFS Journal* 6:1-10.
- Girgis, B. S., and A.-N. A. El-Hendawy. 2002. Porosity development in activated carbons obtained from date pits under chemical activation with phosphoric acid. *Microporous and Mesoporous Materials* 52:105-117.

-
- Guesmi, A., and N. Ben Hamadi. 2018. Study on optimizing dyeing of cotton using date pits extract as a combined source of coloring matter and bio-mordant. *Natural Product Research* 32:810-814.
- Guesmi, A., H. Dhahri ,and N. Ben Hamadi. 2016. A new approach for studying the dyeability of a multifibers fabric with date pits powders: a specific interest to proteinic fibers. *Journal of Cleaner Production* 133:1-4.
- Gawish, S., H. Mashaly, H. Helmy, A. Ramadan, and R. J. J. N. N. Farouk. 2017. Effect of mordant on UV protection and antimicrobial activity of cotton, wool, silk and nylon fabrics dyed with some natural dyes. 8.
- Guesmi, A., and N. Ben Hamadi. 2018. Study on optimizing dyeing of cotton using date pits extract as a combined source of coloring matter and bio-mordant. *Natural Product Research* 32:810-814.
- Guesmi, A., H. Dhahri, and N. Ben Hamadi. 2016. A new approach for studying the dyeability of a multifibers fabric with date pits powders: a specific interest to proteinic fibers. *Journal of Cleaner Production* 133:1-4.
- Habib, H., C. Platat, F. AlMaqbali, and W. Ibrahim. 2014a .Date seed (*Phoenix dactylifera*) extract reduces the proliferation of pancreatic cancer cells, DNA damage and superoxide-dependent iron release from ferritin in vitro (829.20). *The FASEB Journal* 28:829.820.
- Habib, H. M., and W. H. Ibrahim. 2009. Nutritional quality evaluation of eighteen date pit varieties. *International Journal of Food Sciences and Nutrition* 60:99-111.
- Habib, H. M., and W. H. Ibrahim. 2011. Effect of date seeds on oxidative damage and antioxidant status in vivo. *Journal of the Science of Food and Agriculture* 91:1674-1679.
- Habib, H. M., H. Kamal, W. H. Ibrahim, and A. S. Al Dhaheri. 2013. Carotenoids, fat soluble vitamins and fatty acid profiles of 18 varieties of date seed oil. *Industrial Crops and Products* 42:567-572.
- Habib, H. M., C. Platat, E. Meudec, V. Cheynier, and W. H. Ibrahim. 2014b. Polyphenolic compounds in date fruit seed (*Phoenix dactylifera*): characterisation and quantification by using UPLC-DAD-ESI-MS. *Journal of the Science of Food and Agriculture* 94:1084-1089.

- Hasan, M., and A. Mohieldein. 2016. In vivo evaluation of anti diabetic, hypolipidemic, antioxidative activities of saudi date seed extract on streptozotocin induced diabetic rats. *Journal of clinical and diagnostic research* : JCDR 10:FF06-FF12.
- Hassan, S. S., M. A. Al-Ghouti, M. Abu-Dieyeh, and G. McKay. 2020. Novel bioadsorbents based on date pits for organophosphorus pesticide remediation from water. *Journal of Environmental Chemical Engineering* 8:103593.
- Heleno, S. A., A. Martins, M. J. R. P. Queiroz, and I. C. F. R. Ferreira. 2015. Bioactivity of phenolic acids: Metabolites versus parent compounds: A review. *Food Chemistry* 173:501-513.
- Habib, H. M., C. Platat, E. Meudec, V. Cheynier, and W. H. Ibrahim. 2014. Polyphenolic compounds in date fruit seed (*Phoenix dactylifera*): characterisation and quantification by using UPLC-DAD-ESI-MS. *Journal of the Science of Food and Agriculture* 94:1084-1089.
- Howard, L.; Pandjaitan, N. Pressurized liquid extraction of flavonoids from spinach. *J. Food Sci.* 2008, 73.
- Ibrahim, S. F., E. S. El-Amoudy, and K. E. Shady. 2011. Thermal analysis and characterization of some cellulosic fabrics dyed by a new natural dye and mordanted with different mordants. *International Journal of Chemistry* 3:40.
- Ibañez, E.; Kubátová, A.; Señoráns, F.J.; Cavero, S.; Reglero, U.; Hawthorne, S.B. Subcritical water extraction of antioxidant compounds from rosemary plants. *J. Agric. Food Chem.* 2003, 51, 375–382.
- Idris, Y.M.A.; Mariod, A.A.; Hamad, S.I. Physicochemical properties, phenolic contents and antioxidant activity of Sudanese honey. *International Journal of Food Properties* 2011, 14 (2), 450–458.
- Jia, Y., B. Liu, D. Cheng, J. Li, F. Huang, and Y. Lu. 2017. Dyeing characteristics and functionability of tussah silk fabric with oak bark extract. *Textile Research Journal* 87:1806-1817.
- Jiménez-Aguilar, D., A. Ortega-Regules, J. Lozada-Ramírez, M. Pérez-Pérez, E. Vernon-Carter, J. J. J. o. F. C. Welte-Chanes, and Analysis. 2011. Color and chemical stability of spray-dried blueberry extract using mesquite gum as wall material. 24:889-894.

- Jurasekova, Z., C. Domingo, J. V. Garcia-Ramos, and S. Sanchez-Cortes. 2014. Effect of pH on the chemical modification of quercetin and structurally related flavonoids characterized by optical (UV-visible and Raman) spectroscopy. *Physical Chemistry Chemical Physics* 16:12802-12811.
- Ju, Z.Y.; Howard, L.R. Effects of solvent and temperature on pressurized liquid extraction of anthocyanins and total phenolics from dried red grape skin. *J. Agric. Food Chem.* 2003, 51, 5207–5213.
- Karizaki, V. M. 2017. Iranian dates and ethnic date-based products. *Journal of Ethnic Foods* 4:204-209.
- Kchaou, W., F. Abbès ,C. Blecker, H. Attia, and S. Besbes. 2013. Effects of extraction solvents on phenolic contents and antioxidant activities of Tunisian date varieties (*Phoenix dactylifera* L.). *Industrial Crops and Products* 45:262-269.
- Khalid, S., N. Khalid, R. S. Khan, H .Ahmed, and A. Ahmad. 2017. A review on chemistry and pharmacology of Ajwa date fruit and pit. *Trends in Food Science & Technology* 63:60-69.
- Khattak, M. N. K., A. Shanableh, M. I. Hussain, A. A. Khan, M. Abdulwahab, W. Radeef, and M. H. Samreen. 2020. Anticancer activities of selected Emirati Date (*Phoenix dactylifera* L.) varieties pits in human triple negative breast cancer MDA-MB-231 cells. *Saudi Journal of Biological Sciences* 27:3390-3396.
- Kim, S Y., Jeong, S M., Park, W P., Nam, K C., Ahn, D U., and Lee, S C. 2006. Effect of heating conditions of grape seeds on the antioxidant activity of grape seed extracts. *Food Chemistry* 97: 472 – 479.
- Kim T.Y., Jin H.J., Park S.S., Kim S.J., Cho S.Y. 2008. Adsorption Equilibrium of Copper Ion and Phenol by Powdered Activated Carbon, Alginate Bead and Alginate-Activated Carbon Bead, *Journal of Industrial and Engineering Chemistry*, 14: 714-719.
- Kondo, T., Ueda, M., Isobe, M., Goto, T., 1998. A new molecular mechanism of blue color development with protocyanin, a supramolecular pigment from cornflower, *Centaurea cyanus*. *Tetrahedron Letters* 39, 8307–8310
- Karcher, S., A. Kornmüller, and M. J. W. r. Jekel. 2002. Anion exchange resins for removal of reactive dyes from textile wastewaters. 36:4717-4724.

- Kchaou, W., F. Abbès, C. Blecker, H. Attia, S. J. I. c. Besbes, and products. 2013. Effects of extraction solvents on phenolic contents and antioxidant activities of Tunisian date varieties (*Phoenix dactylifera* L.). 45:262-269.
- Larrauri, J.A.; Sánchez-Moreno, C.; Saura-Calixto, F. Effect of Temperature on the Free Radical Scavenging Capacity of Extracts from Red and White Grape Pomace Peels. *J. Agric. Food Chem.* 1998, 46, 2694–2697.
- Larrauri, J.A.; Rupérez, P.; Saura-Calixto, F. Effect of Drying Temperature on the Stability of Polyphenols and Antioxidant Activity of Red Grape Pomace Peels. *J. Agric. Food Chem.* 1997, 45, 1390–1393.
- Laurena, A.C., Garcia, V.V. and Mendoza, E.T. 1986. Effects of soaking in aqueous acidic and alkali solutions on removal of polyphenols and in vitro digestibility of cowpea. *Qual. Plant Foods for Human Nutrition.* 36: 107-118.
- Ma, M., and G. Sun. 2005. Antimicrobial cationic dyes. Part 3: simultaneous dyeing and antimicrobial finishing of acrylic fabrics. *Dyes and Pigments* 66:33-41.
- Maghsoudlou, Y., M. Asghari Ghajari, and S. Tavasoli. 2019. Effects of heat treatment on the phenolic compounds and antioxidant capacity of quince fruit and its tisane's sensory properties. *J Food Sci Technol* 56:2365-2372.
- Malešev, D., and V. Kuntić. 2007. Investigation of metal-flavonoid chelates and the determination of flavonoids via metal-flavonoid complexing reactions. *Journal of the Serbian chemical society* 72:921-939.
- Maqsood, S., O. Adiamo, M. Ahmad, and P. Mudgil. 2019. Bioactive compounds from date fruit and seed as potential nutraceutical and functional food ingredients. *Food Chemistry*:12.๑๐๒๒
- Maqsood, S., P. Kittiphattanabawon, S. Benjakul, P. Sumpavapol, and A. Abushelaibi. 2015. Antioxidant activity of date (*Phoenix dactylifera* var. Khalas) seed and its preventive effect on lipid oxidation in model systems. *International Food Research Journal* 22:1180.
- Mendi, S., Peters, B., Kamga, T.P., 2000. The effects of pH and heat treatment processing on the stability of natural food colours used in dairy products. *Journal of Food Technology in Africa* 5, 59–61.

- Messaoudi, A., M. Dekmouche, Z. Rahmani, and C. Bensaci. 2021. Phenolic profile, Antioxidant potential of date (*Phoenix dactylifera* Var. Degla Baidha and Deglet-Nour) seeds from Debila region (Oued Souf, Algeria). *Asian Journal of Research in Chemistry* 14:37-41.
- Mihalick, J. E., and K. M. J. J. o. c. e. Donnelly. 2006. Using metals to change the colors of natural dyes. 83:1550.
- Mišan, A.C.; Mimica-Dukić, N.M.; Mandić, A.I.; Sakać, M.B.; Milovanović, I.L.; Sedej, I.J. Development of a Rapid Resolution ~ HPLC method for the separation and determination of 17 phenolic compounds in crude plant extracts. *Cent. Eur. J. Chem.* 2011, 9, 133–142.
- Moeenfarid, M., M. J. Pena, P. Barata, R. Soares, and R. Costa. 2022. Effect of Raw and Roasted *Phoenix dactylifera* L. Seed Polyphenols Extracts on Suppression of Angiogenesis in Endothelial Cells. *Plant Foods for Human Nutrition*.
- Mapari, S. A., K. F. Nielsen, T. O. Larsen, J. C. Frisvad, A. S. Meyer, and U. J. C. O. i. B. Thrane. 2005. Exploring fungal biodiversity for the production of water-soluble pigments as potential natural food colorants. 16:231-238.
- Maqsood, S., O. Adiamo, M. Ahmad, and P. Mudgil. 2019. Bioactive compounds from date fruit and seed as potential nutraceutical and functional food ingredients. *Food Chemistry*:125522.
- Maqsood, S., O. Adiamo, M. Ahmad, and P. J. F. c. Mudgil. 2020. Bioactive compounds from date fruit and seed as potential nutraceutical and functional food ingredients. 308:125522.
- Martins, N., C. L. Roriz, P. Morales, L. Barros, and I. C. F. R. Ferreira. 2016. Food colorants: Challenges, opportunities and current desires of agro-industries to ensure consumer expectations and regulatory practices. *Trends in Food Science & Technology* 52:1-15.
- Masoudi, A., M. Bojarpour, M. Chaji, M. Eslami, and K. Mirzadeh. 2010. Economic value of date Pits replaced with maize in broiler chicken diet. *Journal of Animal and Veterinary Advances* 9:1578-1581.
- Maillard, M.N.; Berset, C. Evolution of Antioxidant Activity during Kilning: Role of Insoluble Bound Phenolic Acids of Barley and Malt. *J. Agric. Food Chem.* 1995, 43, 1789–1793.

- Młodzińska, E., 2009. Survey of plant pigments: molecular and environmental determinants of plant colors. *Acta Biologica Cracoviensia* 51 (1), 7–16.
- Moiz, A., M. Aleem Ahmed, N. Kausar, K. Ahmed, and M. Sohail. 2010. Study the effect of metal ion on wool fabric dyeing with tea as natural dye. *Journal of Saudi Chemical Society* 14:69-76.
- Mrabet, A., A. Jiménez-Araujo, R. Guillén-Bejarano, R. Rodríguez-Arcos, and M. Sindic. 2020. Date Seeds: A Promising Source of Oil with Functional Properties. *Foods* 9:787.
- Mokrani, A.; Madani, K. Effect of solvent, time and temperature on the extraction of phenolic compounds and antioxidant capacity of peach (*Prunus persica* L.) fruit. *Sep. Purif. Technol.* 2016, 162, 68–76.
- Mussatto, S. I., L. F. Ballesteros, S. Martins, and J. A. Teixeira. 2011. Extraction of antioxidant phenolic compounds from spent coffee grounds. *Separation and Purification Technology* 83:173-179.
- Mustafa, A.; Turner, C. Pressurized liquid extraction as a green approach in food and herbal plants extraction: A review. *Anal. Chim. Acta* 2011, 703, 8–18.
- Najjar, Z., J. Kizhakkayil, H. Shakoar, C. Platat, C. Stathopoulos, and M. Ranasinghe. 2022. Antioxidant Potential of Cookies Formulated with Date Seed Powder. *Foods* 11.
- Nassau, K. 2001. *The physics and chemistry of color: the fifteen causes of color.*
- Nehdi, I., S. Omri, M. Khalil, and S. Al-Resayes. 2010. Characteristics and chemical composition of date palm (*Phoenix canariensis*) seeds and seed oil. *Industrial Crops and Products* 32:360-365.
- Nguyen, H. L., and T. Bechtold. 2021. Thermal stability of natural dye lakes from Canadian Goldenrod and onion peel as sustainable pigments. *Journal of Cleaner Production* 315:128195.
- Nicoli, M., Anese M., and Parpinel, M. 1999. Influence of processing on the antioxidant properties of fruit and vegetables. *Trends in Food Science & Technology* 10: 94 - 100.
- Nouraleh Hazeri, Nilufar Akbarzadeh Torbati, Malek Taher Maqsoodlou, Seyyed Mohammad Sajjadi. 2015. Flavonoids and their immunobiological and pharmacological properties
- Oliveira, I. S., J. Lima, R. M. Silva, and D. T. O. Martins. 2008. Triagem da atividade antibacteriana in vitro do látex e extratos de *Croton urucurana* Baillon. *Revista Brasileira de Farmacognosia* 18:587-593.

- Palma, M.; Piñeiro, Z.; Barroso, C.G. Stability of phenolic compounds during extraction with superheated solvents. *J. Chromatogr. A* 2001, 921, 169–174
- Perron, N.R.; Brumaghim, J.L., 2009. A review of the antioxidant mechanisms of polyphenol compounds related to iron binding. *Cell Biochemistry and Biophysics* 53, 75–100. Pietta, P.G., 2000. Flavonoids as antioxidants. *Journal of Natural Products* 63, 1035–1042.
- Ren, Y., J. Gong, F. Wang, Z. Li, J. Zhang, R. Fu, and J. Lou. 2016. Effect of dye bath pH on dyeing and functional properties of wool fabric dyed with tea extract. *Dyes and Pigments* 134:334-341.
- Robbins, R J. 2003. Phenolic acids in foods: an overview of analytical methodology. *Journal of Agricultural and Food Chemistry* 51: 2866 - 2887.
- Ross, C.F.; Hoyer, C.; Fernandez-Plotka, V.C. Influence of Heating on the Polyphenolic Content and Antioxidant Activity of Grape Seed Flour. *J. Food Sci.* 2011, 76, 884–890.
- Santos, D.T.; Veggi, P.C.; Meireles, M.A.A. Optimization and economic evaluation of pressurized liquid extraction of phenolic compounds from jabuticaba skins. *J. Food Eng.* 2012, 108, 444–452.
- Silva, P. M. d. S., T. R. Fiaschitello, R. S. d. Queiroz, H. S. Freeman, S. A. d. Costa, P. Leo, A. F. Montemor, and S. M. d. Costa. 2020. Natural dye from *Croton urucurana* Baill. bark: Extraction, physicochemical characterization, textile dyeing and color fastness properties. *Dyes and Pigments* 173:107953.
- Sivakumar, V., J. L. Anna, J. Vijayeeswarri, and G. Swaminathan. 2009. Ultrasound assisted enhancement in natural dye extraction from beetroot for industrial applications and natural dyeing of leather. *Ultrasonics Sonochemistry* 16:782-789.
- Souissi, M., A. Guesmi, and A. Moussa. 2018a. Valorization of natural dye extracted from date palm pits (*Phoenix dactylifera*) for dyeing of cotton fabric. Part 1: Optimization of extraction process using Taguchi design. *Journal of Cleaner Production* 202:1045-1055.
- Souissi, M., A. Guesmi, and A. Moussa. 2018b. Valorization of natural dye extracted from date palm pits (*Phoenix dactylifera*) for dyeing of cotton fabric. Part 2: Optimization of dyeing process and improvement of colorfastness with biological mordants. *Journal of Cleaner Production* 204:1143-1153.

- Sun, J.; Sun, A.; Bai, W. Study on the function and application of apple polyphenols. *Nutrition and Health Care* 2004, 10, 38–41.
- Platat, C., H. M. Habib, I. B. Hashim ,H. Kamal, F. AlMaqbali, U. Souka, and W. H. Ibrahim. 2015. Production of functional pita bread using date seed powder. *Journal of Food Science and Technology* 52:6375-6384.
- Saeed, S. M. G., S. Urooj, S. A. Ali, R. Ali, L. Mobin, R. Ahmed, and S. A. Sayeed .۲۰۲۱. Impact of the incorporation of date pit flour an underutilized biowaste in dough and its functional role as a fat replacer in biscuits. *Journal of food processing and preservation* 45:e15218.
- Shahid, M., I. Shahid ul, and F. Mohammad. 2013. Recent advancements in natural dye applications: a review. *Journal of Cleaner Production* 53:310-331.
- Sharara, M.S., 2017. Copigmentation effect of some phenolic acids on stabilization of Roselle (*Hibiscus sabdariffa*) anthocyanin extract. *American Journal of Food Science and Technology* 5 (2), 45–52.
- Shahidi, F., and M. Naczki. 1995. Food phenolics. Technomic Pub. Co.
- Shi, L.-E., W. Zheng, S. M. Aleid, and Z.-X. Tang. 2014. Date Pits: Chemical Composition, Nutritional and Medicinal Values, Utilization. *Crop Science* 54:1322-1330.
- Silva, P. M. d. S., T. R. Fiaschitello, R. S. d. Queiroz, H. S. Freeman, S. A. d. Costa, P. Leo, A. F. Montemor, and S. M. d. Costa. 2020. Natural dye from *Croton urucurana* Baill. bark :Extraction, physicochemical characterization, textile dyeing and color fastness properties. *Dyes and Pigments* 173:107953.
- Silva, E.M., Rogez, H. and Larondelle, Y. 2007. Optimization of extraction of phenolics from *Inga edulis* leaves using response surface methodology. *Sep Purif Technol.*, 55(3), 381-387.
- Soto-Vaca, A., A. Gutierrez, J. N. Losso, Z. Xu, and J. W. Finley. 2012. Evolution of Phenolic Compounds from Color and Flavor Problems to Health Benefits. *Journal of Agricultural and Food Chemistry* 60:6658-6677.
- Souda, B., R. Rami, B. Jalloul, and D. Mohamed. 2020. Roasted date palm seeds (*Phoenix dactylifera*) as an alternative coffee: chemical composition and bioactive properties .*Biomass Conversion and Biorefinery*.

- Souissi, M., A. Guesmi, and A. Moussa. 2018a. Valorization of natural dye extracted from date palm pits (*Phoenix dactylifera*) for dyeing of cotton fabric. Part 1: Optimization of extraction process using Taguchi design. *Journal of Cleaner Production* 202:1045-1055.
- Souissi, M., A. Guesmi, and A. Moussa. 2018b. Valorization of natural dye extracted from date palm pits (*Phoenix dactylifera*) for dyeing of cotton fabric. Part 2: Optimization of dyeing process and improvement of colorfastness with biological mordants. *Journal of Cleaner Production* 204:1143-1153.
- Suresh, S., N. Guizani, M. Al-Ruzeiki, A. Al-Hadhrami, H. Al-Dohani, I. Al-Kindi, and M. S. Rahman. 2013. Thermal characteristics, chemical composition and polyphenol contents of date-pits powder. *Journal of Food Engineering* 119:668-679.
- Timofei, S., W. Schmidt, L. Kurunczi, Z. J. D. Simon, and Pigments. 2000. A review of QSAR for dye affinity for cellulose fibres. 47:5-16.
- Trouillas, P., Sancho-García, J.C., Freitas, V.D., Gierschner, J., Michal Otyepka, M., Dangles, O., 2016. Stabilizing and modulating color by copigmentation: insights from theory and experiment. *Chemical Reviews* 116, 4937–4982.
- Uddin, M. A., M. M. Rahman, A. N. M. A. Haque, S. A. Smriti, E. Datta, N. Farzana, S. Chowdhury, J. Haider, and A. S. Muhammad Sayem. 2022. Textile colouration with natural colourants :A review. *Journal of Cleaner Production* 349:131489.
- Vedantu. 2021. Is polymerization endothermic or exothermic?
- Velmurugan, P., J.-I. Kim, K. Kim, J.-H. Park, K.-J. Lee, W.-S. Chang, Y.-J. Park, M. Cho, and B.-T. Oh. 2017. Extraction of natural colorant from purple sweet potato and dyeing of fabrics with silver nanoparticles for augmented antibacterial activity against skin pathogens. *Journal of Photochemistry and Photobiology B: Biology* 173:571-579.
- Vergara-Salinas, J.R.; Pérez-Jiménez, J.; Torres, J.L.; Agosin, E.; Pérez-Correa, J.R. Effects of temperature and time on polyphenolic content and antioxidant activity in the pressurized hot water extraction of deodorized thyme (*Thymus vulgaris*). *J. Agric. Food Chem.* 2012, 60, 10920–10929.

- Volden, J.; Borge, G.I.A.; Bengtsson, G.B.; Hansen, M.; Thygesen, I.E.; Wicklund, T. Effect of thermal treatment on glucosinolates and antioxidant-related parameters in red cabbage (*Brassica oleracea* L. ssp. *capitata* f. *rubra*). *Food Chem.* 2008, 109, 595–605.
- Wang, L.F.; Kim, D.M.; Lee, C.Y. Effects of heat processing and storage on flavanols and sensory qualities of green tea beverage. *J. Agric. Food Chem.* 2000, 48, 4227–4232.
- Wizi, J., L. Wang, X. Hou, Y. Tao, B. Ma, and Y. Yang. 2018. Ultrasound-microwave assisted extraction of natural colorants from sorghum husk with different solvents. *Industrial Crops and Products* 120:203-213.
- Wahib, S. A., D. A. Da'na, and M. A. Al-Ghouti. 2022. Insight into the extraction and characterization of cellulose nanocrystals from date pits. *Arabian Journal of Chemistry* 15:103650.
- Wizi, J., L. Wang, X. Hou, Y. Tao, B. Ma, and Y. Yang. 2018. Ultrasound-microwave assisted extraction of natural colorants from sorghum husk with different solvents. *Industrial Crops and Products* 120:203-213.
- Xu, L. and Diosady, L.L. 2000. Interactions between canola proteins and phenolic compounds in aqueous media. *Food Research International*. 33: 725-731.
- Yang, L.; Jiang, J.-G.; Li, W.-F.; Chen, J.; Wang, D.-Y.; Zhu, L. Optimum extraction process of polyphenols from the bark of *Phyllanthus emblica* L. based on the response surface methodology. *J. Sep. Sci.* 2009, 32, 1437–1444.
- Yusuf, M., M. Shahid, M. I. Khan, S. A. Khan, M. A. Khan, and F. J. J. o. S. c. s. Mohammad. 2015. Dyeing studies with henna and madder: A research on effect of tin (II) chloride mordant. 19:64-72.
- Yusuf, M., M. Shabbir, and F. Mohammad. 2017. Natural Colorants: Historical, Processing and Sustainable Prospects. *Natural Products and Bioprospecting* 7:123-145.